



The Dynasty® Filament LED S14 is designed specifically to replace traditional incandescent S14 bulbs without compromising the look and efficacy. The glass lens and potted driver design make it ideal for outdoor applications that will be exposed directly to elements. This lamp works at 120 VAC input and can be installed into any standard E26 (medium) socket. Typical applications include outdoor signage, hotels theaters, restaurants, and theme parks. For more Dynasty LED lighting products, look for the Butterfly!

APPLICATIONS

- Flash/Chaser signs
- Architectural accent & border
- Time/Temperature signs
- Scoreboards
- Theater marquees
- Amusement parks
- Arcade machines

BENEFITS

- Up to 90% energy cost savings
- 4 year warranty
- Low carbon footprint
- Reduces maintenance costs
- Environmentally safe, RoHS compliant
- Vibration resistant

FEATURES

- Replaces any incandescent S14 lamp
- Available in 1.5W / 3W
- Equivalent to 25 / 40 watt incandescent lamp
- 90 - 130 VAC input
- Instant on/off flash/chaser capability




DYNASTY® S14



Product #	Glass	Color	CCT/λd	Watts	Volts	Lumens	CRI	Base	Filaments	Warranty
31125-27	Clear	White	2700 K	3.0	90-130 VAC, 50-60 Hz	300	>80	E26	4 pcs	4 Years
31125-22	Clear	White	2200 K	3.0	90-130 VAC, 50-60 Hz	300	>80	E26	4 pcs	4 Years
31126-27	Clear	White	2700 K	1.5	90-130 VAC, 50-60 Hz	150	>80	E26	2 pcs	4 Years
31126-22	Clear	White	2200 K	1.5	90-130 VAC, 50-60 Hz	150	>80	E26	2 pcs	4 Years

Additional color temperatures available by special order. Please call manufacturer for details.

MECHANICAL DIMENSIONS




Dimensions	Description	Inches	mm
LCL	Light Center Length	1.97	50.0
DIA	Maximum Diameter	1.77	45.0
MOL	Maximum Overall Length	3.46	88.0

Please call or visit our website to
find a local distributor



4628 West Skyhawk Drive, West Jordan, UT 84084-4501
Phone 877.236.4403 Fax 801.256.9287
www.DynastyLEDs.com



ISO 9001 CERTIFIED
Patent #6,465,961, #6,634,770, #6,746,885, #7,728,345 and patents pending
©2013 CAO Lighting, Inc. SAL-FL0054 10.12.01