

SAFETY DATA SHEET

Section 1 - Product and Company Identification

Product: Alumilite Water Clear 'B" Side

Version #: Version #1

Date: June 7, 2015

CAS #: Non-Applicable

Product Use: Mold Making and Casting

Manufacturer/Supplier:

Company Name: Alumilite

Company Address: 315 E. North St.

Kalamazoo, MI 49007

Telephone Number: 269-488-4000

Emergency Telephone: Chemtrec 1-800-424-9300

Section 2 - Hazards Identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Inhalation (Category 3), H331

Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319

Respiratory sensitisation (Category 1), H334

Skin sensitisation (Category 1), H317

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram







Signal Word: Danger

Hazard Statement(s)

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

Precautionary Statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear eye protection/ face protection.

P280 Wear protective gloves.

P285 In case of inadequate ventilation wear respiratory protection.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for

breathing. Call a POISON CENTER or doctor/ physician.



SAFETY DATA SHEET

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/

physician.

P362 Take off contaminated clothing and wash before reuse.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Lachrymator.

P333 + P313

Section 3 - Composition / Information on Ingredients

3.1 Substances

Synonyms: 4,4'-Methylene-bis(cyclohexyl isocyanate)

Bis(4-isocyanatocyclohexyl)methane

4,4'-Diisocyanato-methylenedicyclohexane

4,4'-HMDI

 Formula:
 C15H22N2O2

 Molecular Weight:
 262.35 g/mol

 CAS-No.:
 5124-30-1

 EC-No.:
 225-863-2

 Index-No.:
 615-009-00-0

Hazardous components

Component	Classification	Concentration
Dicyclohexylmethane-4,4'-di-isocyanate		
	Acute Tox. 3; Skin Irrit. 2; Eye Irrit. 2A; Resp. Sens. 1; Skin Sens. 1; STOT SE 3; H315, H317, H319, H331, H334, H335	<= 100 %

No components need to be disclosed according to the applicable regulations. For the full text of the H-Statements mentioned in this Section, see Section 16.

Section 4 - First Aid

Eye Contact: Flush with large amounts of clean water for 15 minutes. If irritation persists, get medical

attention.

Skin Contact: Wash with soap and water. Wash clothing before reuse. **Inhalation:** Remove to fresh air if effects occur consult physician.

Ingestion: Side A: Do not induce vomiting. Give large quantities of water. Consult physician immediately.

Side B: Do not induce vomiting. Give large quantities of water. Give one ounce vinegar in one

ounce water. Consult physician.

Section 5 - Fire Fighting Measures

Extinguishing Media: Water spray, foam, carbon dioxide, or dry chemical

Fire Fighting Instructions: Treat as a class B fire

Flash Point: 369°F

Alumilite Water Clear / Clear 67315-05011 (B)

Page 2 of 5



SAFETY DATA SHEET

Section 6 - Accidental Release Measures

General: Spills should be absorbed with inert material (sand, vermiculite, etc.), sweep or scoop up and put

in disposal container. Flush area immediately with plenty of water; prevent washings from

entering waterways.

Section 7 - Handling and Storage

General: Avoid breathing mist or vapors and repeated or prolonged exposure with skin. Avoid eye contact.

Do not drink.

Storage: Store and use in well-ventilated area between 70-80F. Avoid excessive temperatures, low or

high. Avoid moisture. Containers should be sealed tightly to prevent contamination from foreign

materials.

Section 8 - Exposure Controls & Personal Protection

Clothing: Impervious gloves, coveralls, apron, boots as necessary to prevent skin contact.

Eyes: Safety glasses with side shields.

Respiration: NIOSH approved organic vapor respirators are only required when ventilation is inadequate.

NIOSH approved air-line respirators with auxiliary escape air tanks of self-contained breathing

apparatus should be used in confined spaces.

Ventilation: Use local exhaust to control vapors/mists.

Section 9 - Physical & Chemical Properties

Color: Clear
Form: Liquid
Odor: No Odor
Specific Gravity: 1.08

Boiling Pt: Not available Freezing Pt: Not available

Section 10 - Stability & Reactivity

Stability: Stable

Incompatibility: Strong acids, amines, mercaptons, base (in uncontrolled amounts).

Hazardous Decomposition Products: Thermal decomposition may produce Carbon Monoxide and/or Carbon Dioxide.

Hazardous Polymerization: Will not occur.

Conditions To Avoid: Strong acids, amines, mercaptons, base (in uncontrolled amounts).

Section 11 - Toxicological Information

Toxicity Data for Dicyclohexylmethane-4,4' -Diisocyanate

Acute Oral Toxicity

> 11,000 mg/kg (rat)

Acute Inhalation Toxicity

LC50: 434 mg/m3, aerosol, 4 hrs (rat) LC50: 510 mg/m3, 1 hrs (guinea pig)

Acute Dermal Toxicity

LD50: >10,000 mg/kg (rabbit)

Alumilite Water Clear / Clear

67315-05011 (B)

Page **3** of **5**



SAFETY DATA SHEET

Skin Irritation

Rabbit, Draize Test, Exposure Time: 24 hrs, moderately irritating

Eye Irritation

Rabbit, Draize Test, Slightly irritating

Sensitization

Inhalation: sensitizer (guinea pig)

Dermal: sensitizer (mouse, mouse ear swelling)

Repeated Dose Toxicity

2 weeks, inhalation: NOAEL: <0.04 mg/l, (rat)

4 weeks, inhalation: NOAEL: 1.06 mg/m3 (rat, male/female, 6 hrs/day 5 days/week)

Mutagenicity

Genetic Toxicity in Vitro

Ames: negative (Salmonella typhimurium, Metabolic Activation: with/without)

Toxicity to Reproduction/Fertility

Inhalation, 6 hrs/day 7 days/week, (rat, Male/Female) NOAEL (parental): 1.0 mg/m3, NOAEL (F2): 6.00 mg/m3

Developmental Toxicity/Teratogenicity

Rat, Female, inhalation, 6 hrs/day 7 days/week, NOAEL (teratogenicity): 6 mg/cbm, NOAEL (maternal): 1 mg/cbm

Section 12 - Ecological Information (Non Mandatory)

No applicable data for this section

Section 13 - Disposal Information (Non Mandatory)

Waste Disposal: Dispose of in compliance with federal, state, or local environmental control

regulations. Incinerate or bury in a licensed facility. Do not discharge into

waterways or sewer systems without proper authority.

Section 14 - Transportation Information (Non Mandatory)

Not regulated by the Department of Transportation

Section 15 - Regulatory Information (Non Mandatory)

This product is hazardous under the criteria of the Federal OSHA Hazardous Communication Standard 29 CFR 1910.1200

CERCLA: Reportable Quantity: Over 5,000 lbs.

SARA Title III, Section 302: Not Listed

Section 311/312: Acute Health Hazard, Chronic Health Hazard Dicyclohexlymethane 4,4' Diisocyanate < 85%

Hazardous Health Rating: Health: 3 Fire: 1 Reactivity: 1



SAFETY DATA SHEET

Section 16 – Other Information

No data available

To the best of our knowledge, the information contained herein is accurate. However, Alumilite does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be handled with care. Although we have described herein all of the hazards to which we are currently aware, we cannot guarantee that these are the only hazards which exist. While the descriptions, designs, data, and information contained herein are presented in good faith and believed to be accurate, it is provided for your guidance only. Further, you expressly understand and agree that the descriptions, designs, data, and information furnished by Alumilite hereunder are given gratis and Alumilite assumes no obligation or liability for the description, designs, data, and information given or results obtained, all such being given and accepted at your risk.

Date: June, 2015
Document Number: 67315-05011 (B)

Safety Data Sheet Provided By: Modern Testing Services, LLC

244 Liberty Street, Unit 1-2, Brockton, MA 02301 Tel: (508) 638 1793 | Website: www.mts-global.com