

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/14/2016

Reviewed on 07/13/2016

	Reviewed on 07/1	3/20

1 Identification		

- Product Identifier
- · Trade name: MC-35, MC-55, MC-35C, MC-35P, MC-35CP, MC-55C, MC-55P, MC-55CP, MC-55G, MC-55GP, MC-55A
- Relevant identified uses of the substance or mixture and uses advised against: Liquid Filtration
- Product Description

ErtelAlsop depth filtration media has the look and feel of thick paper.

The filter sheets/pads are rough on one side and have a smooth appearance on the opposite side.

The filter sheets/pads are manufactured in two basic shapes, round and rectangular and are available in various sizes depending on user requirements.

- Details of the Supplier of the Safety Data Sheet:
- Manufacturer/Supplier: ErtelAlsop 132 Flatbush Ave Kingston, NY 12401 Phone: 845-331-4552 or 800-553-7835 Fax: 845-853-1526 sales@ertelalsop.com www.ertelalsop.com Emergency telephone number: 845-331-4552 or 800-553-7835

Hazard(s) Identification

 Classification of the substance or mixture: The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.

- · Label elements:
- · GHS label elements Non-Regulated Material
- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material
- · Unknown acute toxicity:
- 60 % of the mixture consists of component(s) of unknown toxicity.
- · Classification system:
- NFPA ratings (scale 0 4)



HMIS-ratings (scale 0 - 4)

HEALTH Health = 0 FIRE 0 Fire = 0 REACTIVITY 0 Reactivity = 0

Hazard(s) not otherwise classified (HNOC): None known

Composition/Information on Ingredients

```
• Non-hazardous components:
```

```
Activated Carbon
CAS: 7440-44-0
RTECS: FF 5250100
```

40-60%



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/14/2016

Reviewed on 07/13/2016

Trade name: MC-35, MC-55, MC-35C, MC-35P, MC-35CP, MC-55C, MC-55P, MC-55CP, MC-55G, MC-55GP, MC-55A

· Chemical characterization: Mixtures

• **Description:** Mixture of substances listed below with non-hazardous additions.

25-50%
≤ 2 .5%

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets. The hazards associated with the individual components of this product are exempt when in solid form unless dust is released when handled or transformed by cutting or grinding.

4 First-Aid Measures

- Description of first aid measures:
- General information: No special measures required.
- · After inhalation: Not a normal route of entry.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- *After swallowing:* If swallowed and symptoms occur, consult a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed:
- No further relevant information available.

5 Fire-Fighting Measures

- Extinguishing media:
- Suitable extinguishing agents:
- CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters:
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- · Environmental precautions: No special measures required.
- *Methods and material for containment and cleaning up:* Dispose of the collected material according to regulations.
- Reference to other sections:
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and Storage

· Handling

· Precautions for safe handling: No special measures required.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/14/2016

Reviewed on 07/13/2016

Trade name: MC-35, MC-55, MC-35C, MC-35P, MC-35CP, MC-55C, MC-55P, MC-55CP, MC-55G, MC-55GP, MC-55A

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities:
- · Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s): No further relevant information available.
- 8 Exposure Controls/Personal Protection
- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- Components with occupational exposure limits:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

65996-61-4 Pulp Cellulose

ACGIH/TLV Ceiling limit value: 5 mg/m³

OSHA/PEL Ceiling limit value: 15 mg/m³

· Additional information: The lists that were valid during the creation of this SDS were used as basis.

- Exposure controls:
- Personal protective equipment:
- · General protective and hygienic measures: No special measures required.
- · Breathing equipment: Not required.
- · Protection of hands: Not required.
- · Material of gloves: Not required.
- · Penetration time of glove material: Not applicable.
- Eye protection: Not required.

9 Physical and Chemical Properties

- Information on basic physical and chemical properties
- · General Information

· Appearance:	
Form:	Solid
Color:	Black
· Odor:	Odorless
· Odor threshold:	Not determined.
· pH-value:	Not applicable.
• Change in condition	
Melting point/Melting range:	Not determined.
Boiling point/Boiling range:	Not determined.
· Flash point:	None
· Flammability (solid, gaseous):	Not determined.
· Ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/14/2016

Reviewed on 07/13/2016

Trade name: MC-35, MC-55, MC-35C, MC-35P, MC-35CP, MC-55C, MC-55P, MC-55CP, MC-55G, MC-55GP, MC-55A

· Auto igniting:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.
 Explosion limits: Lower: Upper: 	Not determined. Not determined.
· Vapor pressure:	Not applicable.
 Density: Relative density: Vapor density: Evaporation rate: 	Not determined. Not applicable. Not applicable.
 Solubility in / Miscibility with: Water: 	Insoluble.
· Partition coefficient (n-octanol/water).	Not determined.
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.
 Solvent content: Organic solvents: 	0.0 %
Solids content: • Other information:	97.0 % No further relevant information available.

0 Stability and Reactivity

· Reactivity: No further relevant information available.

- · Chemical stability: Stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

1 Toxicological Information

· Information on toxicological effects:

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

65996-61-4 Pulp Cellulose

Inhalative LC50/4 h 5800 mg/l (rat)

9004-32-4 Carboxymethyl cellulose sodium

 Oral
 LD50
 27000 mg/kg (rat)

 Dermal
 LD50
 2000 mg/kg (rabbit)

· Primary irritant effect:

· On the skin: No irritating effect.

· On the eye: No irritating effect.

Page 4/7



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/14/2016

Reviewed on 07/13/2016

Trade name: MC-35, MC-55, MC-35C, MC-35P, MC-35CP, MC-55C, MC-55P, MC-55CP, MC-55G, MC-55GP, MC-55A

• Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations.

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

• Carcinogenic categories:

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

• NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

2 Ecological Information

• Toxicity:

· Aquatic toxicity:

9004-32-4 Carboxymethyl cellulose sodium

- EC50 87.26 mg/l (daphnia)
- Persistence and degradability: No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · *vPvB:* Not applicable.
- · Other adverse effects: No further relevant information available.

3 Disposal Considerations

• Waste treatment methods:

· Recommendation:

Smaller quantities can be disposed of with household waste. Observe all federal, state and local environmental regulations when disposing of this material.

· Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

· UN-Number:	
· DOT, ADR, ADN, IMDG, IATA	Non-Regulated Material
· UN proper shipping name:	
DOT, ADR, ADN, IMDG, IATA	Non-Regulated Material
 Transport hazard class(es): 	
· DOT, ADR, ADN, IMDG, IATA	
· Class:	Non-Regulated Material
· Packing group:	C C
· DOT, ADR, IMDG, IATA	Non-Regulated Material
Environmental hazards:	Not applicable.



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/14/2016

Reviewed on 07/13/2016

Trade name: MC-35, MC-55, MC-35C, MC-35P, MC-35CP, MC-55C, MC-55P, MC-55CP, MC-55G, MC-55GP, MC-55A

UN "Model Regulation":	Not applicable. Non-Regulated Material
Regulatory Information	
Safety, health and environmental regu SARA (Superfund Amendments and R	lations/legislation specific for the substance or mixture: eauthorization):
Section 355 (extremely hazardous sub	stances):
None of the ingredients are listed.	
Section 313 (Specific toxic chemical lis	stings):
None of the ingredients are listed.	
TSCA (Toxic Substances Control Act):	
All ingredients are listed or exempt from I	isting.
California Proposition 65:	
Chemicals known to cause cancer:	
None of the ingredients are listed.	
Chemicals known to cause reproducti	ve toxicity for females:
None of the ingredients are listed.	
Chemicals known to cause reproducti	ve toxicity for males:
None of the ingredients are listed.	
Chemicals known to cause developme	ental toxicity:
None of the ingredients are listed.	
New Jersey Right-to-Know List:	
None of the ingredients are listed.	
New Jersey Special Hazardous Substa	ance List:
None of the ingredients are listed.	
Pennsylvania Right-to-Know List:	
None of the ingredients are listed.	
Pennsylvania Special Hazardous Subs	stance List:
None of the ingredients are listed.	
Carcinogenic categories:	
EPA (Environmental Protection Agenc	y):
None of the ingredients are listed.	•/
TLV (Threshold Limit Value establishe	d by ACGIH):
None of the ingredients are listed.	
NIOSH-Ca (National Institute for Occup	pational Safety and Health):
	• /

· Hazard statements: Non-Regulated Material



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/14/2016

Reviewed on 07/13/2016

Trade name: MC-35, MC-55, MC-35C, MC-35P, MC-35CP, MC-55C, MC-55P, MC-55CP, MC-55G, MC-55GP, MC-55A

· National regulations:

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision: 07/14/2016 / 4

Abbreviations and acronyms: ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA: Occupational Safety & Health** TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation - Category 2B STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 * * Data compared to the previous version altered. SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106