

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/13/2016 Reviewed on 07/13/2016

1 Identification

- · Product Identifier
- Trade name: M-053, M-103, M-403, M-454, M-503, M-503T, M-703, M-853, M-953, M-053P, M-103P, M-403P, M-453P, M-503P, M-503TP, M-703P, M-853P, M-953P, M-053LP, M-103LP, M-403LP, M-453LP, M-503LP, M-503TLP, M-703LP, M-853LP, M-953LP
- · Relevant identified uses of the substance or mixture and uses advised against: Liquid Filtration
- · Product Description

ErtelAlsop depth filtration media has the look and feel of thick paper.

The filter sheets/pads are rough on one side and have a smooth appearance on the opposite side.

The filter sheets/pads are manufactured in two basic shapes, round and rectangular and are available in various sizes depending on user requirements.

- Details of the Supplier of the Safety Data Sheet:
- Manufacturer/Supplier:

ErtelAlsop 132 Flatbush Ave Kingston, NY 12401

Phone: 845-331-4552 or 800-553-7835

Fax: 845-853-1526 sales@ertelalsop.com www.ertelalsop.com

• Emergency telephone number: 845-331-4552 or 800-553-7835

2 Hazard(s) Identification

· Classification of the substance or mixture:

The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.

- · Label elements:
- · GHS label elements Non-Regulated Material
- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material
- · Unknown acute toxicity:

30 % of the mixture consists of component(s) of unknown toxicity.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 0 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

· Description: Mixture of substances listed below with non-hazardous additions.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/13/2016 Reviewed on 07/13/2016

Trade name: M-053, M-103, M-403, M-454, M-503, M-503T, M-703, M-853, M-953, M-953P, M-103P, M-403P, M-453P, M-503P, M-503TP, M-703P, M-853P, M-953P, M-053LP, M-103LP, M-403LP, M-453LP, M-503LP, M-503TP, M-703LP, M-853LP, M-953LP

· Dangerous Components:				
CAS: 65996-61-4	Pulp Cellulose	60-90%		
	♦ Skin Irrit. 2, H315; Eye Irrit. 2B, H320; Combustible Dust			
CAS: 61790-53-2	Diatomaceous earth (Silica-Amorphous)	25-50%		
	◆ Eye Irrit. 2A, H319; STOT SE 3, H335			
CAS: 9004-32-4	Carboxymethyl cellulose sodium	≤ 2.5%		
	♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335			
CAS: 14808-60-7	Quartz (SiO2)	≤ 2.5%		
RTECS: VV 7330000	Carc. 1A, H350; STOT RE 1, H372;			

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

The hazards associated with the individual components of this product are exempt when in solid form unless dust is released when handled or transformed by cutting or grinding.

4 First-Aid Measures

- · Description of first aid measures:
- General information: No special measures required.
- · After inhalation: Not a normal route of entry.
- · After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed:

 No further relevant information available.

5 Fire-Fighting Measures

- · Extinguishing media:
- · Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture: No further relevant information available.
- · Advice for firefighters:
- Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up:

Dispose of the collected material according to regulations.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/13/2016 Reviewed on 07/13/2016

Trade name: M-053, M-103, M-403, M-454, M-503, M-503T, M-703, M-853, M-953, M-053P, M-103P, M-403P, M-453P, M-503P, M-503TP, M-703P, M-853P, M-953P, M-053LP, M-103LP, M-403LP, M-453LP, M-503LP, M-503TLP, M-703LP, M-853LP, M-953LP

7 Handling and Storage

- · Handling
- · Precautions for safe handling: No special measures required.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities:
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · **Specific end use(s):** No further relevant information available.

8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- · Components with occupational exposure limits:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits

Αιι	At this time, the remaining constituent has no known exposure limits.					
659	65996-61-4 Pulp Cellulose					
AC	GIH/TLV	Ceiling limit value: 5 mg/m³				
os	SHA/PEL	Ceiling limit value: 15 mg/m³				
617	61790-53-2 Diatomaceous earth (Silica-Amorphous)					
PEI	<u>L</u>	20mppcf or 80mg/m3 /%SiO2				
RE	L	Long-term value: 6 mg/m³ See Pocket Guide App. C				
TL\	V	TLV withdrawn				
148	14808-60-7 Quartz (SiO2)					
PEI	<u>L</u>	see Quartz listing				
RE	L	Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A				
TL\	V	Long-term value: 0.025* mg/m³ *as respirable fraction				

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- · Personal protective equipment:
- General protective and hygienic measures: No special measures required.
- · Breathing equipment: Not required.
- · Protection of hands: Not required.
- · Material of gloves: Not required.
- Penetration time of glove material: Not applicable.
- · Eye protection: Not required.

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/13/2016 Reviewed on 07/13/2016

Trade name: M-053, M-103, M-403, M-454, M-503, M-503T, M-703, M-853, M-953, M-053P, M-103P, M-403P, M-453P, M-503P, M-503TP, M-703P, M-853P, M-953P, M-053LP, M-103LP, M-403LP, M-453LP, M-503LP, M-503TLP, M-703LP, M-853LP, M-953LP

Not applicable.

9 Physical and Chemical Properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

· pH-value:

Form: Solid

Color: Off White/Pink
Odor: Odorless
Odor threshold: Not determined.

· Change in condition

Melting point/Melting range: Not determined. Boiling point/Boiling range: Not determined.

· Flash point: None

Flammability (solid, gaseous): Not determined.
 Ignition temperature: Not determined.
 Decomposition temperature: Not determined.

· **Auto igniting:** Product is not self-igniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.Vapor pressure: Not applicable.

· Density:

Relative density:

Vapor density:

Evaporation rate:

Not determined.

Not applicable.

Not applicable.

· Solubility in / Miscibility with:

Water: Insoluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not applicable. **Kinematic:** Not applicable.

· Solvent content:

Organic solvents: 0.0 %
Solids content: 100.0 %

• Other information: No further relevant information available.

10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Stable under normal conditions.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/13/2016 Reviewed on 07/13/2016

Trade name: M-053, M-103, M-403, M-454, M-503, M-503T, M-703, M-853, M-953, M-053P, M-103P, M-403P, M-453P, M-503P, M-503TP, M-703P, M-853P, M-953P, M-053LP, M-103LP, M-403LP, M-453LP, M-503LP, M-503TLP, M-703LP, M-853LP, M-953LP

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:					
65996-61-4 Pulp Cellulose					
Inhalative	Inhalative LC50/4 h 5800 mg/l (rat)				
9004-32-4 Carboxymethyl cellulose sodium					
Oral	LD50	27000 mg/kg (rat)			
Dermal	LD50	2000 mg/kg (rabbit)			

- · Primary irritant effect:
- · On the skin: No irritating effect.
- · On the eye: No irritating effect.
- Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations.

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories:

· IARC (International Agency for Research on Cancer):					
61790-53-2	Diatomaceous earth (Silica-Amorphous)	3			
14808-60-7	Quartz (SiO2)	1			
· NTP (National Toxicology Program):					
None of the ingredients are listed.					
· OSHA-Ca (Occupational Safety & Health Administration):					
None of the	ingredients are listed.				

12 Ecological Information

- · Toxicity:
- Aquatic toxicity:

 9004-32-4 Carboxymethyl cellulose sodium

 EC50 87.26 mg/l (daphnia)
 - Persistence and degradability: No further relevant information available.
 - · Behavior in environmental systems:
 - · Bioaccumulative potential: No further relevant information available.
 - Mobility in soil: No further relevant information available.

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/13/2016 Reviewed on 07/13/2016

Trade name: M-053, M-103, M-403, M-454, M-503, M-503T, M-703, M-853, M-953, M-053P, M-103P, M-403P, M-453P, M-503P, M-503TP, M-703P, M-853P, M-953P, M-053LP, M-103LP, M-403LP, M-453LP, M-503LP, M-503TLP, M-703LP, M-853LP, M-953LP

- · Additional ecological information:
- · General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment:
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects: No further relevant information available.

13 Disposal Considerations

- · Waste treatment methods:
- · Recommendation:

Smaller quantities can be disposed of with household waste.

Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packagings
- Recommendation: Disposal must be made according to official regulations.

14 Transport Information

· UN-Number:

· DOT, ADR, ADN, IMDG, IATA Non-Regulated Material

· UN proper shipping name:

· DOT, ADR, ADN, IMDG, IATA Non-Regulated Material

· Transport hazard class(es):

· DOT, ADR, ADN, IMDG, IATA

· Class: Non-Regulated Material

· Packing group:

· DOT, ADR, IMDG, IATA Non-Regulated Material

Environmental hazards: Not applicable.Special precautions for user: Not applicable.

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

· UN "Model Regulation": Non-Regulated Material

15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture:
- SARA (Superfund Amendments and Reauthorization):
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed or exempt from listing.

- · California Proposition 65:
- · Chemicals known to cause cancer:

14808-60-7 Quartz (SiO2)

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/13/2016 Reviewed on 07/13/2016

Trade name: M-053, M-103, M-403, M-454, M-503, M-503T, M-703, M-853, M-953, M-053P, M-103P, M-403P, M-453P, M-503P, M-503TP, M-703P, M-853P, M-953P, M-053LP, M-103LP, M-403LP, M-453LP, M-503LP, M-503TP, M-703LP, M-853LP, M-953LP

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

New Jersey Right-to-Know List:
61790-53-2 Diatomaceous earth (Silica-Amorphous)

New Jersey Special Hazardous Substance List:

None of the ingredients are listed.

Pennsylvania Right-to-Know List:

None of the ingredients are listed.

Pennsylvania Special Hazardous Substance List:

None of the ingredients are listed.

- · Carcinogenic categories:
- · EPA (Environmental Protection Agency):

None of the ingredients are listed.

• TLV (Threshold Limit Value established by ACGIH):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

- · GHS label elements Non-Regulated Material
- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material
- National regulations:

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- · Date of preparation / last revision: 07/13/2016 / 3
- Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/13/2016 Reviewed on 07/13/2016

Trade name: M-053, M-103, M-403, M-454, M-503, M-503T, M-703, M-853, M-953, M-053P, M-103P, M-403P, M-453P, M-503P, M-503TP, M-703P, M-853P, M-953P, M-053LP, M-103LP, M-403LP, M-453LP, M-503LP, M-503TLP, M-703LP, M-853LP, M-953LP

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation - Category 2B

Carc. 1A: Carcinogenicity – Category 1A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1

* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106