

# Certificate of Analysis



SCIENTIFIC

800-253-4942 • [IBISCI.com](http://IBISCI.com)

An ISO 9001 Certified Company

## MOL. BIOLOGY GRADE WATER

### PRODUCT NUMBER

IB42140 \_\_\_\_\_ 10L

### LOT NO.

Lot# \_\_\_\_\_ 22DC0111B

### STORAGE

Store at room temperature.

### DESCRIPTION

Water purified with RO, CDI, 18.2megohm, UV-treated, filtered through 0.1µm filter into the final packaging, and autoclaved.

### SPECIFICATIONS

	Specification	Analysis	Disposition
Nuclease Activity	DNase & RNase on 2% Gel	None Observed	PASS
Sterility	$10^{-3} - 10^{-6}$	$\leq$ SAL $10^{-3}$	PASS
pH	10ml sample after autoclave	5.0 - 7.5	PASS
Appearance	Visual Inspection	Clear	PASS

### PROPERTIES

Molecular Biology Grade Water is manufactured under stringent conditions. The purification process for this product includes continuous deionization, reverse osmosis, UV-treatment, 0.1µm filtration, followed by steam sterilization in an autoclave.

### QUALITY CONTROL

Certified Molecular Biology Grade Water is tested for non-specific Endonuclease/ Nickase Activity. None detected after 14-16hr incubation with super coiled plasmid DNA, analyzed on an agarose gel. It is also tested for No Exonuclease Activity detected after 14-16hr incubation with fragments of pUC 19, DNA ladder, RNA ladder and genomic DNA. No RNase, DNase activity was detected after 8, 14, and 24hr incubation with RNA/DNA, analyzed by PAGE.

### DATE OF

Release Date: \_\_\_\_\_ 01/13/2022

Reassay Date: \_\_\_\_\_ 01/2025

### CERTIFICATION

We certify that this batch conforms to the specifications listed above and has been reviewed by a quality representative. This document has been electronically produced and signed by IBI SCIENTIFIC.

Toby Frericks  
Quality Control

01/18/22  
Date

FOR RESEARCH AND DEVELOPMENT PURPOSES ONLY

Building Quality Scientific.