

Certificate of Analysis



SCIENTIFIC

800-253-4942 • IBISCI.com

An ISO 9001 Certified Company

LB LENNOX BROTH

PRODUCT NUMBER

IB49110 _____ 20gm
IB49111 _____ 500gm
IB49112 _____ 2kg
IB49113 _____ 10kg

LOT NO.

Lot# _____ 23C1023

CAS NO.

CAS# _____ N/A

STORAGE

Store at room temperature. Keep tightly sealed. Protect from moisture and light.

SPECIFICATIONS

	Specification	Analysis	Disposition
Appearance, Homogeneous free flowing powder	PASS / FAIL	PASS	PASS
Color	Light Beige	PASS	PASS
PPM Appearance	Clear, no light ppt	PASS	PASS
pH (2% solution @ 25°C)	6.8 - 7.2	7.11	PASS
<i>Escherichia coli</i> ATCC 23724	EXCELLENT/GOOD/POOR	EXCELLENT	PASS
<i>Escherichia coli</i> ATCC 33694	EXCELLENT/GOOD/POOR	VERY GOOD	PASS
<i>Escherichia coli</i> ATCC 33849	EXCELLENT/GOOD/POOR	GOOD	PASS
<i>Escherichia coli</i> ATCC 39403	EXCELLENT/GOOD/POOR	EXCELLENT	PASS
<i>Escherichia coli</i> ATCC 47014	EXCELLENT/GOOD/POOR	EXCELLENT	PASS
<i>Escherichia coli</i> ATCC 53868	EXCELLENT/GOOD/POOR	EXCELLENT	PASS

DATE OF

Expiration Date: _____ 12/13/2026
Manufacture Date: _____ 12/14/2022

CERTIFICATION

We certify that this batch conforms to the specifications listed above and has been reviewed by a quality representative. This document has been electronically produced and signed by IBI SCIENTIFIC.

Abigail Wood
Quality Control

03/01/23
Date

FOR RESEARCH AND DEVELOPMENT PURPOSES ONLY

Building Quality Scientific.

IBI SCIENTIFIC • 7445 Chavenelle Road • Dubuque, IA 52002-9664 • USA