

Certificate of Analysis



SCIENTIFIC

800-253-4942 • IBISCI.com

An ISO 9001 Certified Company

LB LENNOX AGAR

PRODUCT NUMBER

IB49120 _____ 500gm
IB49121 _____ 2kg
IB49122 _____ 10kg

LOT NO.

Lot# _____ 22H5012

CAS NO.

CAS# _____ N/A

STORAGE

Store at room temperature. Keep tightly sealed. Protect from moisture and light.

SPECIFICATIONS

	Specification	Analysis	Disposition
DCM Appearance, Homogeneous free flowing powder	PASS / FAIL	PASS	PASS
Color	Beige to Light Beige	PASS	PASS
PPM Appearance	Trace to Light Haze	PASS	PASS
pH (3.5% solution @25°C)	7.0 ± 0.2	7.01	PASS
<i>Escherichia coli</i> ATCC 23724	EXCELLENT/GOOD/POOR	GOOD	PASS
<i>Escherichia coli</i> ATCC 33694	EXCELLENT/GOOD/POOR	VERY GOOD	PASS
<i>Escherichia coli</i> ATCC 33849	EXCELLENT/GOOD/POOR	GOOD	PASS
<i>Escherichia coli</i> ATCC 39403	EXCELLENT/GOOD/POOR	GOOD	PASS
<i>Escherichia coli</i> ATCC 47014	EXCELLENT/GOOD/POOR	EXCELLENT	PASS
<i>Escherichia coli</i> ATCC 53868	EXCELLENT/GOOD/POOR	VERY GOOD	PASS

DATE OF

Expiration Date: _____ 02/13/2026

Manufacture Date: _____ 02/11/2022

CERTIFICATION

We certify that this batch conforms to the specifications listed above and has been reviewed by a quality representative. This document has been electronically produced and signed by IBI SCIENTIFIC.

Abigail Wood
Quality Control

8/16/22
Date

FOR RESEARCH AND DEVELOPMENT PURPOSES ONLY

Building Quality Scientific.

IBI SCIENTIFIC • 7445 Chavenelle Road • Dubuque, IA 52002-9664 • USA