

Certificate of Analysis



SCIENTIFIC

800-253-4942 • IBISCI.com

An ISO 9001 Certified Company

TERRIFIC BROTH

PRODUCT NUMBER

IB49140 _____ 500gm
IB49141 _____ 2kg
IB49142 _____ 10kg

LOT NO.

Lot# _____ 22F3002

CAS NO.

CAS# _____ N/A

STORAGE

Store at room temperature. Keep tightly sealed. Protect from moisture and light.

SPECIFICATIONS

	Specification	Analysis	Disposition
Appearance, Homogeneous free flowing powder	PASS / FAIL	PASS	PASS
Color	Light Beige	PASS	PASS
PPM Appearance	Clear, no light ppt	PASS	PASS
pH (5.08% solution @ 25°C)	7.2 ± 0.2	7.33	PASS
<i>Escherichia coli</i> ATCC 23724	EXCELLENT/GOOD/POOR	EXCELLENT	PASS
<i>Escherichia coli</i> ATCC 33694	EXCELLENT/GOOD/POOR	EXCELLENT	PASS
<i>Escherichia coli</i> ATCC 33849	EXCELLENT/GOOD/POOR	EXCELLENT	PASS
<i>Escherichia coli</i> ATCC 39403	EXCELLENT/GOOD/POOR	EXCELLENT	PASS
<i>Escherichia coli</i> ATCC 47014	EXCELLENT/GOOD/POOR	EXCELLENT	PASS
<i>Escherichia coli</i> ATCC 53868	EXCELLENT/GOOD/POOR	EXCELLENT	PASS

DATE OF

Expiration Date: _____ 05/22/2026

Manufacture Date: _____ 05/23/2022

CERTIFICATION

We certify that this batch conforms to the specifications listed above and has been reviewed by a quality representative. This document has been electronically produced and signed by IBI SCIENTIFIC.

Abigail Wood

Quality Control

06/14/22

Date

FOR RESEARCH AND DEVELOPMENT PURPOSES ONLY

Building Quality Scientific.

IBI SCIENTIFIC • 7445 Chavenelle Road • Dubuque, IA 52002-9664 • USA