Certificate of Analysis



An ISO 9001 Certified Company

YEAST EXTRACT

PRODUCT NUMBER	
IB49160	500gm
IB49161	1kg
IB49162	5kg
IB49163	20kg

LOT NO.			
Lot#	19D3022		
CAS NO.			
CAS#	8013-01-2		

STORAGE

Store at room temperature. Keep tightly sealed. Protect from moisture and light.

PECIFICATIONS	Specification	Analysis	Disposition
Dry Matter		95.8%	PASS
Loss on Drying		4.2%	PASS
Ash	10.6%	14.0%	PASS
Total Nitrogen	10.9%	11.22%	PASS
Proteins (Total Nx 6.25)		70.1%	PASS
Amino Nitrogen	6.1%	5.29%	PASS
Sodium Chloride		0.25%	PASS
Appearance, Homogenous free flowing powder	PASS / FAIL	PASS	PASS
Color	PASS / FAIL	Yellow, Amber	PASS
pH (2% Solution)	6.7	6.83	PASS
Standard Plate Count		10cfu/g	PASS
Molds and Yeast		< 5cfu/g	PASS
Clostridium perfringens spores		< 5cfu/g	PASS
E.coli		Ocfu/g	PASS
Pathogenic Staphylococcus		Ocfu/g	PASS
Salmonella		0cfu/25g	PASS
Peptone Agar	PASS / FAIL	PASS	PASS
Broth Formulation (as Luria)	PASS / FAIL	PASS	PASS

DATE OF

Expiration Date: 12/2021

Manufacture Date: 12/13/2018

CERTIFICATION

We certify that this batch conforms to the specifications listed above and has been reviewed by a quality representative. This document has been electronically produced and signed by IBI SCIENTIFIC.

Toby Frericks

Quality Control

04/17/19 Date

FOR RESEARCH AND DEVELOPMENT PURPOSES ONLY

Building Quality Scientific.