# Certificate of Analysis



An ISO 9001 Certified Company

## YEAST EXTRACT

PRODUCT NUMBER	
IB49160	500gm
IB49161	1kg
IB49162	5kg
IB49163	20kg

LOT NO. Lot#	21D1014
CAS NO.	
CAS#	8013-01-2

#### STORAGE

Store at room temperature. Keep tightly sealed. Protect from moisture and light.

SPECIFICATIONS	Specification	Analysis	Disposition
Dry Matter		95.4%	PASS
Loss on Drying		4.60%	PASS
Ash	10.6%	14.8%	PASS
Total Nitrogen	10.9%	10.90%	PASS
Proteins (Total Nx 6.25)		68.12%	PASS
Amino Nitrogen	6.1%	4.90%	PASS
Sodium Chloride		0.23%	PASS
Appearance, Homogenous free flowing powder	PASS / FAIL	PASS	PASS
Color	PASS / FAIL	Yellow, Amber	PASS
pH (2% Solution)	6.7	7.01	PASS
Standard Plate Count		Ocfu/g	PASS
Molds and Yeast		10cfu/g	PASS
E.coli		Ocfu/g	PASS
Peptone Agar	PASS / FAIL	PASS	PASS
Broth Formulation (as Luria)	PASS / FAIL	PASS	PASS

#### DATE OF

 Expiration Date:
 02/2023

 Manufacture Date:
 02/04/2020

#### CERTIFICATION

We certify that this batch conforms to the specifications listed above and has been reviewed by a quality representative. This document has been electronically produced and signed by IBI SCIENTIFIC.

**Building Quality Scientific.** 

Toby Frericks Quality Control

04/01/21 Date

### FOR RESEARCH AND DEVELOPMENT PURPOSES ONLY