

Certificate of Analysis



SCIENTIFIC

800-253-4942 • IBISCI.com

An ISO 9001 Certified Company

TRYPTONE

PRODUCT NUMBER

IB49180 _____ 500gm
IB49181 _____ 1kg
IB49182 _____ 2kg

LOT NO.

Lot# _____ 21D1004

CAS NO.

CAS# _____ 9000-71-9

STORAGE

Store at room temperature. Keep tightly sealed. Protect from moisture and light.

SPECIFICATIONS

	Specification	Analysis	Disposition
Appearance, Homogeneous free flowing powder	PASS / FAIL	PASS	PASS
Color	Beige	PASS	PASS
Clarity (2% solution)	Clear	PASS	PASS
pH (2% solution)	7.0	7.17	PASS
Total Nitrogen	13.0%	12.37%	PASS
Ash	6.6%	6.06%	PASS
Amino Nitrogen	4.4%	5.19%	PASS
Loss on Drying		3.74%	PASS
Standard Plate Count		60cfu/g	PASS
Molds		< 100cfu/g	PASS
Coliforms	POSITIVE / NEGATIVE	NEGATIVE	PASS
E.coli	POSITIVE / NEGATIVE	NEGATIVE	PASS
Salmonella	POSITIVE / NEGATIVE	NEGATIVE	PASS
<i>Escherichia coli</i> ATCC 25922	EXCELLENT/GOOD/POOR	GOOD	PASS
<i>Staphylococcus aureus</i> ATCC 25923	EXCELLENT/GOOD/POOR	GOOD	PASS
<i>Escherichia coli</i> ATCC 25922	POSITIVE / NEGATIVE	POSITIVE	PASS

DATE OF

Manufacture Date: _____ 02/16/2021

Expiration Date: _____ 02/2024

CERTIFICATION

We certify that this batch conforms to the specifications listed above and has been reviewed by a quality representative. This document has been electronically produced and signed by IBI SCIENTIFIC.

Toby Frericks
Quality Control

04/01/21
Date

FOR RESEARCH AND DEVELOPMENT PURPOSES ONLY

Building Quality Scientific.