Certificate of Analysis



An ISO 9001 Certified Company

10X TBE BUFFER

PRODUCT NUMBER	1L	LOT NO. Lot#	19DC1120
STORAGE		CAS NO.	
Store at room temperature.		CAS#	n/a

SPECIFICATIONS	Specification	Analysis	Disposition
Nuclease Activity (DNase & RNase on 2% Agarose Gel)	PASS / FAIL	None Observed	PASS
pH (10ml sample)	PASS / FAIL	8.3 ± 0.1	PASS
Solubility in water (Visual Inspection)	PASS / FAIL	Fully Dissolved	PASS
Appearance (Visual Inspection)	PASS / FAIL	Clear	PASS
Filtration	PASS / FAIL	0.2µm filter	PASS
Resistivity	PASS / FAIL	18.2M Ω	PASS

DATE OF	
Manufacture Date:	11/20/2019
Reassay Date:	11/2023

CERTIFICATION

We certify that this batch conforms to the specifications listed above and has been reviewed by a quality representative. This document has been electronically produced and signed by IBI SCIENTIFIC.

Building Quality Scientific.

Toby Frericks Quality Control

03/24/20 Date

FOR RESEARCH AND DEVELOPMENT PURPOSES ONLY

IBI SCIENTIFIC • 7445 Chavenelle Road • Dubuque, IA 52002-9664 • USA