

# Certificate of Analysis



SCIENTIFIC

800-253-4942 • [IBISCI.com](http://IBISCI.com)

An ISO 9001 Certified Company

## 10X PBS w/o Calcium or Magnesium

### PRODUCT NUMBER

IB70165 \_\_\_\_\_ 1L  
IB70166 \_\_\_\_\_ 4L

### LOT NO.

Lot# \_\_\_\_\_ 20DC1228C

### STORAGE

Store at room temperature. Protect from moisture.

### CAS NO.

CAS# \_\_\_\_\_ N/A

### SPECIFICATIONS

	Specification	Analysis	Disposition
Sterility (After 72hrs incubation @ 20 - 23°C)	PASS / FAIL	No Growth	PASS
Sterility (After 72hrs incubation @ 37 - 42°C)	PASS / FAIL	No Growth	PASS
pH (10ml sample after autoclave)	7.4 ± 0.2	7.4	PASS
Solubility in water (Visual Inspection)	PASS / FAIL	Dissolved	PASS
Appearance (Visual Inspection)	PASS / FAIL	Clear	PASS
Sterility	≤ SAL 10 <sup>-3</sup>	10 <sup>-3</sup> - 10 <sup>-6</sup>	PASS

### DATE OF

Manufacture Date: \_\_\_\_\_ 01/04/2021

Reassay Date: \_\_\_\_\_ 12/2023

### CERTIFICATION

We certify that this batch conforms to the specifications listed above and has been reviewed by a quality representative. This document has been electronically produced and signed by IBI SCIENTIFIC.

Toby Frericks  
Quality Control

01/11/21  
Date

FOR RESEARCH AND DEVELOPMENT PURPOSES ONLY

Building Quality Scientific.

IBI SCIENTIFIC • 7445 Chavenelle Road • Dubuque, IA 52002-9664 • USA