# Certificate of Analysis



An ISO 9001 Certified Company

1132-61-2

## MOPS, FREEACID Ultra Pure

PRODUCT NUMBER		LOT NO.	
IB70170	100gm	Lot#	21B3005
STORAGE		CAS NO.	

CAS#

Store at room temperature.

PECIFICATIONS	Specification	Analysis	Disposition
Appearance	PASS/FAIL	White Powder	PASS
pH (1% in water)	3.6 - 4.4	4.3	PASS
Heavy Metals (as Pb)	PASS / FAIL	≤5ppm	PASS
IR (conforms to known standard)	PASS / FAIL	PASS	PASS
Moisture	≤ 1.0%	0.2%	PASS
рКа (@25°С)	7.0 - 7.4	7.3	PASS
Solubility (33% in water)	PASS/FAIL	Clear and Complete	PASS
UV Absorbance (0.1M solution, 260nm)	≤ 0.05	0.00	PASS
UV Absorbance (0.1M solution, 280nm)	≤ 0.03	0.00	PASS
Assay (on dried basis)	≥ 99.5%	100.0%	PASS

DATE OF	
Manufacture Date:	02/17/2021
Reassay Date:	11/2025

FOR RESEARCH AND DEVELOPMENT PURPOSES ONLY

#### CERTIFICATION

We certify that this batch conforms to the specifications listed above and has been reviewed by a quality representative. This document has been electronically produced and signed by IBI SCIENTIFIC.

#### Toby Frericks

Quality Control

05/10/21 Date

### Building Quality Scientific.

IBI SCIENTIFIC • 7445 Chavenelle Road • Dubuque, IA 52002-9664 • USA