

# Certificate of Analysis



SCIENTIFIC

800-253-4942 • [IBISCI.com](http://IBISCI.com)

An ISO 9001 Certified Company

## 0.5M EDTA SOLUTION

### PRODUCT NUMBER

IB70184 \_\_\_\_\_ 100ml  
IB70185 \_\_\_\_\_ 4x100ml  
IB70187 \_\_\_\_\_ 10L

### LOT NO.

Lot# \_\_\_\_\_ 21DC1103C

### CAS NO.

CAS# \_\_\_\_\_ 6381-92-6

### STORAGE

Store at room temperature. Protect from moisture.

### SPECIFICATIONS

	Specification	Analysis	Disposition
Nuclease Activity (DNase & RNase on 2% Agarose Gel)	PASS / FAIL	None Observed	PASS
pH (10ml sample)	PASS / FAIL	8.0 ± 0.1	PASS
Solubility in water (Visual Inspection)	PASS / FAIL	Fully Dissolved	PASS
Appearance (Visual Inspection)	PASS / FAIL	Clear	PASS
Filtration	PASS / FAIL	0.2µm filter	PASS

### DATE OF

Manufacture Date: \_\_\_\_\_ 11/04/2021

Reassay Date: \_\_\_\_\_ 11/2024

### CERTIFICATION

We certify that this batch conforms to the specifications listed above and has been reviewed by a quality representative. This document has been electronically produced and signed by IBI SCIENTIFIC.

Toby Frericks  
Quality Control

11/08/21  
Date

FOR RESEARCH AND DEVELOPMENT PURPOSES ONLY

Building Quality Scientific.

IBI SCIENTIFIC • 7445 Chavenelle Road • Dubuque, IA 52002-9664 • USA