# Set Up Instructions

WLM-2000ES

**Step 1:** Assemble straight poles by pressing and pushing together.

Step 2: Connect all corner sections to curved and straight sections of the frame by matching shape symbols on pipes.

Step 3: Insert center support pole.

Step 4: Unzip print and lay image face up. Slide print onto frame like a pillow case.

Step 5: Pull and stretch the graphic below the bottom cross bar and zip closed under the cross bar.

Step 1: Assemble straight poles by pressing and pushing together.

Step 2: Connect all corner sections to curved and straight sections of the frame by matching shape symbols on pipes.

Step 3: Insert center support pole.

Step 4: Unzip print and lay image face up. Slide print onto frame like a pillow case.

Step 5: Pull and stretch the graphic below the bottom cross bar and zip closed under the cross bar.

Step 1: Install the double circular feet in the two corners connecting the three fabric panels together.

Install the single circular feet at the opposite end of the two long panels.

Step 2: Install butterfly clips using the tool and hex bolt. Position 3/4 up the wall for good stabalization. Do not overtighten.

x4

**Step 3:** Add curtain onto one half of rod and assemble curtain rod completely by clicking together.

Step 4: Position curtain rod into position on top of open side of frame. If possible, cut a small slit on inside of fabric where clamp is positioned. This will create relief in the fabric. Tighten hex bolt down on each side with tool.


x2

Room Only

**Room with WaterFall XL Shelving**

**Room with Shelving & DNA Light Box**

**Step 1:** Assemble each section of the frame by pressing and pushing poles together.

Step 2: Insert 3 cross bar support poles.

Step 3: Connect all corner sections to straight sections of the frame by pressing and pushing poles together.

Step 4: Frame Complete

Step 5: Unzip print and lay image face up. Slide print onto frame like a pillow case. Grip the fabric tightly and stretch around bottom pole to pinch zipper into place. Zip the graphic together for taut finish.

Step 6: Insert feet into corners of frame.

x2

Step 7: Loosely attach butterfly clips onto the top of Waterfall using the hex tool. Position clips the same distance from each side. Align waterfall with the wall and tighten butterfly clamp down into position.

x2

x2

SHELVING: Add shelves to frame. Position and level shelves on frame before tightening clamps down with hex tool.

x2