

acc. to 29 CFR 1910.1200 App D

Version number: GHS 1.0 Date of compilation: 2020-12-07

SECTION 1: Identification

1.1 Product identifier

Trade name Leather Cleaner

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Leather Cleaner

1.3 Details of the supplier of the safety data sheet

GlassParency Products Inc. 185 W. Montauk Hwy Lindenhurst NY, 11757 866-529-5999

www.glassparency.com

1.4 Emergency telephone number

Emergency information service 24 hour emergency number

ChemTrec Toll-Free: 1(800)-424-9300

Local: 1(703)-527-3887

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
	severe skin burns and eye damage	1	Skin Corr. 1	H314
A.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Signal word danger

Pictograms

GHS05

Hazard statements

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash hands, forearms and face thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 If swallowed: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P304+P340 If inhaled: Remove person to fresh air and keep comfortable for

breathing.

acc. to 29 CFR 1910.1200 App D

Version number: GHS 1.0 Date of compilation: 2020-12-07

1303 11331 11330	in the Eres. Minse educiously with water for several minutes. Memove
	contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a poison center or doctor.
P321	Specific treatment (see supplemental first aid instruction on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

P321 Specific treatment (see supplemental first aid instruction on this label).
P363 Wash contaminated clothing before reuse.

Store locked up.

P501 Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international

regulation. e

2.3 Other Hazards

P305+P351+P338

P405

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
Water	(CAS-No.) 7732-18-5	80 – 90	
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphe-nyl)omega.hydroxy-, branched	(CAS-No.) 127087-87-0	1 - 5	
Sodium metasilicate	(CAS-No.) 6834-92-0	1 – 5	
Sodium hydroxide	(CAS-No.) 1310-73-2	1 – 5	
Tetrasodium EDTA	(CAS-No.) 64-02-8	1 – 5	
Poly(oxy-1,2-ethanediyl), .alphaisodecyl omegahydroxy-, phosphate	(CAS-No.) 108818-88-8	1 - 5	
Quaternary ammonium compounds, coco alkylbis(hydroxyethyl) methyl, ethoxylated, chlorides	(CAS-No.) 61791-10-4	1 - 5	
Fragrance	Proprietary	< 1	

Hazardous ingredients, Consideration of other advice

This table, if present, includes all GHS classified ingredients present above their cut-off limits, even if the finished product is not classified as hazardous by GHS.

Exact percentage of ingredients is withheld as a trade secret.

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

acc. to 29 CFR 1910.1200 App D

Version number: GHS 1.0 Date of compilation: 2020-12-07

4.1 Description of first-aid measures General notes

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Following inhalation: Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. Call a POISON CENTER or doctor/physician if you feel unwell.

Following skin contact: Remove/Take off immediately all contaminated clothing. Wash exposed area thoroughly with soap and water for at least 15 minutes. If irritation or symptoms develop, seek medical attention. Wash contaminated clothing before re-use.

Following eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists, seek prompt medical attention.

Following ingestion: Do NOT induce vomiting. Have victim rinse mouth with water, then give one to two glasses of water to drink. Never give anything by mouth to an unconscious person. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. Call a POISON CENTER or doctor/physician if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation

None anticipated under normal product use.

Symptoms/effects after skin contact

Causes severe skin burns.

Symptoms/effects after eye contact

Causes serious eye damage.

Symptoms/effects after ingestion

May be harmful if swallowed.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media: Use suitable extinguishing media for surrounding fire.

Unsuitable extinguishing media: None.

5.2 Special hazards arising from the substance or mixture

Fire hazard: None.

Explosion hazard: None.

5.3 Advice for firefighters

Firefighting instructions: Move containers from fire area if safe to do so. Do not use water.

Protection during firefighting: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures: General measures Avoid eye and skin contact with spilled material.

For non-emergency personnel Remove persons to safety: Emergency responders

Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with the clean-up should wear the appropriate chemically protective equipment. Refer to protective measures listed in sections 7 and 8.

acc. to 29 CFR 1910.1200 App D

Version number: GHS 1.0 Date of compilation: 2020-12-07

For emergency responders

Protective equipment: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. Avoid breathing dust/fume/gas/mist/vapors/spray. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures: Ventilate area.

6.2 Environmental precautions

Ensure spilled product does not enter drains, sewers, waterways, or confined spaces.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill: If possible, stop flow of product.

Advice on how to clean up a spill: Stop the spill at source if it is safe to do so. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Notify the appropriate authorities as required.

6.4 Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations: Wear chemically resistant protective equipment during handling. Use only in well-ventilated areas. Avoid breathing vapors. Avoid contact with eyes, skin and clothing. Keep container tightly closed. Wash thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, dry, well-ventilated area. Store away from incompatible materials. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Sodium hydroxide (1310-73-2)			
ACGIH	ACGIH OEL Ceiling	2 mg/m³	
OSHA	OSHA PEL (TWA) [1]	2 mg/m³	
IDLH	IDLH	10 mg/m³	
NIOSH	NIOSH REL (Ceiling)	2 mg/m³	

8.2 Exposure controls

Appropriate engineering controls

General mechanical ventilation and local exhaust is recommended for use with this product.

Individual protection measures (personal protective equipment)

Eye/face protection

Safety glasses with side-shields or chemical splash goggles.

Skin protection

Hand protection

Version number: GHS 1.0 Date of compilation: 2020-12-07

For prolonged skin exposure, gloves impervious to the material are recommended.

Skin/Body Protection

Wear suitable working clothes

Respiratory protection

Use in a well-ventilated area. If the TLV is exceeded, a NIOSH/MSHA-approved respirator is advised. Advice should be sought from respiratory protection specialists.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid	
Color	coral	
Odor	fragrant	

Other safety parameters

Other Surety parameters		
pH (value)	10.6	
Melting point/freezing point	not determined	
Initial boiling point and boiling range	104.1 °C	
Flash point	> 80 °C	
Evaporation rate	not determined	
Flammability (solid, gas)	not determined	
Explosive limits	not determined	
Vapor pressure	not determined	
Density	not determined	
Vapor density	not determined	

Solubility(ies)

Water solubility	miscible in any proportion	
Partition coefficient		
- n-octanol/water (log KOW)	not determined	
Auto-ignition temperature	not determined	
Viscosity	not determined	
Explosive properties	not determined	
Oxidizing properties	not determined	

acc. to 29 CFR 1910.1200 App D

Version number: GHS 1.0 Date of compilation: 2020-12-07

SECTION 10: Stability and reactivity

10.1 Reactivity

Not normally reactive.

10.2 Chemical stability

The product is stable at normal handling and storage conditions.

10.3 Possibility of hazardous reactions

Will not occur.

10.4 Conditions to avoid

None.

10.5 Incompatible materials

Not determined.

10.6 Hazardous decomposition products

Not determined.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200) Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Causes severe skin burns.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Not classified

Germ cell mutagenicity

Not classified

Carcinogenicity

Not classified

Reproductive toxicity

Not classified

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Ecology-general: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Version number: GHS 1.0 Date of compilation: 202<u>0-12-07</u>

Tetrasodium EDTA (64-02-8)			
LC50 - Fish [1]	41 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])		
LC50 - Fish [2]	59.8 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		

Sodium hydroxide (1310-73-2)

LC50 - Fish [1]	45.4 mg/l (Exposure time: 96	5 h - Species: C	ncorhynchus mykiss [static])
	, J \	I	, , , , , ,

Sodium metasilicate (6834-92-0)			
LC50 - Fish [1] 210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])			
LC50 - Fish [2]	210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)		

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations

Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport information

14.1 Department of Transportation (DOT)

In accordance with DOT Not applicable Not applicable.

R

Version number: GHS 1.0 Date of compilation: 2020-12-07

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States) Toxic Substance Control Act (TSCA) all ingredients are listed Superfund Amendment and Reauthorization Act (SARA TITLE III)

The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304) None of the ingredients are listed

Clean Air Act

None of the ingredients are listed

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals None of the ingredients are listed

SECTION 16: Other information, including date of preparation or last revision Continued

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

acc. to 29 CFR 1910.1200 App D

Version number: GHS 1.0 Date of compilation: 2020-12-07

⊚ GLASSPARENCY PRODUCTS[™]

acc. to 29 CFR 1910.1200 App D

acc. to 29 CFR 1910.1200 App D

acc. to 29 CFR 1910.1200 App D

Version number: GHS 1.0

Date of compilation: 2020-12-07

acc. to 29 CFR 1910.1200 App D