

PRODUCTS

TABLE OF CONTENTS

AREA SCENE LIGHTS	3 - 6
PRODUCTION LIGHTS	7 - 10
HEAD & HELMET LIGHTS	11 - 14
RIGHT ANGLE UTILITY LIGHTS	15 - 18
SHIELD LIGHTS	19 - 22
RUGO™ DRONE & CAMERA LIGHT	23 - 26



AREA SCENE LIGHTS







NOMAD® NOW 3,000 LUMENS

Most compact and versatile scene light

FEATURES

- Collapsible easy carry handle
- Mount to magnet (included) and tripod
- Remote activation (included)
- Rechargeable Li-Ion Battery System
- 8.7 in (221 mm) tall and 4.5 lbs (2 kg)



NOMAD® PRIME 5,000 LUMENS

Best spotlight with built-in tripod legs

FEATURES

- Spotlight and area light all in one
- Collapses into bazooka light for transport
- Rechargeable Li-Ion Battery System
- Fully deploys to 8 ft (2.4 m)
- ♦ Weighs 18.4 lbs (8.3 kg)

Nomad® NOW Scene Light: Multi-Activation (200-400-100)
Nomad® NOW Scene Light: Single Activation (200-400-102)
Nomad® NOW Scene Light: Single Activation (200-400-102)

Nomad® Prime (200-800)





8,000 LUMENS

Best self-contained 360° scene light

FEATURES

- Spotlight, area light, and 360° scene light all in one
- Rechargeable Li-Ion Battery System
- Fully deploys to 8.5 ft (2.6 m)
- ♦ Weighs 24.4 lbs (11.1 kg)



NOMAD® TRANSFORMER® 16,000 LUMENS

Most powerful scene light with modular Power Pack

FEATURES

- Modular design
- Rechargeable Li-Ion Power Pack, can be swapped out for continous power
- Fully deploys to 12.9 ft (3.9 m)
- ♦ 3.3 ft (1.0 m) extension pole available
- Weighs 53.5 lbs (24.3 kg)

Nomad® Transformer (200-1200)



Color Accessories can be used to help mark key locations and identify places of significance such as parking areas, medical stations, command posts, staging zones, or triage areas.

COLOR BANDS

FEATURES

- For use on Nomad® 360 (included), T32, and T56
- Set includes five silicone bands: Red, Orange, Yellow, Green, and Blue
- Lightweight, flexible, and durable



Color Bands (85-070)

DIFFUSER CAP & COLOR BANDS

FEATURES

- For use on Nomad® Prime and P56
- Set includes one diffuser cap and five silicone bands: Red, Orange, Yellow, Green, and Blue
- Bands store inside the cap when not in use
- Lightweight, flexible, and durable

Diffuser Cap & Color Bands (850-080)

DIFFUSER LENS

FEATURES

- For use on Nomad® Prime (included) and P56
- Available in red (for nighttime vision adaptation) and amber

DISTRIBUTED BY:



Diffuser Lens in Red (85-050) Diffuser Lens in Amber (85-052)







@FOXFURYLED

FOXFURY LIGHTING SOLUTIONS 760.945.4231 OCEANSIDE, CA, USA



PRODUCTION LIGHTS

FOXFURY.COM



CORDLESS • 95 CRI • WATERPROOF





NOMAD® N32 & N56 2,400 & 2,700 LUMENS

Most compact versatile production light

FEATURES

- Color Temperature: 3200K and 5600K
- Magnet (included) and tripod mountable
- Remote activation (included)
- Rechargeable Li-Ion Battery System
- 8.7 in (221 mm) tall and 4.5 lbs (2 kg)



NOMAD® P56 4,100 LUMENS

Best production spotlight with built-in tripod legs

FEATURES

- Color Temperature: 5600K Daylight
- Spotlight and area light all in one
- Rechargeable Li-Ion Battery System
- Fully deploys to 8 ft (2.4 m)
- ♦ Weighs 19 lbs (8.6 kg)





NOMAD® T32 & T56 7,000 & 8,200 LUMENS

Best self-contained 360° production light

FEATURES

- Color Temperature: 3200K and 5600K
- Spotlight, area light, and scene light all in one
- Rechargeable Li-Ion Battery System
- Fully deploys to 8.5 ft (2.6 m)
- ♦ Weighs 24.4 lbs (11.1 kg)

TRIPO-SCOPE® M1

Compact tripod with built-in Tripo-Scope® legs for use with the Nomad® N56 & N32

FEATURES

- Use the included Puck Adaptor to mount accessories to a 1/4"-20 thread
- 3/8"-16 Threaded Stud allows mounting of professional grade accessories
- Fully deploys to 7.5 ft (2.3 m)

Nomad® T56 Production Light, 5600K (200-9T56) Tripo-Scope® M1 (650-100) Nomad® T32 Production Light, 3200K (200-9T32)





SPECIFICATION	N32 (200-4N32)	N56 (200-4N56)	P56 (200-8P56)	T32 (200-9T32)	T56 (200-9T56)
LUMENS (MAX)	2,400	2,700	4,100	7,000	8,200
BATTERY LIFE	3 - 24 hours				
CHARGE TIME	4 hours	4 hours	5 hours	7 hours	7 hours
SETUP TIME	Instant	Instant	20 sec	20 sec	20 sec
HEIGHT (MAX)	8.7 in (0.2 m)	8.7 in (0.2 m)	8 ft (2.4 m)	8.5 ft (2.6 m)	8.5 ft (2.6 m)
WEIGHT	4.5 lbs (2 kg)	4.5 lbs (2 kg)	19 lbs (8.6 kg)	24.4 lbs (11.1 kg)	24.4 lbs (11.1 kg)
CRI	95				
COLOR TEMP	3200K	5600K		3200K	5600K

DISTRIBUTED BY:







@FOXFURYLED

FOXFURY LIGHTING SOLUTIONS 760.945.4231 OCEANSIDE, CA, USA



HEADLAMPS & HELMET LIGHTS





TRUE TO LIFE™ LEDS: SEE COLORS ACCURATELY



COMMAND TILT

65 LUMENS

Best suited for close-up tasks, inspections and general area illumination

FEATURES

- Rear safety LED
- Adjustable tilt: aim and adjust light
- Includes silicone and elastic strap
- ♦ Weight: 9.6 oz (272 g)
- ♦ (4) AA batteries | 7 28 hours



COMMAND+ TILT

100 LUMENS

Best suited for outdoor use including search & rescue and firefighting

FEATURES

- Rear safety LED
- Adjustable tilt: aim and adjust light
- Includes silicone and elastic strap
- Rechargeable option available
- ♦ Weight: 9.6 oz (272 g)
- (4) AA batteries | 5 14 hours

White LEDs (410-T09)

White LEDs (420-T09)
White & Green LEDs (420-T06)
White & Amber LEDs (420-T15)
White LEDs Rechargeable (420-T09R)



PANORAMIC LIGHTING: SEE WIDER, SEE BETTER



DISCOVER TILT

200 LUMENS

Best suited for long distance tasks and general area illumination

FEATURES

- Rear safety LED
- Adjustable tilt: aim and adjust light
- Includes silicone and elastic strap
- ♦ Weight: 12 oz (340 g)
- ♦ (4) AA batteries | 5 12 hours



LO•PRO MODELS

65,100, 200 LUMENS

Best suited for firefighter helmets with external face shield

FEATURES

- Rear safety LED
- Ultra slim design clears face shields on most U.S. style fire helmets
- Includes silicone strap
- (4) AA batteries | 3 28 hours
- Rechargeable option available

Command LoPro White LEDs (410-L06)
Command+ LoPro White & Green LEDs (420-L06)
Command+ LoPro White & Green LEDs Rechargeable (420-L06R)
Discover LoPro White LEDs (480-L06)





SIDESLIDE C-CLAMP 200 LUMENS

Used as a flashlight or side-mounted helmet light

FEATURES

- Rear safety LED
- Mounts above/below brim of most U.S. style fire helmets without a face shield
- ♦ Weight: 10 oz (284 g)
- (1) 18650 battery or (2) CR123 batteries | 3.5 - 8 hours

DISTRIBUTED BY:

COMMAND & DISCOVER HEADLAMPS / HELMET LIGHTS

LED COLOR	USE
White	Close-Up/Distance
White & Green	Structural Firefighting
White & Amber	Outdoor/Wildland Fire

^{*}Intrinsically safe headlamps available*

"MY TEAM WAS CUT OFF BY FIRE EXTENSION & MY FOXFURY HEADLAMP WAS THE ONLY LIGHT THAT CUT THROUGH THE SMOKE TO SHOW THE WAY TO THE LADDER FOR THEM TO GET DOWN."

-Jim B. | Fire Investigator







f 6 eFOXFURYLED

FOXFURY LIGHTING SOLUTIONS 760.945.4231 OCEANSIDE, CA, USA

^{*}Glow in the dark silicone straps available*



RIGHT ANGLE & UTILITY LIGHTS







BT2 200 LUMENS

All purpose search tool

FEATURES

- Long distance beam 3,000 ft (914 m)
- Rechargeable option available
- Available in black or yellow/red
- ♦ Weight: 1.4 lbs (635 g)
- ♦ (4) AA batteries | 3 12 hours




BT2+ 700 LUMENS

Long distance search tool

FEATURES

- Extra long distance beam 5,600 ft (1,707 m)
- Rechargeable option available
- Available in black or orange/red
- ♦ Weight: 1.4 lbs (635 g)
- ♦ (4) AA batteries | 2 8 hours

Black (380-BT2-BL) Black Rechargeable (380-BT2-BLR) Yellow (380-BT2-YE) Yellow Rechargeable (380-BT2-YER)





BT2-IS

Intrinsically safe search tool

FEATURES

- Long distance beam 3,000 ft (914 m)
- Hazardous Locations UL913: Class I, Zone O, AEx ia IIC T5 IECEx: Ex ia IIC T5 Ga
- ♦ Weight: 1.5 lbs (680 g)
- ♦ (4) AA batteries | 3 12 hours



BT4 200 LUMENS

Smoke cutting tool with a low profile

FEATURES

- SMO-KUT™ Smoke Cutting Technology
- Rechargeable option available
- Available in black or black/yellow
- ♦ Weight: 1.3 lbs (590 g)
- ♦ (4) AA batteries | 3 12 hours









SCOUT

50 LUMENS (WHITE & RED LED MODELS) 65 LUMENS (WHITE LED MODELS)

Go anywhere utility light

FEATURES

- True to Life™ LED Technology
- Durable J-Clip enables multi-wear options
- Available with white or white & red LEDs
- Available in black or orange
- Weight with Battery: 5.4 oz (153 g)
- (3) AA batteries | 12 50 hours (white LED models) or 12 - 60 hours (white and red LED models)

Black with White LEDs (301-010)
Black with White & Red LEDs (301-004)
Orange with White LEDs (302-010)
Orange with White & Red LEDs (302-004)

DISTRIBUTED BY:







@FOXFURYLED

FOXFURY LIGHTING SOLUTIONS 760-945-4231 OCEANSIDE, CA, USA




SHIELD LIGHTS

FOXFURY.COM



DURABLE • WATERPROOF • STROBE-CAPABLE





TAKER B10

Most adaptive ballistic shield light for top & side-mounted use

FEATURES

- Attach multiple B10s on one shield for tactical advantage
- 60° tilt allows light to be positioned at various angles
- Retrofits most ballistic shields
- (2) CR123 batteries or (1) 18650 battery | 1.5 - 10 hours





TAKER B30

600 LUMENS

Our lowest profile, front-mounted, ballistic shield light

FEATURES

- Replaceable lens in case of damage
- Dual Settings: Tactical and ON/OFF
- Heavy duty braided cable
- Retrofits most ballistic shields
- ♦ (3) or (6) CR123 batteries | 5 8 hours









TAKER B50

Our most powerful after-market ballistic shield light

FEATURES

- Includes square pressure switch
- Dual Settings: Tactical and ON/OFF
- Heavy duty braided cable
- Retrofits most ballistic shields
- ♦ (3) or (6) CR123 batteries | 5 8 hours



TAKER B70

1200 LUMENS

Best integrated light with handle for OEM shield manufacturers

FEATURES

- Ambidextrous light activation
- Dual Settings: Tactical and ON/OFF
- No visible cables or wires
- ♦ (3) or (6) CR123 batteries | 2 4 hours











TAKER R40 650 LUMENS

Powerful strobe-capable LED light for riot shields

FEATURES

- Attaches to back of riot and capture shields via 3M Reclosable Fastener
- Quick Swap™ Power Pack for easy recharging
- Retrofits most riot and capture shields
- Rechargeable battery | 1 1.75 hours





P/N 700-331

COMPARISON MODEL DIMENSIONS (WxHxD) LUMENS B10 2.9 x 1.5 x 1.8 in (74 x 38 x 46 mm) 380 B30 3.9 x 0.9 x 1.9 in (99 x 23 x 48 mm) 600 B50 5.7 x 2.0 x 2.3 in (145 x 51 x 59 mm) 1000 B70 8.1 x 1.1 x 3.0 in (206 x 28 x 76 mm) 1200				
B10	COMPARISON			
B10 (74 x 38 x 46 mm) 380 B30 (3.9 x 0.9 x 1.9 in (99 x 23 x 48 mm) 600 B50 (5.7 x 2.0 x 2.3 in (145 x 51 x 59 mm) 1000 B70 (8.1 x 1.1 x 3.0 in 1200	MODEL		LUMENS	
B50 (99 x 23 x 48 mm) 600 B50 (5.7 x 2.0 x 2.3 in (145 x 51 x 59 mm) 1000 B70 8.1 x 1.1 x 3.0 in 1200	B10		380	
B50 (145 x 51 x 59 mm) 1000 8.1 x 1.1 x 3.0 in 1200	B30		600	
B70 312 X 212 X 313 11 1200	B50	017 X 210 X 210 III	1000	
(200 / 20 // 0 11111)	B70	8.1 x 1.1 x 3.0 in (206 x 28 x 76 mm)	1200	
R40 2.6 x 2.4 x 3.8 in (66 x 61 x 97 mm) 650	R40		650	







© © @FOXFURYLED

FOXFURY LIGHTING SOLUTIONS 760.945.4231 OCEANSIDE, CA, USA



RUGO™ DRONE & CAMERA LIGHT









FEATURES

- ♦ Rechargeable Quick Swap® Power Pack
- Tri-Lens Technology offers spot, area, and flood light options
- Mountable to drones, action cameras, bicycles, and tripods

LUMENS (MAX)	BATTERY LIFE	CHARGE TIME	WEIGHT
700	1 - 6 hours	2.5 hours	5.6 oz (158 g)




MULTIPLE MOUNTING OPTIONS



1/4"-20 MOUNT AND COLD-SHOE

mounts to most DSLR cameras and light stands




STANDARD MOUNT

mounts to most action cams


TRI-LENS™ TECHNOLOGY

Slide the Tri-Lens™ from left to right to switch between Flood, Area and Spot




FLOOD (120°)

Beam distance: 10 ft (3 m) Used for: Close-up



AREA (55°)

Beam distance: 30 ft (10 m) Used for: Mid-range



SPOT (18°)

Beam distance: 100 ft (30 m) Used for: Distance



POWER PACKS



QUICK SWAP® POWER PACK

Rechargeable

RUGO™

- 4 modes (dim, low, medium, high)
- 2.4 oz (69 g)
- ♦ Included with Rugo™

Quick Swap® Power Pack (N50-200)



QUICK SWAP® POWER PACK WITH STROBE

- Meets FAA night UAV requirements
- Rechargeable
- 4 modes (low, medium, high, strobe)
- 2.4 oz (69 g)
- Available as separate accessory

Quick Swap® Power Pack with Strobe (N50-220)

DRONE MOUNTS



FOR DJI PHANTOM 4 AND **PHANTOM 4 PRO** SET OF 2

Drone Mounts for DJI Phantom 4 (85-027)



FOR YUNEEC H520 AND TYPHOON H SET OF 2

Drone Mounts for Yuneec H520 and Typhoon H (85-023)



FOR DJI INSPIRE AND MATRICE SOLD INDIVIDUALLY

Handlebar/Drone Mount (85-026)

DISTRIBUTED BY:







FOXFURY LIGHTING SOLUTIONS 760.945.4231 OCEANSIDE, CA, USA

FOXFURY.COM/RUGO

FOXFURY.COM OCEANSIDE, CA | USA 760-945-4231

@FOXFURYLED





