

## Chilled Display Units

For the simple presentation of chilled food.

- Gastronorm compatible top.
- Fluorescent illumination to top.
- 13 amp supply complete with plug.
- Complete with Victor StayKold Eutectic plates.
- Toughened glass sneeze screen.

Gastronorm containers are optional extras.



Model No. **CDU30**  
1110 x 580 x 520mm 21W

## Caribbean Toppers - Heated

The Victor range of Caribbean Toppers contains 16 models of counter top food display units that allow the caterer to choose the model that meets their food service requirements.

### Product Features

- Stainless steel base radius to front & rear
- Variable heat control to dry heat only Bains Marie.
- Accepts gastronorm containers up to 65mm deep.
- 13 amp supply complete with cable & plug.
- Heavy duty construction.
- Stainless steel gantry arms and hood.
- 300W operator changeable quartz heat lamps fitted with dimmer control.



Containers not included.

Model No. **CTB2**  
800 x 650 x 635mm 1.35kW

### Extras for Bains Marie

- Carvery insert.
- Tiled inserts.
- Glass inserts.
- Inclined collars to Bains Marie.
- Gastronorm containers.

Model No. **CTB1**  
1200 x 650 x 635mm 2.4kW  
Containers not included.




Glass insert - DHCPI



Tiled insert - DHTPI



Carvery/Gravy insert - BMCVI



Carvery insert - BMCV2

## Caribbean Toppers - Heated

The Victor range of Caribbean Toppers contains 16 models of counter top food display units that allow the caterer to choose the model that meets their food service requirements.

Most heated models are available in two lengths, 800mm & 1200mm, and match in terms of style and profile allowing a flexible food service area to be created.

### Features Included on Heated Models

- Stainless steel base radius to front & rear.
- Variable heat control to base.
- 13 amp supply complete with cable & plug.
- Heavy duty construction.
- Stainless steel gantry arms and hood.
- 300W operator changeable quartz heat lamps fitted with dimmer control.



Model No. **CTG1**  
1200 x 650 x 635mm 1.9kW



Model No. **CTP1**  
1200 x 650 x 635mm 2.4kW



Model No. **CTG2**  
800 x 650 x 635mm 1.1kW



Model No. **CTP2**  
800 x 650 x 635mm 1.35kW

**Carvery Topper**

- Tiled unit complete with one carvery pad and one tiled insert.
- Carvery pad is removable for easy cleaning.
- Choice of carvery pad position.
- Can be swapped from left to right.

**Extras for Carvery Topper**

- Tiled insert to replace carvery pad when not in use.
- Additional carvery pad.



Model No. **CTC1**  
1200 x 650 x 635mm 2.4kW

**Tiled Topper**



Model No. **CTT2**  
800 x 650 x 635mm 1.35kW



Model No. **CTT1**  
1200 x 650 x 635mm 2.4kW

Tile colours may differ from those illustrated.

Toppers

**Special Order Items**



Carvery topper with curved glass gantry and slate grey tiles

**Alternative tile colours to special order**



Forest Green

Cobalt Blue

Red



Black

Yellow

Dove Grey

## Caribbean Toppers - Refrigerated

The Victor range of Caribbean Toppers contains 16 models of counter top food display units that allow the caterer to choose the model that meets their food service requirements.

Refrigerated models are available in two lengths, 1100mm & 1500mm, and match in terms of style and profile allowing a flexible food service area to be created.

### Ice Cooled Topper

- Stainless steel base with radius to front & rear.
- Stainless steel well complete with drain tap.
- Compatible with Victor StayKold Eutectic plates.
- Heavy duty construction.
- Stainless steel gantry arms and hood.
- Fluorescent illumination to gantry overshelf.
- 13 amp supply complete with cable & plug.
- Toughened glass sneeze screen.

### Extras

- StayKold Eutectic Plates.

### Refrigerated model features

- Stainless steel base radius to front & rear.
- Stainless steel contact cooled well.
- Operates with a surface temperature of 0°C to 1°C in ambient temperatures up to 32°C.
- Heavy duty construction.
- Stainless steel gantry arms and hood.
- Fluorescent illumination to gantry overshelf.
- Toughened glass sneeze screen.



Model No. **CTSI** 1200 x 650 x 635mm 0.2kW



Model No. **BTOREF1** 1500 x 650 x 260mm 1.0kW

Model No. **BTOREF2** 1100 x 650 x 260mm 1.0kW



Model No. **BTOREF3** 1500 x 650 x 260mm 1.0kW

Model No. **BTOREF4** 1100 x 650 x 260mm 1.0kW



Model No. **CTREF15** 1500 x 650 x 635mm 1.0kW



Model No. **CTREF11** 1100 x 650 x 635mm 1.0kW