





2022+ FORD MAVERICK HUD INSTALL

STEP 1

Plug the connector from the kit into the Mavericks OBDII port.

*The port should be located under the steering column on the left side. *





e Role OS







Pull the plastic trim peice that is located under the steering wheel away from the truck then run the wire behind this trim piece.



e isole Os

EL COLLOG

1501105



EISOLEOS

ELISOLEOS

ELEGIED'S

STEP 3

e to Leos

e gole Os

Pull the side panel away from the truck and run the wire up to the dashboard of the truck.



Once the wire is run to the dashboard, line up the pop tabs and pop the two trim pieces back into place.



E ISOLEOS

ELSO LEDG

E ISOLEOS

RISOLED S

RIGILOS

E ISOLEDES

E ISOLEOS

A LOUIS





e Folkos

Tuck the wire under the plastic trim piece seen in the photos below and continue to hide the wire by tucking it in between the plastic dash piece shown below.





Solid

e Goldo







*If you have any excess wire, you can tuck it down in between the plastic dash piece and the windshield. *

ELSO LEOS

e isole 05

HISOLED'S







Now that the wire is run to the front of the dash, connect the wire to the HUD unit, then based off of preference decide where you would like to mount the unit. Once you have decided where you would like to mount the unit, use the included prep wipes to clean the surface where it will be mounted.



risole05

EL COLLOG

e goldo

Then remove the protective covering from the 3m adhesive on the bottom of the unit and firmly press down on the unit for 20-30 seconds to mount the unit to the dash.



to to

elfolio 5

e to Leo's





FISOLEOS.

Make sure that the kit is on so that you can see the numbers displayed on the windshield, then take the reflective film that comes with the kit and stick it on the windshield where the numbers are reflecting to enhance the display of the kit.





Text for support: 706-214-2618
Visit our site to chat: www.F150LEDs.com
or email CustomerSupport@F150LEDs.com

alsole Os

