

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 08/03/2016

: Mixture
: Terra Wash 6X
: 2019-21516X
stance or mixture and uses advised against
: Cleaners, liquids (all purpose cleaners, sanitary products, floor cleaners, glass cleaners, carpet cleaners, metal cleaners)
data sheet
: (800) 535-5053
nixture
H227
H312
H315 H319
GHS07
: Warning
: H227 - Combustible liquid H312 - Harmful in contact with skin H315 - Causes skin irritation H319 - Causes serious eve irritation
 P210 - Keep away from heat/sparks/open flames} No smoking P264 - Wash hands and forearms thoroughly after handling P280 - Wear protective gloves/eye protection/face protection P302+P352 - If on skin: Wash with plenty of soap and water P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a poison center/doctor/ if you feel unwell P321 - Specific treatment (see First aid measures on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P370+P378 - In case of fire: Use appropriate media to extinguish P403+P235 - Store in a well-ventilated place. Keep cool P501 - Dispose of contents/container in accordance with local/regional/national/international

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substance

Not applicable

Name	Product identifier	%	GHS-US classification
butyl glycolether	(CAS No) 111-76-2	20 - 30	Flam. Liq. 4, H227 Acute Tox. 3 (Dermal), H311 Acute Tox. 2 (Inhalation:gas), H330 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
2-aminoethanol substance with OEL values	(CAS No) 141-43-5	<1	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1B, H314

Full text of hazard classes and H-statements : see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow victim to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	 Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effect	cts, both acute and delayed
Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
4.3. Indication of any immediate medica	I attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the su	bstance or mixture
No additional information available	
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release mea	sures
	uipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3.	Methods and material for containn	nent and cleaning up
Metho	ds for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4.	Reference to other sections	
See H	leading 8. Exposure controls and persona	al protection.
SEC	TION 7: Handling and storage	
7.1.	Precautions for safe handling	
Preca	utions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.
7.2.	Conditions for safe storage, incluc	ling any incompatibilities
Storaç	ge conditions	 Keep only in the original container in a cool, well ventilated place away from heat, hot surfaces, sparks, open flame and other ignition sources. No smoking. Keep container closed when not in use.
Incom	patible products	: Strong bases. Strong acids.
Incom	patible materials	: Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

butyl glycolether (111-76-2)				
ACGIH	ACGIH TWA (ppm)	20 ppm (2-Butoxyethanol (EGBE); USA; Time- weighted average exposure limit 8 h; TLV - Adopted Value)		
ACGIH	Remark (ACGIH)	Eye & URT irr		
OSHA	OSHA PEL (TWA) (mg/m³)	240 mg/m ³		
OSHA	OSHA PEL (TWA) (ppm)	50 ppm		
2-aminoethanol (141-43-5)	2-aminoethanol (141-43-5)			
ACGIH	ACGIH TWA (ppm)	3 ppm (Ethanolamine; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)		
ACGIH	ACGIH STEL (ppm)	6 ppm (Ethanolamine; USA; Short time value; TLV - Adopted Value)		
ACGIH	Remark (ACGIH)	Eye & skin irr		
OSHA	OSHA PEL (TWA) (mg/m³)	6 mg/m ³		
OSHA	OSHA PEL (TWA) (ppm)	3 ppm		

8.2. Exposure controls	
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves/eye protection/face protection protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Respiratory protection	: Wear appropriate mask.
Other information	: Do not eat, drink or smoke during use.
SECTION 9: Physical and chem	ical properties
9.1. Information on basic physical	and chemical properties
Physical state	: Liquid
Color	: dark red
Odor	: Butyl
Odor threshold	: No data available
рН	: 10 - 11
Melting point	: No data available
Freezing point	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	-
Boiling point	: 210 °F
Flash point	: N/A
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 1.004
Solubility	: Soluble in water.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTI	ON 10: Stability and reactivity
10.1.	Reactivity
No addit	ional information available
10.2.	Chemical stability
Not esta	blished.
10.3.	Possibility of hazardous reactions
Not esta	blished.
10.4.	Conditions to avoid
Direct su	unlight. Extremely high or low temperatures.
10.5.	Incompatible materials
Strong a	cids. Strong bases.
10.6.	Hazardous decomposition products
Fume. C	Carbon monoxide. Carbon dioxide.
SECTI	ON 11: Toxicological information
11.1.	Information on toxicological effects

Acute toxicity	: Dermal: Harmful in contact with skin.
Terra Wash 6X	
ATE US (dermal)	1609.275 mg/kg body weight
butyl glycolether (111-76-2)	
LD50 dermal rat	> 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)
LD50 dermal rabbit	435 mg/kg body weight (Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity; 435 mg/kg bodyweight; Rabbit; Weight of evidence; Equivalent or similar to OECD 402)
LC50 inhalation rat (mg/l)	2.17 mg/l/4h (Rat; Experimental value; 2.35 mg/l/4h; Rat; Experimental value)
LC50 inhalation rat (ppm)	450 - 486 ppm/4h 450-486,Rat
ATE US (dermal)	435.000 mg/kg body weight
ATE US (gases)	450.000 ppmV/4h
ATE US (vapors)	2.170 mg/l/4h
ATE US (dust, mist)	2.170 mg/l/4h
2-aminoethanol (141-43-5)	
LD50 oral rat	1720 mg/kg (Rat)
LD50 dermal rabbit	1018 mg/kg (Rabbit)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-aminoethanol (141-43-5)		
ATE US (oral)	1720.000 mg/kg body weight	
ATE US (dermal)	1018.000 mg/kg body weight	
Skin corrosion/irritation	: Causes skin irritation.	
	рН: 10 - 11	
Serious eye damage/irritation	: Causes serious eye irritation.	
	рН: 10 - 11	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
butyl glycolether (111-76-2)		
IARC group	3 - Not classifiable	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: Not classified	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.	

SECTION 12: Ecological information

12.1. Toxicity

2-aminoethanol (141-43-5)	
LC50 fish 1	150 mg/l (LC50; 96 h; Salmo gairdneri)
EC50 Daphnia 1	140 mg/l (EC50; 24 h)
Threshold limit algae 2	35 mg/l (EC50; 72 h)

12.2. Persistence and degradability

Terra Wash 6X		
Persistence and degradability	Not established.	
butyl glycolether (111-76-2)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air.	
Biochemical oxygen demand (BOD)	0.71 g O₂/g substance	
Chemical oxygen demand (COD)	2.20 g O₂/g substance	
ThOD	2.305 g O₂/g substance	
BOD (% of ThOD)	0.31	
2-aminoethanol (141-43-5)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil.	
Biochemical oxygen demand (BOD)	0.80 g O₂/g substance	
Chemical oxygen demand (COD)	1.34 g O₂/g substance	
ThOD	2.49 g O₂/g substance	
BOD (% of ThOD)	0.32	

Terra Wash 6X		
Bioaccumulative potential	Not established.	
butyl glycolether (111-76-2)		
Log Pow	0.81 (Experimental value; BASF test; 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday, M	larch 26, 2012 / Rules and Regulations	
2-aminoethanol (141-43-5)		
Log Pow	-1.91	
Bioaccumulative potential	Bioaccumulation: not applicable.	
12.4. Mobility in soil		
butyl glycolether (111-76-2)		
Surface tension	0.027 N/m (25 °C)	
2-aminoethanol (141-43-5)		
Surface tension	0.050 N/m	
12.5. Other adverse effects		
Effect on the global warming	: No known effects from this product.	
GWPmix comment	: No known effects from this product.	
Other information	: Avoid release to the environment.	
SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.	
Ecology - waste materials	: Avoid release to the environment.	
SECTION 14: Transport information		
Department of Transportation (DOT)		
In accordance with DOT		
Not applicable		
TDG		
Not applicable		
Transport by sea		
Not applicable		
Air transport		
Not applicable		
SECTION 15: Regulatory information		
15.1. US Federal regulations		
Terra Wash 6X		
Not listed on the United States TSCA (Toxic Substances Control Act) inventory		
butyl glycolether (111-76-2)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
2-aminoethanol (141-43-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
15.2. International regulations		
CANADA No additional information available		
EU-Regulations No additional information available		
National regulations No additional information available		

15.3. US State regulations No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information	
Revision date	: 08/03/2016
Other information	: None.
Full text of H-phrases:	
H227	Combustible liquid
H302	Harmful if swallowed
H311	Toxic in contact with skin
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H319	Causes serious eye irritation
H330	Fatal if inhaled
HMIS III Rating	
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal protection	: B
	B - Safety glasses, Gloves
SDS US (GHS HazCom 2012)	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product