



# Feiyu SCORP-C Lens Compatibility List

Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark
						Short End	Long End	Short End	Long End	
Sony			E 10 - 18mm F4 OSS	Φ70mm*63.5mm 225g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE 12-24mm F4 G	Φ87mm*117mm 565g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE 16-35mm F2.8 GM	Φ89mm*122mm 680g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE16-35mm f/4 ZA OSS	Φ78mm*99mm 518g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE 24-70 F2.8 GM	Φ87.6mm*136mm 886g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			Zeiss E 16-70 F4 OSS	Φ66.6mm*75mm 308g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			E PZ 18 - 105mm F4 G OSS	Φ78mm*110mm 427g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			E PZ 18 - 200mm F3.5 - 6.3 OSS LE	Φ93.2mm*99mm 649g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE 4/24-105 G OSS	Φ83.4mm*113.3mm 663g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE 28-70mm f/3.5-5.6 OSS	Φ72.5mm*83mm 295g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE 28mm F2	Φ64mm*60mm 200g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			Zeiss FE 35mm F2.8 ZA	Φ61.5mm*36.5mm 120g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			Sigma 30mm f/1.4 DG DN	Φ64.8mm*73.3mm 265g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			Sigma 35mm f1.4 DG HSM Art	Φ77mm*94mm 665g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE 55mm F1.8	Φ64mm*71mm 281g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE 50mm F2.8 MACRO	Φ71mm*71mm 236g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE 85mm F1.4 GM	Φ89.5mm*107.5mm 820g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			Vario-Tessar FE 24-70mm F4 ZA OSS	Φ73mm*94.5mm 426g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE PZ 16-35mm F4 G	Φ80.5mm*88.1mm 353g	Camera + Lens	✓	✓	✓	✓	1. Need to remove the viewfinder's protector 2. Camera Riser required
			Focus motor + Camera	✓	✓	✓	✓	Camera Riser required		
			Sigma 65mm F2 DG DN Sony FE adapter	Φ72mm X74.7mm 405g	Camera + Lens	✓	✓	✗	✗	Camera Riser required
			Focus motor + Camera	✓	✓	✓	✓	Camera Riser required		
FX3	FX3 77.8x129.7x84.5mm 640g	TAMRON 28-75mm f/2.8 Di III RXD (A036)	Φ117.6mm*75.8mm 550g	Camera + Lens	✓	✓	---	---	Camera Riser Required	
Focus motor + Camera	✓	✓	---	---						
α 7 IV (A7M4)	α 7M4 129.0x97.0x81.0mm 699g	FE 24-240mm F3.5-6.3 OSS	Φ119mm*81mm 780g	Camera + Lens	✓	✓	---	---		
Focus motor + Camera	✓	✓	---	---						
FE 50mm f/1.8	Φ68.6mm*59.5mm 186g	Camera + Lens	✓	✓	✗	✗				
Focus motor + Camera	✓	✓	✓	✓						
A7R4 A7RM4A	A7R4 128.9x96.4x77.5mm 665g A7RM4A 128.9x96.4x77.5mm 580g	FE 24-105mm f/4 G OSS	Φ83.4mm*113.3mm 663g	Camera + Lens	✓	✓	✓	✓	Camera Riser required when you install horizontally and the Long end Lens need Lens holder: Vertical installation does not require a Camera Riser and the Long end Lens need Lens holder:	
Focus motor + Camera	✓	✓	✓	✓						
samyang 1.5/35mm	Φ77mm*137.5mm 720g	Camera + Lens	✓	✓	✗	✗				
Focus motor + Camera	✓	✓	✗	✗	Camera Riser Required					
A7C	A7C 124x71.1x59.7mm 509g	FE 28-60mm f/4-5.6	Φ67mm*45mm 167g	Camera + Lens	✓	✓	✗	✗		
Focus motor + Camera	✓	✓	✓	✓	Camera Riser required when you install horizontally					
RX10 III (RX10M3) RX10 IV (RX10M4)	RX10M3 132.5x94x127.4mm 1095g RX10M4 132.5x94x127.4mm 1095g	---	---	Camera + Lens	✓	✓	✓	✓	1. Horizontal shooting requires the use of Camera Riser. Lens holder. 2. Vertical shots require Lens holder.	
Focus motor + Camera	✓	✓	✓	✓						
A7C1I	A7C1I 124x71.1x63.4mm 514g	FE 4-5.6/28-60	Φ67mm*45mm 167g	Camera + Lens	✓	✓	✓	✓	Camera Riser required when you install horizontally	
Focus motor + Camera	✓	✓	✓	✓						
A7RV (A7RS)	A7RS 131.3 x 96.9 x 82.4mm 638g	Sigma 20mm f/1.4 DG HSM Art	Φ90.7mm*129.8mm 950g	Camera + Lens	✓	✓	✓	✓	Camera Riser and Lens support are required	
Focus motor + Camera	✓	✓	✗	✗						
A7CR	A7CR 124.0 x 71.1 x 63.4mm 515g	Sigma 65mm F2 DG DN Sony FE adapter	Φ72mm*74.7mm 405g	Camera + Lens	✓	✓	✓	✓		
Focus motor + Camera	✓	✓	✗	✗	Camera Riser required					
ZV-E1	ZV-E1 121.0 x 71.9 x 54.3 mm 399g	Sigma 35MM F2 DGDN Sony FE adapter	Φ70mm X67.4mm 325g	Camera + Lens	✓	✓	✗	✗		
Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark
						Short End	Long End	Short End	Long End	
			E 10 - 18mm F4 OSS	Φ70mm*63.5mm 225g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE 12-24mm F4 G	Φ87mm*117mm 565g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE 16-35mm F2.8 GM	Φ89mm*122mm 680g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE16-35mm f/4 ZA OSS	Φ78mm*99mm 518g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE 24-70 F2.8 GM	Φ87.6mm*136mm 886g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			Vario-Tessar FE 24-70mm F4 ZA OSS	Φ73mm*94.5mm 426g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			

Sony	a 5100 a 6000 a 6100 a 6300 a 6400 a 6500 a 6600	a 5100 109.6×62.8×35.7 224g a 6000 120×66.9×45.1mm 285g a 6100 120×66.9×49.9mm 396g a 6300 120×66.9×48.8mm 361g a 6400 120×67×60mm 359g a 6500 120×66.9×53.3mm 410g a 6600 120×66.9×59mm 503g	Zeiss E 16-70 F4 OSS	Φ66.6mm*75mm 308g	Camera + Lens	✓	✓	---	---		
			Focus motor + Camera	✓	✓	---	---				
			E PZ 18 - 105mm F4 G OSS	Φ78mm*110mm 427g	Camera + Lens	✓	✓	---	---		
			Focus motor + Camera	✓	✓	---	---				
			E PZ 18 - 200mm F3.5 - 6.3 OSS LE	Φ93.2mm*99mm 649g	Camera + Lens	✓	✓	---	---		
			Focus motor + Camera	✓	✓	---	---				
			FE 4/24-105 G OSS	Φ83.4mm*113.3 mm 663g	Camera + Lens	✓	✓	---	---		
			Focus motor + Camera	✓	✓	---	---				
			FE 28-70mm f/3.5-5.6 OSS	Φ72.5mm*83mm 295g	Camera + Lens	✓	✓	---	---		
			Focus motor + Camera	✓	✓	---	---				
			FE 28mm F2	Φ64mm*60mm 200g	Camera + Lens	✓	✓	---	---		
			Focus motor + Camera	✓	✓	---	---				
			Zeiss FE 35mm F2.8 ZA	Φ61.5mm*36.5mm 120g	Camera + Lens	✓	✓	---	---		
			Focus motor + Camera	✓	✓	---	---				
			Sigma 30mm f/1.4 DC DN	Φ64.8mm*73.3mm 265g	Camera + Lens	✓	✓	---	---		
			Focus motor + Camera	✓	✓	---	---				
			Sigma 35mm f1.4 DG HSM Art	Φ77mm*94mm 665g	Camera + Lens	✓	✓	---	---		
			Focus motor + Camera	✓	✓	---	---				
			FE 55mm F1.8	Φ64mm*71mm 281g	Camera + Lens	✓	✓	---	---		
			Focus motor + Camera	✓	✓	---	---				
FE 50mm F2.8 MACRO	Φ71mm*71mm 230g	Camera + Lens	✓	✓	---	---					
Focus motor + Camera	✓	✓	---	---							
FE 28-70mm f/3.5-5.6 OSS	Φ72.5mm*83mm 295g	Camera + Lens	✓	✓	---	---					
Focus motor + Camera	✓	✓	---	---							
FE 85mm F1.4 GM	Φ89.5mm*107.5mm 820g	Camera + Lens	✓	✓	---	---					
Focus motor + Camera	✓	✓	---	---							
E 18-135mm F3.5-5.6 OSS	Φ67.2mm*88mm 325g	Camera + Lens	✓	✓	✓	✓	Camera Riser Required				
Focus motor + Camera	✓	✓	✓	✓							
E PZ 16-50mm f/3.5-5.6 OSS	Φ64.7mm*29.9mm 116g	Camera + Lens	✓	✓	✗	✗	Camera Riser required				
Focus motor + Camera	✓	✓	✗	✗							
RX100 III (RX100M3)	RX100 III 101.6 × 58.1 × 41.0 mm 290g	---	---	Camera	✓	✓	---	---			
RX100 IV (RX100M4)	RX100 IV 101.6 × 58.1 × 41.0 mm 299g	---	---	---	---	---	---	---			
RX100 V (RX100M5)	RX100 V 101.6 × 58.1 × 41.0 mm 299g	---	---	---	---	---	---	---			
RX100M5A	RX100M5A 101.6 × 58.1 × 41.0 mm 299g	---	---	---	---	---	---	---			
RX100 VI (RX100M6)	RX100 VI 101.6 × 58.1 × 42.8 mm 301g	---	---	---	---	---	---	---			
RX100 VII (RX100M7)	RX100 VII 101.6 × 58.0 × 42.8 mm 302g	---	---	---	---	---	---	---			
ZV-1	ZV1 105.5 × 60 × 43.5mm 294g	---	---	Camera	✓	✓	---	---			
FDR-AX60	FDR-AX60 73mm × 80.5mm × 173mm 535g	---	---	DV camcorder	✓	✓	✗	✗			
ZV-E10	ZV-E10 115*64*45mm 343g	---	---	E PZ 16-50/3.5-5.6 OSS	Φ64.7mm*29.9mm 116g	Camera + Lens	✓	✓	✗	✗	Camera Riser required
DSC-WX500	DSC-WX500 101.6 × 58.1 × 35.5 mm 236g	---	---	Camera	✓	✓	✗	✗			
DSC-HX90	DSC-HX90 102.0 × 58.1 × 35.5 mm 245g	---	---	Camera	✓	✓	✗	✗			
FDR-AX700	FDR-AX700 116 × 89.5 × 196.5mm 935g	---	---	DV camcorder	✓	✓	✗	✗			
A6700	A6700 122 × 69 × 75.1mm 493g	TAMRON Di III VXD 20-40mm F/2.8	Φ74.4mm*86.5mm 365g	Camera + Lens	✓	✓	✓	✓			
Focus motor + Camera	✓	✓	✗	✗							
ZV-1M2	ZV-1M2 105.5 X 60.0 X 46.7 mm 292g	---	---	Camera	✓	✓	✓	✓			
Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark	
Panasonic	DC-GH5SGK-K DC-GH5 DC-G9GK-K DMC-GH4GK	GH5S 138.5×98.1×87.4mm 660g GH5 138.5×98.1×87.4mm 725g G9 136.9×97.3×91.6mm 658g GH4 93.4×83.9×132.9mm 560g	LEICA DG SUMMILUX 15mm f/1.7 ASPH	Φ58mm*36mm*46mm 115.00g	Camera + Lens	✓	✓	---	---		
			Focus motor + Camera	✓	✓	---	---				
			LEICA DG SUMMILUX 25mm f/1.4 ASPH	Φ77.7mm*75mm 510g	Camera + Lens	✓	✓	---	---		
			Focus motor + Camera	✓	✓	---	---				
			LEICA DG MACRO 45mm f/2.8 OIS	Φ63mm*62.5mm 225g	Camera + Lens	✓	✓	---	---		
			Focus motor + Camera	✓	✓	---	---				
			LEICA DG Vario-Elmarit 8-18mm f/2.8-4.0 ASPH	Φ73.4mm*88mm 315g	Camera + Lens	✓	✓	---	---		
			Focus motor + Camera	✓	✓	---	---				
			LEICA DG Vario-Elmarit 12-60 f/2.8-4 Power OIS	Φ68mm*86mm 320g	Camera + Lens	✓	✓	---	---		
			Focus motor + Camera	✓	✓	---	---				
			LUMIX G X Vario 12-35mm f/2.8 II ASPH POWER OIS (H-HS12035GK I generation)	Φ68mm*74mm 305g	Camera + Lens	✓	✓	✗	✗		
			Focus motor + Camera	✓	✓	✗	✗	Camera Riser Required			
			M. ZUIKO DIGITAL ED 12mm f/2.0	Φ56mm*43mm 130g	Camera + Lens	✓	✓	---	---		
			Focus motor + Camera	✓	✓	---	---				
			LUMIX G 14-140mm f/4-5.8 OIS	Φ70mm*84mm 460g	Camera + Lens	✓	✓	---	---		
Focus motor + Camera	✓	✓	---	---							
OLYMPUS M. ZUIKO DIGITAL 12-40mm	Φ70mm*84mm 382g	Camera + Lens	✓	✓	---	---					
Focus motor + Camera	✓	✓	---	---							
S5	S5 132.6×97.1×81.9mm 714g	LUMIX S 24-105mm F4	Φ84mm*118mm 680g	Camera + Lens	✓	✓	---	---			
Focus motor + Camera	✓	✓	---	---							
GH6	GH6 138.4*100.3*99.6mm 823g	LEICA DG Vario-Elmarit 12-60mm f/2.8-4 Power OIS	Φ68mm*86mm 320g	Camera + Lens	✓	✓	✗	✗	Lens holder required		
Focus motor + Camera	✓	✓	✓	✓							
SS11	SS11 102.3×134.3×90.1mm 740g	Lumix S 20-60mm f/3.5-5.6	Φ77.4×87.2mm 350g	Camera + Lens	✓	✓	✗	✗			
Focus motor + Camera	✓	✓	✓	✓	Camera Riser Required						
Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark	
Nikon	Z6 Z6 II Z7 Z7 II	Z6 134×100.5×67.5mm 675g Z6 II 134×100.5×69.5mm 615g Z7 134×100.5×67.5mm 675g Z7 II 134×100.5×67.5mm 705g	NIKKOR Z 35mm f/1.8	Φ73mm*86mm 370g	Camera + Lens	✓	✓	---	---		
			Focus motor + Camera	✓	✓	---	---				
			18-140mm f/3.5-5.6G ED VR	Φ78mm*97mm 490g	Camera + Lens	✓	✓	✓	✓		
			Focus motor + Camera	✓	✓	---	---	Camera Riser required when you install horizontally			
			NIKKOR Z 50mm f/1.8 S	Φ76mm*86.5mm 415g	Camera + Lens	✓	✓	---	---		
			Focus motor + Camera	✓	✓	---	---				
			NIKKOR Z 24-70mm f/4 S	Φ77.5mm*88.5mm 500g	Camera + Lens	✓	✓	---	---		
			Focus motor + Camera	✓	✓	---	---				
			NIKKOR Z 14-30mm f/4 S	Φ85mm*89mm 485g	Camera + Lens	✓	✓	---	---		
			Focus motor + Camera	✓	✓	---	---				
NIKKOR Z 28mm f/2.8	Φ71.5mm*43mm 160g	Camera + Lens	✓	✓	✗	✗					
Focus motor + Camera	✓	✓	✗	✗	Camera Riser required when you install horizontally						
NIKKOR Z macro 50mm f/2.8	Φ74.5mm*66mm 260g	Camera + Lens	✓	✓	✗	✗					
Focus motor + Camera	✓	✓	✓	✓	Camera Riser required when you install horizontally						

Z 50	Z50 126.5×93.5×60mm 395g	NIKKOR Z DX 16-50mm f/3.5-6.3 VR	Φ70mm*32mm 135g	Camera + Lens	✓	✓	---	---				
Zfc	Zfc 134.5×93.54×3.5mm 445g	NIKKOR Z DX 16-50mm f/3.5-6.3 VR	Φ70mm*32mm 135g	Camera + Lens	✓	✓	---	---				
D7500	D7500 135.5×104×72.5mm 720g	NIKKOR 18-140mm f/3.5-5.6 ED VR	Φ78mm*97mm 490g	Camera + Lens	✓	✓	✓	✓	The Long end Lens need Lens holder			
				Focus motor + Camera	✓	✓	✓	✓	The Long end Lens need Lens holder			
D850	D850 146×124×78.5mm 1005g	AF-S NIKKOR 24-120mm f/4G ED VR	Φ84mm*103.5mm 710g	Camera + Lens	✓	✓	×	×				
				Focus motor + Camera	✓	✓	×	×				
Z5	Z5 134×100.5×69.5mm 675g	NIKKOR Z 50mm f/2.8	Φ74.5mm*66mm 260g	Camera + Lens	✓	✓	×	×				
				Focus motor + Camera	✓	✓	✓	✓	Camera Riser required			
Z30	Z30 128 x 73.5 x 59.5mm 405g	NIKKOR Z DX 16-50mm f/3.5-6.3 VR	Φ70mm*32mm 135g	Camera + Lens	✓	✓	×	×				
				Focus motor + Camera	✓	✓	×	×	Camera Riser required			
Z8	Z8 144 x 118.5 x 83mm 910g	NIKKOR Z 28-75mm f/2.8	Φ75x120.5mm 598g	Camera + Lens	✓	✓	×	×				
				Focus motor + Camera	✓	✓	×	×				
Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark		
						Short End	Long End	Short End	Long End			
EOS R EOS RP EOS R6	EOS R 135.8×98.3×84.4mm 660g EOS RP 132.5×85×70mm 485g EOS R6 138.4×97.5×88.4mm 598g		RF 35mm F1.8 MACRO IS STM	Φ74.4mm*62.8mm 305g	Camera + Lens	✓	✓	×	×			
			EF-S 18-200mm f/3.5-5.6 IS	Φ78.6mm*102mm 595g	Camera + Lens	✓	✓	---	---			
			EF 50mm f/1.4 DG HSM Art	Φ85mm*100mm 815g	Camera + Lens	✓	✓	---	---			
			EF 17-40mm f/4L USM	Φ83.5mm*96.8mm 475g	Camera + Lens	✓	✓	---	---			
			RF 50mm F1.2L USM	Φ89.8mm*108mm 950g	Camera + Lens	✓	✓	×	×			
			RF 28-70mm F2L USM	Φ103.8mm*139.8mm 1430g	Camera + Lens	✓	✓	---	---			
			RF 24-105mm F4L IS USM	Φ83.5mm*107.3mm 670g	Camera + Lens	✓	✓	---	---			
			RF 15-35mm F2.8 L IS USM	Φ88.5mm*126.8mm 840g	Camera + Lens	✓	✓	---	---			
			RF50mm F1.8 STM	Φ69.2mm*40.5mm 160g	Camera + Lens	✓	✓	×	×	The pitch axis cannot be balance		
			RF85mm F2 MACRO IS STM	Φ78×90.5mm 500g	Camera + Lens	✓	✓	×	×			
			RF-S18-45mm F4.5-6.3 IS STM	Φ69×44.3 130g	Camera + Lens	✓	✓	×	×	Camera Riser required when you install horizontally		
			RF15-30mm F4.5-6.3 IS STM	Φ76.6×88.4mm 390克	Camera + Lens	✓	✓	✓	✓	Camera Riser required when you install horizontally		
			EOS 80D	EOS 80D 139×105.2×78.5mm 730g	EF-S 18-200mm f/3.5-5.6 IS	Φ78.6mm*102mm 595g	Camera + Lens	✓	✓	---	---	
			EOS 6D Mark II	6D Mark II 144×110.5×74.8mm 765g	EF 24-70mm f/4L IS USM	Φ83.4mm*93mm 600g	Camera + Lens	✓	✓	---	---	
			EOS 6D	EOS 6D 144.5×110.5×71.2mm 750g	EF-S 18-200mm f/3.5-5.6 IS	Φ78.6mm*102mm 595g	Camera + Lens	✓	✓	---	---	
			EOS 200D II (250D)	EOS 200D II 122.4×92.6×69.8mm 456g	EF-S18-55mm f/4-5.6 IS STM	Φ66.5mm*61.8mm 215g	Camera + Lens	✓	✓	---	---	
EOS 5D Mark IV	5D Mark IV 150.7×116.4×75.9mm 890g	EF 24-105mm f/4L IS USM	Φ83.5mm*107mm 670g	Camera + Lens	✓	✓	---	---				
EOS 5D Mark III EOS 5DS R	5D Mark III 152×116.4×76.4mm 950g 5DS R 152×116.4×76.4mm 930g	EF 24-105mm f/4L IS USM	Φ83.5mm*107mm 670g	Camera + Lens	✓	✓	---	---				
EOS 70D	EOS 70D 139×104.3×78.5mm 755g	EF 24-70mm f/2.8L USM	Φ83.2mm*123.5mm 950g	Camera + Lens	✓	✓	---	---				
EOS 77D	EOS 77D 131×99.9×76.2mm 540g	EF 24-70mm f/4L IS USM	Φ83.4mm*93mm 600g	Camera + Lens	✓	✓	---	---				
EOS M50 EOS M50 Mark II	M50 116.3×88.1×58.7mm 390g M50 Mark II 116.3×88.1×58.7mm 387g	EF-M 15-45mm F3.5-6.3 IS	Φ60.9mm*44.5mm 130g	Camera + Lens	✓	✓	×	×				
PowerShot G7 X Mark III	G7 X Mark III 105.0×60.9×41.4mm 304g	---	---	Camera + Lens	✓	✓	×	×				
EOS 850D	EOS 850D 131×102.6×76.2mm 515g	EF-S 18-55mm f/4-5.6 IS STM	Φ66.5mm*61.8mm 215g	Camera + Lens	✓	✓	---	---				
EOS 90D	EOS 90D 140.7×104.8×76.8mm 701g	EF-S 18-135mm f/3.5-5.6 IS USM	Φ77.4mm*96mm 515g	Camera + Lens	✓	✓	×	×	Camera Riser required when you install horizontally			
EOS R5C EOS R5	EOS R5C 142×101×111mm 680g EOS R5 138.5×97.5×88mm 738g	RF14-35mm F4 L IS USM	Φ84.1mm*99.8mm 540g	Camera + Lens	✓	✓	×	×	Camera Riser and Lens holder required when you install horizontally			
EOS M6 Mark II	EOS M6 Mark II 119.6×70×49.2mm 408g	EF-M 15-45mm f/3.5-6.3 IS STM	Φ60.9mm*44.5mm 130g	Camera + Lens	✓	✓	✓	✓	Camera Riser required			



X-H2S	X-H2S 136.3×92.9×84.6mm 660g	XF90mmF2 R LM WR	Φ75.0mm*105mm 540g	Camera + Lens	✓	✓	✓	✓	Camera Riser required	
				Focus motor + Camera	✓	✓	✓	✓		
X-H2	X-H2 136.3×92.9×84.6mm 660g	XF 16mm f/1.4R WR	Φ73.4mm*73.0mm 375g	Camera + Lens	✓	✓	✓	✓	Camera Riser required	
				Focus motor + Camera	✓	✓	✓	✓		
X-T5	X-T5 129.5×91×63.8mm 557g	XF 8-16mm f/2.8 R LM WR	Φ88*121.5mm 808g	Camera + Lens	✓	✓	✓	✓	Camera Riser required	
				Focus motor + Camera	✓	✓	✓	✓		
X-S20	X-S20 127.7×85.1×65.4mm 491g	XF18mmF1.4 R LM WR	Φ68.8×75.6mm 370g	Camera + Lens	✓	✓	✓	✓	Camera Riser required when you install horizontally	
				Focus motor + Camera	✓	✓	✓	✓		
Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark
						Short End	Long End	Short End	Long End	
SIGMA	FP	FP 112.6×69.9×45.3mm 422g	SIGMA 45mm f/2.8 DG DN	Φ64mm*46.2mm 215g	Camera + Lens	✓	✓	×	×	Camera Riser Required
					Focus motor + Camera	✓	✓	✓	✓	

Notice:  
 1. "✓" Means Support this function. "×" Means Do not Support;--Means Unmeasured.

Feiyu SCORP-C combination of camera and lens cannot carry list

Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark
						Short End	Long End	Short End	Long End	
Canon	EOS-1D X Mark III	158×167.6×82.6mm 1440g	EF 70-200mm f/2.8L IS III USM	Φ88.8mm*199mm 1480g	Camera + Lens	×	×	×	×	
					Focus motor + Camera	×	×	×	×	
EOS R3	EOS R3 150×142.6×87.2mm 1015g	RF28-70mm F2 L USM	Φ103.8mm*139.8mm 1430g	Camera + Lens	×	×	×	×		
				Focus motor + Camera	×	×	×	×		
Nikon	Z9	Z9 149×149.5×90.5mm 1340g	Nikkor Z 24-70mm f/2.8 S	Φ89mm*126mm 805g	Camera + Lens	×	×	×	×	
					Focus motor + Camera	×	×	×	×	
Panasonic	SIH	151.0×114.2×110.4mm 1164g	LUMIX S PRO 24-70mm f/2.8	Φ90.9*140mm 935g	Camera + Lens	×	×	×	×	
					Focus motor + Camera	×	×	×	×	
SIGMA	FP	112.6×69.9×45.3mm 422g	LUMIX S PRO 50mm F1.4	Φ90mm*130mm 955g	Camera + Lens	×	×	×	×	
					Focus motor + Camera	×	×	×	×	
Fujifilm	X-Pro 3	140.5×82.8×46.1mm 497g	XF16mmF1.4 R WR	Φ73.4mm*73.0mm 375g	Camera + Lens	×	×	×	×	The display hits the gimbal when flipped down
					Focus motor + Camera	×	×	×	×	
Black magic design	BMPCC 6K	180*122*94mm 1135g	EF 16-35mm f2.8L II USM	Φ88.5mm*111.6mm 640g	Camera + Lens	×	×	×	×	
					Focus motor + Camera	×	×	×	×	