



Feiyu Scorp Mini2 Lens Compatibility List

Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark			
						Short End	Long End	Short End	Long End				
Sony	RX100 III (RX100M3) RX100 IV (RX100M4) RX100 V (RX100M5) RX100 VA (RX100M5A) RX100 VI (RX100M6) RX100 VII (RX100M7)	101.6×58.1×41.0mm, 298g	---	---	Camera	✓	✓	✓	✓				
	α 6000 α 6100 α 6300 α 6400 α 6500 α 6600 α 6700	α 6000 120×66.9×45.1mm, 285g α 6100 120×66.9×49.9mm, 396g α 6300 120×66.9×48.8mm, 361g α 6400 120×67×60mm, 359g α 6500 120×66.9×53.3mm, 410g α 6600 120×66.9×59mm, 503g α 6700 122×69×75.1mm, 493g	PZ 16-50mm f/3.5-5.6	Φ64.7*29.9mm, 116g	Camera + Lens Focus motor + Camera	✓ ✗	✓ ✗	✓ ✗	✓ ✗				
			FE28-70mm f/3.5-5.6	Φ72.5mm*83mm, 295g	Camera + Lens Focus motor + Camera	✓ ✗	✓ ✗	✓ ✗	✓ ✗				
			FE 85mm f/1.8	Φ78mm*82mm, 371g	Camera + Lens Focus motor + Camera	✓ ✗	✓ ✗	✓ ✗	✓ ✗				
			E 10-18mm f/4 OSS	Φ70*63.5mm, 225g	Camera + Lens Focus motor + Camera	✓ ✓	✓ ✓	✓ ✓	✓ ✓				
			T* E 24mm f/1.8 ZA	Φ63*65.5mm, 225g	Camera + Lens Focus motor + Camera	✓ ✓	✓ ✓	✓ ✓	✓ ✓	ND lens required			
			Sigma 30mm F1.4 DC DN	Φ64.8*73.3mm, 265g	Camera + Lens Focus motor + Camera	✓ ✗	✓ ✗	✓ ✗	✓ ✗	ND lens required			
			laowa 9mm 2.8	Φ60*53mm, 215g	Camera + Lens Focus motor + Camera	✓ ✗	✓ ✗	✓ ✗	✓ ✗				
			FE 28-60mm F4-5.6	Φ66.6 x 45 167g	Camera + Lens Focus motor + Camera	✓ ✓	✓ ✓	✓ ✓	✓ ✓				
			FE 28-60mm F4-5.6	Φ66.6 x 45 167g	Camera + Lens Focus motor + Camera	✓ ✓	✓ ✓	✓ ✓	✓ ✓				
			E 18-135mm F3.5-5.6	Φ67.2*88mm, 325g	Camera + Lens Focus motor + Camera	✓ ✗	✓ ✗	✓ ✗	✓ ✗	lens holder required			
			Sony	A7 II (A7M2) A7S II A7R II A7S A7R A7 A7C A7 III	A72 126.9×95.7×59.7mm, 556g A7S2 126.9×95.7×60.3mm, 584g A7R2 126.9×95.7×60.3mm, 582g A7S 126.9×94.4×48.2mm, 446g A7R 126.9×94.4×48.2mm, 407g A7 126.7×94.4×48.2mm, 416g A7C 124×71.1×59.7mm, 509g A7 III 126.9×95.6×73.7mm, 650g	FE 55mm f/1.8	Φ64*71mm, 281g	Camera + Lens Focus motor + Camera	✓ ✓	✓ ✓	✓ ✓	✓ ✓	Need to remove the viewfinder's protector
						Sigma FE 35mm F2 DG DN	Φ70mm*67.4mm, 384g	Camera + Lens Focus motor + Camera	✓ ✗	✓ ✗	✓ ✗	✓ ✗	
						FE 35mm f/2.8	Φ61.5*36.5mm, 120g	Camera + Lens Focus motor + Camera	✓ ✓	✓ ✓	✓ ✓	✓ ✓	
						FE28-70mm f/3.5-5.6	Φ72.5*83mm, 295g	Camera + Lens Focus motor + Camera	✓ ✗	✓ ✗	✓ ✗	✓ ✗	
						FE 28-60mm f/4-5.6	Φ67mm*45mm, 167g	Camera + Lens Focus motor + Camera	✓ ✓	✓ ✓	✓ ✓	✓ ✓	
						FE 50mm F1.8	Φ68.6mm*59.5mm, 186g	Camera + Lens Focus motor + Camera	✓ ✓	✓ ✓	✓ ✓	✓ ✓	
						Vario-Tessar FE 24-70mm F4 ZA OSS	Φ73mm*94.5mm, 426g	Camera + Lens Focus motor + Camera	✓ ✗	✓ ✗	✓ ✗	✓ ✗	Need to remove the viewfinder's protector
FE 28-60mm F4-5.6	Φ66.6 x 45 167g	Camera + Lens Focus motor + Camera				✓ ✓	✓ ✓	✓ ✓	✓ ✓				
Tamron 20-40mm F2.8 Di III VXD	Φ67 x 86.5 365g	Camera + Lens Focus motor + Camera				✓ ✓	✓ ✓	✓ ✓	✓ ✓				
FE PZ 16-35mm F4 G	Φ80.5*88.1mm, 353g	Camera + Lens Focus motor + Camera				✓ ✗	✓ ✗	✓ ✗	✓ ✗				
Sigma 65mm F2 DG DN Sony FE adapter	Φ72mm ×74.7mm, 405g	Camera + Lens Focus motor + Camera				✓ ✓	✓ ✓	✓ ✓	✓ ✓				
α 5100	109.6×62.8×35.7mm, 283g	PZ 16-50mm f/3.5-5.6				Φ64.7*29.9mm, 116g	Camera + Lens Focus motor + Camera	✓ ✗	✓ ✗	✓ ✗	✓ ✗		
RX0 /RX0 II	59×40.5×29.8mm, 110g	---				---	Camera + Lens	✓	✓	✓	✓		
DSC-HX90	102×58.1×35.5mm, 245g	---				---	Camera + Lens	✓	✓	✓	✓		
DSC-WX500	101.6 x 58.1 x 35.5 mm, 236g	---				---	Camera + Lens	✓	✓	✓	✓		
ZV-1	105.4x60.0x44.0mm, 294g	---				---	Camera + Lens	✓	✓	✓	✓		
Sony	ZV-E10	115.0*64.0*45.0mm, 343g				E PZ 16-50/3.5-5.6 OSS	Φ64.7*29.9mm, 116g	Camera + Lens Focus motor + Camera	✓ ✗	✓ ✗	✓ ✗	✓ ✗	
				FE 28-60mm F4-5.6	Φ66.6 x 45 167g	Camera + Lens Focus motor + Camera	✓ ✗	✓ ✗	✓ ✗	✓ ✗			
			Sigma FE 35mm F2 DG DN	Φ70mm*67.4mm, 384g	Camera + Lens Focus motor + Camera	✓ ✗	✓ ✗	✓ ✗	✓ ✗				
			α 7S III	129.0×97.0×81.0mm, 699g	FE PZ 16-35mm F4 G	Φ80.5*88.1mm, 353g	Camera + Lens Focus motor + Camera	✓ ✗	✓ ✗	✓ ✗	✓ ✗	Need to remove the viewfinder's protector, lens holder required	
			A7R4	128.9mm x 96.4mm x 77.5mm, 580g	FE 28-60mm F4-5.6	Φ66.6 x 45 167g	Camera + Lens Focus motor + Camera	✓ ✗	✓ ✗	✓ ✗	✓ ✗		
					Sigma FE 35mm F2 DG DN	Φ70mm*67.4mm, 384g	Camera + Lens Focus motor + Camera	✓ ✓	✓ ✓	✓ ✓	✓ ✓		
	FE 50mm f/1.8	Φ68.6mm*59.5mm, 186g			Camera + Lens Focus motor + Camera	✓ ✓	✓ ✓	✓ ✓	✓ ✓				
	A7M4	129×97×81mm, 699g	FE 28-60mm F4-5.6	Φ66.6 x 45 167g	Camera + Lens Focus motor + Camera	✓ ✗	✓ ✗	✓ ✗	✓ ✗				
			Sigma FE 35mm F2 DG DN	Φ70mm*67.4mm, 384g	Camera + Lens Focus motor + Camera	✓ ✓	✓ ✓	✓ ✓	✓ ✓				
			FE 50mm f/1.8	Φ68.6mm*59.5mm, 186g	Camera + Lens Focus motor + Camera	✓ ✓	✓ ✓	✓ ✓	✓ ✓				
A7CR	124.0 x 71.1 x 63.4mm, 515g	Sigma 65mm F2 DG DN Sony FE adapter	Φ72mm*74.7mm, 405g	Camera + Lens Focus motor + Camera	✓ ✓	✓ ✓	✓ ✓	✓ ✓					

	ZV-1M2	ZV-1M2 105.5 X 60.0 X 46.7 mm 292g	—	—	Camera	✓	✓	✓	✓		
	A7C11	A7C11 124×71.1×63.4mm 514g	FE 4-5.6/28-60	Φ67mm×45mm 167g	Camera + Lens	✓	✓	✓	✓		
	A7R5 (A7R5)	A7R5 131.3 x 96.9 x 82.4mm 638g	FE 4-5.6/28-60	Φ67mm×45mm 167g	Focus motor + Camera	✓	✓	✓	✓		
	A7RV (A7R5)	A7R5 131.3 x 96.9 x 82.4mm 638g	FE 4-5.6/28-60	Φ67mm×45mm 167g	Camera + Lens	✓	✓	✓	✓		
	A7RV (A7R5)	A7R5 131.3 x 96.9 x 82.4mm 638g	FE 4-5.6/28-60	Φ67mm×45mm 167g	Focus motor + Camera	✓	✓	✓	✓		
	ZV-E1	ZV-E1 121.0 x 71.9 x 54.3 mm 399g	Sigma 35MM F2 DGDN Sony FE adapter	Φ70mm×67.4mm 325g	Camera + Lens	✓	✓	✓	✓		
Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark	
						Short End	Long End	Short End	Long End		
Canon	M50	116.3×88.1×58.7mm, 387g	EF-M 15-45mm F3.5-6.3 IS EF-M 22mm f/2 STM EF-M 32mm f/1.4 STM EF-M 11-22mm f/4-5.6 IS STM	Φ60.9mm×44.5mm 130g Φ60.9×23.7mm 105g Φ60.9×56.5mm 235g Φ60.9×58.2mm 220g	Camera + Lens	✓	✓	✓	✓		
	EOS M50 Mark II	116.3×88.1×58.7mm, 387g	EF-M 15-45mm F3.5-6.3 IS EF-M 22mm f/2 STM EF-M 32mm f/1.4 STM EF-M 11-22mm f/4-5.6 IS STM	Φ60.9mm×44.5mm 130g Φ60.9×23.7mm 105g Φ60.9×56.5mm 235g Φ60.9×58.2mm 220g	Camera + Lens	✓	✓	✓	✓		
	G7X Mark III	105×60.9×41.4mm, 304g	—	—	Camera + Lens	✓	✓	✓	✓		
	EOS M6	112×68×44.5mm, 343g	EF-M 15-45mm F3.5-6.3 IS EF-M 22mm f/2 STM EF-M 32mm f/1.4 STM EF-M 11-22mm f/4-5.6 IS STM	Φ60.9mm×44.5mm 130g Φ60.9×23.7mm 105g Φ60.9×56.5mm 235g Φ60.9×58.2mm 220g	Camera + Lens	✓	✓	✓	✓		
	EOS M6 Mark II	119.6×70×49.2mm, 408g	EF-M 15-45mm F3.5-6.3 IS EF-M 22mm f/2 STM EF-M 32mm f/1.4 STM EF-M 11-22mm f/4-5.6 IS STM	Φ60.9mm×44.5mm 130g Φ60.9×23.7mm 105g Φ60.9×56.5mm 235g Φ60.9×58.2mm 220g	Camera + Lens	✓	✓	✓	✓		
	EOS 200D/EOS 200D II (250D)	122.4×92.6×69.8mm, 410g	EF-S 18-55mm f/4-5.6 IS STM	Φ66.5mm×61.8mm 215g	Camera + Lens	✓	✓	✓	✓		
	EOS RP	132.5×85×70mm, 485g	EF 50mm f/1.4 USM	Φ73.8×50.5mm 290g	Focus motor + Camera	×	×	×	×		
	EOS R	135.8×98.3×84.4mm 660g	35mm f/1.8 Macro IS STM	Φ74.4mm×62.8mm 305g	Camera + Lens	✓	✓	✓	✓		
	EOS R	135.8×98.3×84.4mm 660g	35mm f/1.8 Macro IS STM	Φ74.4mm×62.8mm 305g	Focus motor + Camera	✓	✓	✓	✓		
	EOS R6	138.4×97.5×88.4mm 680g	RF50mm F1.8 STM	Φ69.2×40.5mm 160g	Camera + Lens	✓	✓	✓	✓	Need to remove the viewfinder's protector	
	EOS R6	138.4×97.5×88.4mm 680g	RF50mm F1.8 STM	Φ69.2×40.5mm 160g	Focus motor + Camera	×	×	×	×		
	EOS R7	R7 132×90.4×91.7mm 612g	RF-S18-150mm F3.5-6.3 IS STM	Φ69×84.5mm 310g	Camera + Lens	✓	×	✓	×	Need to remove the viewfinder's protector. camera/lens will hit the roll axis	
	EOS R10	R10 122.5×87.8×83.4mm 429g	RF35mm F1.8 MACRO IS STM	Φ74.4×62.8mm 305g	Focus motor + Camera	✓	×	✓	×		
	EOS R10	R10 122.5×87.8×83.4mm 429g	RF35mm F1.8 MACRO IS STM	Φ74.4×62.8mm 305g	Camera + Lens	✓	✓	✓	✓		
	EOS R10	R10 122.5×87.8×83.4mm 429g	RF35mm F1.8 MACRO IS STM	Φ74.4×62.8mm 305g	Focus motor + Camera	✓	✓	✓	✓		
	EOS R8	EOS R8 132.5×86.1×70mm 461g	RF24-50mm F4.5-6.3 IS STM	Φ69.6mm×58mm 210g	Camera + Lens	✓	✓	✓	✓		
	EOS R8	EOS R8 132.5×86.1×70mm 461g	RF24-50mm F4.5-6.3 IS STM	Φ69.6mm×58mm 210g	Focus motor + Camera	✓	✓	✓	✓		
EOS R50	EOS R50 116.3×85.5×68.8mm 376g	RF-S18-45mm F4.5-6.3 IS STM	Φ69mm×44.3mm 130g	Camera + Lens	✓	✓	✓	✓			
EOS R50	EOS R50 116.3×85.5×68.8mm 376g	RF-S18-45mm F4.5-6.3 IS STM	Φ69mm×44.3mm 130g	Focus motor + Camera	✓	✓	✓	✓			
EOS R6 Mark II	EOS R6 Mark II 138.4×98.4×88.4mm 670g	RF24mm F1.8 MACRO IS STM	Φ74.4×63.1mm 270g	Camera + Lens	✓	✓	✓	✓			
EOS R6 Mark II	EOS R6 Mark II 138.4×98.4×88.4mm 670g	RF24mm F1.8 MACRO IS STM	Φ74.4×63.1mm 270g	Focus motor + Camera	×	×	×	×			
Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark	
						Short End	Long End	Short End	Long End		
Panasonic	GH4 DC-S99K-K DMC-GH5S	GH4 132.9×93.4×83.9mm, 560g GH5 136.9×97.3×91.6mm 658g GH5S 138.5×98.1×87.4mm 660g	M.ZUIKO DIGITAL ED 12mm f/2.00	Φ56mm×43mm 130g	Camera + Lens	✓	✓	✓	✓		
			LEICA DG Vario-Elmarit 12-60 f/2.8-4 Power OIS	Φ68mm×86mm 320g	Focus motor + Camera	×	×	×	×		
			LEICA DG SUMMILUX 15mm f/1.7 ASPH	Φ58×36×46mm 115g	Camera + Lens	✓	✓	✓	✓		
			LEICA DG SUMMILUX 15mm f/1.7 ASPH	Φ58×36×46mm 115g	Focus motor + Camera	×	×	×	×		
			LEICA DG MACRO 45mm f/2.8 OIS	Φ63mm×62.5mm 225g	Camera + Lens	✓	✓	✓	✓		
			LEICA DG MACRO 45mm f/2.8 OIS	Φ63mm×62.5mm 225g	Focus motor + Camera	✓	✓	✓	✓		
			LEICA DG Vario-Elmarit 8-18mm f/2.8-4.0 ASPH	Φ73.4mm×88mm 315g	Camera + Lens	✓	✓	✓	✓		
			LEICA DG Vario-Elmarit 8-18mm f/2.8-4.0 ASPH	Φ73.4mm×88mm 315g	Focus motor + Camera	×	×	×	×		
			LUMIX G X Vario 12-35mm f/2.8 II ASPH POWER OIS (H-HS12059K I generation)	Φ68mm×74mm 305g	Camera + Lens	✓	✓	✓	✓	✓	
			LUMIX G X Vario 12-35mm f/2.8 II ASPH POWER OIS (H-HS12059K I generation)	Φ68mm×74mm 305g	Focus motor + Camera	×	×	×	×	×	
	M.ZUIKO DIGITAL ED 12mm f/2.0	Φ56mm×43mm 130g	Camera + Lens	✓	✓	✓	✓	✓			
	M.ZUIKO DIGITAL ED 12mm f/2.0	Φ56mm×43mm 130g	Focus motor + Camera	×	×	×	×	×			
	Lumix G 25mm f/1.7	Φ60.8mm×52mm 125g	Camera + Lens	✓	✓	✓	✓	✓			
	Lumix G 25mm f/1.7	Φ60.8mm×52mm 125g	Focus motor + Camera	×	×	×	×	×			
	LUMIX G MACRO 30mm f/2.8 ASPH MEGA OIS	Φ58.8mm×63.5mm 180g	Camera + Lens	✓	✓	✓	✓	✓			
	LUMIX G MACRO 30mm f/2.8 ASPH MEGA OIS	Φ58.8mm×63.5mm 180g	Focus motor + Camera	×	×	×	×	×			
	H-FS1442A	Φ56mm×49mm 110g	Camera + Lens	✓	✓	✓	✓	✓			
H-FS1442A	Φ56mm×49mm 110g	Focus motor + Camera	×	×	×	×	×				
SS11	102.3×134.3×90.1mm 740g	L 35mm F1.8	73.6mm×82mm 295g	Camera + Lens	✓	✓	✓	✓			
SS11	102.3×134.3×90.1mm 740g	L 35mm F1.8	73.6mm×82mm 295g	Focus motor + Camera	×	×	×	×			
Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark	
						Short End	Long End	Short End	Long End		
	X-A5 X-A7 X-T20 X-T30 II X-T100 X-T200 X-S10 X-S20 X-T30	X-A5 116.9×67.7×40.4mm, 361g X-A7 119×67.7×41.1mm, 320g X-T20 118.4×82.8×41.4mm, 333g X-T30 II 118×83×47mm, 383g X-T100 121.0 x 83.0 x 47.4mm, 448g X-T200 121×83.7×55.1mm, 370g X-S10 126×85.1×66.4mm 465g X-T30 118.4×82.8×46.8mm, 383g	XC 15-45mm F3.5-5.6 OIS PZ	Φ62.6mm×65.2mm 135g	Camera + Lens	✓	✓	✓	✓		
			XC 15-45mm F3.5-5.6 OIS PZ	Φ62.6mm×65.2mm 135g	Focus motor + Camera	×	×	×	×		
			XF16mmF2.8 R WR	∅60.0mm×45.4mm 155g	Camera + Lens	✓	✓	✓	✓		
			XF16mmF2.8 R WR	∅60.0mm×45.4mm 155g	Focus motor + Camera	×	×	×	×		
			XF14mmF2.8 R	65mm×58.4mm 235g	Camera + Lens	✓	✓	✓	✓		
			XF14mmF2.8 R	65mm×58.4mm 235g	Focus motor + Camera	✓	✓	✓	✓		
			XF8mmF3.5 R WR	∅68mm×52.8mm 215g	Camera + Lens	✓	✓	✓	✓		
			XF8mmF3.5 R WR	∅68mm×52.8mm 215g	Focus motor + Camera	×	×	×	×		
			XF23mmF2 R WR	∅60.0mm×51.9mm 180g	Camera + Lens	✓	✓	✓	✓		
			XF23mmF2 R WR	∅60.0mm×51.9mm 180g	Focus motor + Camera	✓	✓	✓	✓		
XF18-55mm F2.8-4 R LM OI	Φ65mm×70.4mm 310g	Camera + Lens	✓	✓	✓	✓					
XF18-55mm F2.8-4 R LM OI	Φ65mm×70.4mm 310g	Focus motor + Camera	✓	×	✓	×					
XC 18-50mm f/3.5-5.6 OIS II	Φ118.4×82.8×41.4mm 383g	Camera + Lens	✓	✓	✓	✓					
XC 18-50mm f/3.5-5.6 OIS II	Φ118.4×82.8×41.4mm 383g	Focus motor + Camera	×	×	×	×					

Fujifilm	X-T4 X-T3 X-H1 X-H2	X-T4 134.6×92.8×68.8mm 607g X-T3 132.5×92.8×58.5mm 539g X-H1 139.8×97.3×85.5mm 673g X-H2 136.3×92.9×84.6mm 660g	XF 18-55mm f/2.8-4 R OIS	Φ65mm*70.4mm 310g	Camera + Lens	✓	✓	✓	✓	Need to remove the viewfinder's protector
			Focus motor + Camera	✗	✗	✗	✗			
			XC 15-45mm F3.5-5.6 OIS PZ	Φ62.6mm*65.2mm 135g	Camera + Lens	✓	✓	✓	✓	
			Focus motor + Camera	✗	✗	✗	✗			
			XC 16-50mm f/3.5-5.6 OIS II	Φ118.4*82.8*41.4mm 383g	Camera + Lens	✓	✗	✓	✗	Need to remove the viewfinder's protector
			Focus motor + Camera	✗	✗	✗	✗			
			XF16mmF2.8 R WR	ø60.0mm*45.4mm 155g	Camera + Lens	✓	✓	✓	✓	
			Focus motor + Camera	✓	✓	✓	✓			
			XF14mmF2.8 H-R	65mm*58.4mm 235g	Camera + Lens	✓	✓	✓	✓	
			Focus motor + Camera	✓	✓	✓	✓			
XF8mmF3.5 R WR	Ø68mm*52.8mm 215g	Camera + Lens	✓	✓	✓	✓				
Focus motor + Camera	✗	✗	✗	✗						
XF18mmF2 R	ø64.5mm*40.6mm 116g	Camera + Lens	✓	✓	✓	✓				
Focus motor + Camera	✗	✗	✗	✗						
XF23mmF2 R WR	ø60.0mm*51.9mm 180g	Camera + Lens	✓	✓	✓	✓				
Focus motor + Camera	✓	✓	✓	✓						
X-E3	X-E3 121.3×42.7×73.9mm 337g	XF18-55mm F2.8-4 R LM OI	Φ65mm*70.4mm 310g	Camera + Lens	✓	✓	✓	✓		
X100V	X100V 128×74.8×53.3mm 478g	---	---	Camera + Lens	✗	✗	✗	✗		

Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark
						Short End	Long End	Short End	Long End	
Nikon	Z 50 Zfc Z30	Z50 126.5×93.5×60mm 395g Zfc 134.5×93.54×3.5mm 445g Z30 128×73.5×59.5mm 405g	Nikkor Z DX 16-50mm f/3.5-6.3 VR	Φ70mm*32mm 135g	Camera + Lens	✓	✓	✓	✓	
			Focus motor + Camera	✗	✗	✗	✗			
			Nikkor Z FX 24-50mm f/4-6.3	73.5mm*51mm 195g	Camera + Lens	✓	✓	✓	✓	
			Focus motor + Camera	✓	✓	✓	✓			
			Nikkor Z DX 24mm f/1.7	70mm*40mm 135g	Camera + Lens	✓	✓	✓	✓	
			Focus motor + Camera	✓	✓	✓	✓			
			Nikkor Z 40mm f/2 (SE)	71.5mm *45.5mm 170g	Camera + Lens	✓	✓	✓	✓	
			Focus motor + Camera	✓	✓	✓	✓			
			Nikkor Z 28mm f/2.8	70mm*43mm 155g	Camera + Lens	✓	✓	✓	✓	
			Focus motor + Camera	✓	✓	✓	✓			
	Nikkor Z 26mm f/2.8	70 mm*23.5mm 125g	Camera + Lens	✓	✓	✓	✓			
	Focus motor + Camera	✗	✗	✗	✗					
	Nikkor Z 50mm f/2.8	74.5mm*66mm 260g	Camera + Lens	✓	✓	✓	✓	Need to remove the viewfinder's protector		
	Focus motor + Camera	✓	✓	✓	✓					
	Viltrox Z 23mm F1.4	73mm*69mm320g	Camera + Lens	✓	✓	✓	✓			
	Focus motor + Camera	✓	✓	✓	✓					
	Z5 Z6 Z6 II Z7 Z7 II	Z5 134×100.5×69.5mm 675g Z6 134×100.5×67.5mm 675g Z6 II 134×100.5×69.5mm 615g Z7 134×100.5×67.5mm 675g Z7 II 134×100.5×67.5mm 705g	Nikkor Z FX 24-50mm f/4-6.3	73.5mm*51mm 195g	Camera + Lens	✓	✓	✓	✓	Need to remove the viewfinder's protector
			Focus motor + Camera	✓	✓	✓	✗			
			Nikkor Z 40mm f/2 (SE)	71.5mm *45.5mm 170g	Camera + Lens	✓	✓	✓	✓	
			Focus motor + Camera	✓	✓	✓	✓			
Nikkor Z 28mm f/2.8			70mm*43mm 155g	Camera + Lens	✓	✓	✓	✓		
Focus motor + Camera			✓	✓	✓	✓				
Nikkor Z 26mm f/2.8			70 mm*23.5mm 125g	Camera + Lens	✓	✓	✓	✓		
Focus motor + Camera			✗	✗	✗	✗				
Nikkor Z 50mm f/2.8	74.5mm*66mm 260g	Camera + Lens	✓	✓	✓	✓	Need to remove the viewfinder's protector			
Focus motor + Camera	✗	✗	✗	✗						
Z f	Z f 144 x 103 x 49 mm 710g	Nikkor Z DX 16-50mm f/3.5-6.3 VR	Φ70 x 32mm 135g	Camera + Lens	✓	✓	✓	✓		
		Focus motor + Camera	✗	✗	✗	✗				
Nikkor Z 24-50mm f/4-6.3	Φ73.5 x 51mm 195g	Camera + Lens	✓	✓	✓	✓				
Focus motor + Camera	✗	✗	✗	✗						

Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark
						Short End	Long End	Short End	Long End	
SIGMA	FP	112.6×69.9×45.3mm 422g	Sigma 45mm f/2.8 DG DN	Φ64mm*46.2mm 215g	Camera + Lens	✓	✓	✓	✓	
Focus motor + Camera	✓	✓	✓	✓						

Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark
						Short End	Long End	Short End	Long End	
GoPro	GoPro5	62×44.6×33.7mm 112.5g	---	---	Camera	✓	✓	✓	✓	
	GoPro6	62×44.6×33.7mm 115.3g	---	---	Camera	✓	✓	✓	✓	
	GoPro7 SILVER	62.3×44.9×28.3 mm 94.2g	---	---	Camera	✓	✓	✓	✓	
	GoPro7 Black	62×33.7×44.6mm 111.3g	---	---	Camera	✓	✓	✓	✓	
	GoPro7 White	62.3×44.9×28.3 mm 92.3g	---	---	Camera	✓	✓	✓	✓	
	GoPro8 Black	66.3×48.6×28.4mm 124.5g	---	---	Camera	✓	✓	✓	✓	
	GoPro9 Black	71.8×50.8×33.6mm 158.5g	---	---	Camera	✓	✓	✓	✓	
	GoPro10 Black	71.8×50.8×33.6mm 159.6g	---	---	Camera	✓	✓	✓	✓	
	GoPro11	71.8×50.8×33.6mm 153.2g	---	---	Camera	✓	✓	✓	✓	
	GoPro Max	64×69×25mm 163.1g	---	---	Camera	✓	✓	✓	✓	

Notice:
"✓" Means Support this function, "✗" Means Do not Support, "—" Means Do not applicable

Feiyu SCORP Mini2 combination of camera and lens cannot carry list

Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark
						Short End	Long End	Short End	Long End	
Sony	A7R4	A7R4 128.9×96.4×77.5mm 665g	Sony FE 24-105mm f/4 G OSS	Φ83.4*113.3mm 663g	Camera + Lens	✗	✗	✗	✗	Lens is too long to balance
	RX10IV (RX10M4)	RX10IV 132.5×94×127.4mm 1095g	---	---	Camera + Lens	✗	✗	✗	✗	
	Alpha 6400	Alpha 6400 120×67×60mm 403g	E PZ 18-105mm f/4.0 G OSS	Φ78mm*110mm 427g	Camera + Lens	✗	✗	✗	✗	
	FDR-AX60	FDR-AX60 73mm x 80.5mm x 173mm 535g	DV camera	---	Camera	✗	✗	✗	✗	
	FDR-AX700	FDR-AX700 116×89.5×196.5mm 935g	DV camera	---	Camera	✗	✗	✗	✗	
EOS R3	R3 150×142.6×87.2mm 1015g	RF28-70mm F2 L USM	Φ103.8*139.8mm 1430g	Camera + Lens	✗	✗	✗	✗		
EOS R5C	EOS R5C 142×101×111mm 680g	RF14-35mm F4 L IS USM	Φ84.1*99.8mm 540g	Camera + Lens	✗	✗	✗	✗		

Canon	R6	R6 138.4×97.5×88.4mm 680g	35mm f/1.8 Macro IS STM	Φ74.4mm*62.8mm 305g	Camera + Lens	×	×	×	×	
			RF 50mm f/1.2L USM	Φ89.8mm*108mm 950g	Camera + Lens	×	×	×	×	
	EOS R7 EOS R10	R7 132×90.4×91.7mm 612g R10 122.5×87.8×83.4mm 429g	RF 14-35mm f/4 L IS USM	Φ84.1*99.8mm 540g	Camera + Lens	×	×	×	×	
	EOS R5 C	EOS R5 C 142×101×111mm 680g	RF15-30mm F4.5-6.3 IS STM	Φ76.6×88.4mm 390g	Camera + Lens	×	×	×	×	
	EOS RP	EOS RP 132.5×85×70mm 485g	RF15-30mm F4.5-6.3 IS STM	Φ76.6×88.4mm 390g	Camera + Lens	×	×	×	×	
	EOS R5 138.5×97.5×88mm 738g	RF15-30mm F4.5-6.3 IS STM	Φ76.6×88.4mm 390g	Camera + Lens	×	×	×	×		
Nikon	Z9	Z9 149×149.5×90.5mm 1340g	Nikkor Z 24-70mm f/2.8 S	Φ89mm*126mm 805g	Camera + Lens	×	×	×	×	
	DS50	DS50 146×124×78.5mm 1005g	AF-S Nikkor 24-120mm f/4G ED VR	Φ84mm*103.5mm 710g	Camera + Lens	×	×	×	×	
	Z8	Z8 144×118.5×83mm 910g	Nikkor Z 28-75mm f/2.8	Φ75mm*120.5mm 565g	Camera + Lens	×	×	×	×	
	D7500	D7500 135.5×104×72.5mm 720g	Nikkor 18-140mm f/3.5-5.6 ED VR	Φ78mm*97mm 490g	Camera + Lens	×	×	×	×	
Panasonic	GH6	GH6 138.4*100.3*99.6mm 823g	Panasonic LEICA DG Vario-Elmarit 12-60mm f/2.8-4 Power OIS	Φ68mm*86mm 320g	Camera + Lens	×	×	×	×	
	GH5	GH5 138.5×98.1×87.4mm 725g	Panasonic Lumix G X Vario 12-35mm f/2.8 II ASPH POWER OIS (H-HSA12035GK 11 generation)	Φ68mm*74mm 305g	Camera + Lens	×	×	×	×	Roll axis could not balance properly
	SS11	SS11 102.3×134.3×90.1mm 740g	Lumix S 20-60mm f/3.5-5.6	Φ77.4×87.2mm 350g	Camera + Lens	×	×	×	×	Camera is too heavy
Fujifilm	GFX 100S	GFX 100S 150×104.2×87.2mm 900g	GF 32-64mm f/4R LM WR	Φ92.6*145.5mm 875g	Camera + Lens	×	×	×	×	
	X-Pro 3	X-Pro 3 140.5×82.8×46.1mm 497g	XF16mmF1.4 R WR	Φ73.4mm*73.0mm 375g	Camera + Lens	×	×	×	×	The display hits the gimbal when flipped down
	X-H2S	X-H2S 136.3×92.9×84.6mm 660g	XF90mmF2 R LM WR	Φ75.0mm*105mm 540g	Camera + Lens	×	×	×	×	
	X-T5	X-T5 129.5×91×63.8mm 557g	XF 8-16mm f/2.8 R LM WR	Φ88*121.5mm 808g	Camera + Lens	×	×	×	×	Lens is too heavy