



Feiyu SCORP-Mini Lens Compatibility List

Brand	Camera Model	Camera Size	Camera Size	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Installation Remark
						Short End	Long End	
Sony	RX100 III (RX100M3) RX100 IV (RX100M4) RX100 V (RX100M5) RX100 VA (RX100M5A) RX100 VI (RX100M6) RX100 VII (RX100M7)	101.6×58.1×41.0 mm 298g	---	---	Camera + Lens	✓	✓	
	α 6000 α 6100 α 6300 α 6400 α 6500 α 6600	α 6000 120×66.9×45.1mm, 285g α 6100 120×66.9×49.9mm, 396g α 6300 120×66.9×48.8mm, 361g α 6400 120×67×60mm, 359g α 6500 120×66.9×53.3mm, 410g α 6600 120×66.9×59mm, 503g	PZ 16-50mm f/3.5-5.6	Φ64.7×29.9mm, 116g	Camera + Lens	✓	✓	
			FE28-70mm f/3.5-5.6	Φ72.5mm×83mm, 295g	Camera + Lens	✓	✓	
			FE 85mm f/1.8	Φ78mm×82mm, 271g	Camera + Lens	✓	✓	
			E 10-18mm f/4 OSS	Φ70×63.5mm, 225g	Camera + Lens	✓	✓	
			T* E 24mm f/1.8 ZA	Φ63×65.5mm, 225g	Camera + Lens	✓	✓	ND Filter Required
			Sigma 30mm F1.4 DC DN	Φ64.8×73.3mm, 265g	Camera + Lens	✓	✓	ND Filter Required
			laowa 9mm 2.8	Φ60×53mm, 215g	Camera + Lens	✓	✓	
			E 18-135mm F3.5-5.6	Φ67.2×88mm, 325g	Camera + Lens	✓	✓	lens holder Required
	α 6700	α 6700 122×69×75.1mm 493g	Sigma 16mm F1.4 DC DN	Φ72.2×92.3mm 405g	Camera + Lens	✓	✓	lens holder Required
	ZV-1M2	ZV-1M2 105.5 X 60.0 X 46.7 mm 292g	---	---	Camera	✓	✓	
	A7C11	A7C11 124×71.1×63.4mm 514g	FE 4-5.6/28-60	Φ67mm×45mm 167g	Camera + Lens	✓	✓	
A7CR	124.0 x 71.1 x 63.4mm 515g	Sigma 65mm F2 DG DN Sony FE adapter	Φ72mm X74.7mm 405g	Camera + Lens	✓	✓		
ZV-E1	ZV-E1 121.0 x 71.9 x 54.3 mm 399g	Sigma 35MM F2 DGDN Sony FE adapter	Φ70mm X67.4mm 325g	Camera + Lens	✓	✓		
Sony	α 7 II (A7M2) α 7S II α 7R II α 7S α 7R α 7 A7C A7 III	A72 126.9×95.7×59.7mm 556g A7S2 126.9×95.7×60.3mm 584g A7R2 126.9×95.7×60.3mm 582g α 7S 126.9×94.4×48.2mm 446g α 7R 126.9×94.4×48.2mm 407g α 7 126.7×94.4×48.2mm 416g A7C 124×71.1×59.7mm, 509g A7 III 126.9×95.6×73.7mm, 650g	FE 55mm f/1.8	Φ64×71mm, 281g	Camera + Lens	✓	✓	a7II need to remove its viewfinder's protector
			FE 35mm f/2.8	Φ61.5×36.5mm, 120g	Camera + Lens	✓	✓	
			FE28-70mm f/3.5-5.6	Φ72.5×83mm, 295g	Camera + Lens	✓	✓	
			FE 28-60mm f/4-5.6	Φ67mm×45mm, 167g	Camera + Lens	✓	✓	
			FE 50mm F1.8	Φ68.6mm×59.5mm, 186g	Camera + Lens	✓	✓	
			Vario-Tessar FE 24-70mm F4 ZA OSS	Φ73mm×94.5mm 426g	Camera + Lens	✓	✓	1. Need to remove the viewfinder's protector. 2. The center of gravity of the Long End Lens has reached its limit.
			FE PZ 16-35mm F4 G	Φ80.5×88.1mm 353g	Camera + Lens	✓	✓	
			Sigma 65mm F2 DG DN Sony FE adapter	Φ72mm×74.7mm 405g	Camera + Lens	✓	✓	
	α5100	109.6×62.8×35.7mm, 283g	PZ 16-50mm f/3.5-5.6	Φ64.7×29.9mm, 116g	Camera + Lens	✓	✓	
	RX0 /RX0 II	59×40.5×29.8mm, 110g	Sports cameras	---	Camera + Lens	✓	✓	
	DSC-HX90	102×58.1×35.5mm, 245g	Card Digital Camera	---	Camera + Lens	✓	✓	
	DSC-WX500	101.6 x 58.1 x 35.5 mm, 236g	Card Digital Camera	---	Camera + Lens	✓	✓	
ZV-1	105.4x60.0x44.0mm, 294g	Card Digital Camera	---	Camera + Lens	✓	✓		
ZV-E10	115.0×64.0×45.0mm, 343g	E PZ 16-50/3.5-5.6 OSS	Φ64.7×29.9mm, 116g	Camera + Lens	✓	✓		
α 7S III	129.0×97.0×81.0mm 699g	FE PZ 16-35mm F4 G	Φ80.5×88.1mm 353g	Camera + Lens	✓	✓	1. Need to remove the viewfinder's protector 2. Camera Riser required	
A7M4	129×97×81mm 699g	FE 50mm f/1.8	Φ68.6mm×59.5mm 186g	Camera + Lens	✓	✓		
Canon	EOS M50 EOS M50 Mark II G7X Mark III EOS M6 EOS M6 Mark II EOS 200D/EOS 200D II (rebranded) EOS RP EOS R EOS R6 EOS R7 EOS R10 EOS R8 EOS R50 EOS R6 Mark II	116.3×88.1×58.7mm, 387g 116.3×88.1×58.7mm, 387g 105×60.9×41.4mm, 304g 112×68×44.5mm, 343g 119.6×70×49.2mm, 408g 122.4×92.6×69.8mm, 410g 132.5×85×70mm, 485g 135.8×98.3×84.4mm 660g 138.4×97.5×88.4mm 680g R7 132×90.4×91.7mm 612g R10 122.5×87.8×83.4mm 429g EOS R8 132.5×86.1×70mm 461g EOS R50 116.3×85.5×68.8mm 376g EOS R6 Mark II 138.4×98.4×88.4mm 670g	EF-M 15-45mm F3.5-6.3 IS	Φ60.9mm×44.5mm 130g	Camera + Lens	✓	✓	
			EF-M 15-45mm F3.5-6.3 IS	Φ60.9mm×44.5mm 130g	Camera + Lens	✓	✓	
			---	---	Camera + Lens	✓	✓	
			EF-M 15-45mm F3.5-6.3 IS	Φ60.9mm×44.5mm 130g	Camera + Lens	✓	✓	
			EF-S 18-55mm f/4-5.6 IS STM	Φ66.5mm×61.8mm 215g	Camera + Lens	✓	✓	
			EF 50mm f/1.4 USM	Φ73.8×50.5mm, 290g	Camera + Lens	✓	✓	
			35mm f/1.8 Macro IS STM	Φ74.4mm×62.8mm 305g	Camera + Lens	✓	✓	
			RF50mm F1.8 STM	Φ69.2×40.5mm 160g	Camera + Lens	✓	✓	Need to remove the viewfinder's protector
			RF-S18-45mm F4.5-6.3 IS STM	Φ69×44.3 130g	Camera + Lens	✓	✓	
			RF-S18-150mm F3.5-6.3 IS STM	Φ69×84.5mm 310g	Camera + Lens	✓	✗	1. Need to remove the viewfinder's protector 2. The center of gravity of the Long End Lens has reached its limit.
			RF35mm F1.8 MACRO IS STM	Φ74.4×62.8mm 305g	Camera + Lens	✓	✓	
			RF-S18-45mm F4.5-6.3 IS STM	Φ69×44.3mm 130g	Camera + Lens	✓	✓	
EOS R8	EOS R8 132.5×86.1×70mm 461g	RF24-50mm F4.5-6.3 IS STM	Φ69.6mm×58mm 210g	Camera + Lens	✓	✓		
EOS R50	EOS R50 116.3×85.5×68.8mm 376g	RF-S18-45mm F4.5-6.3 IS STM	Φ69mm×44.3mm 130g	Camera + Lens	✓	✓		
EOS R6 Mark II	EOS R6 Mark II 138.4×98.4×88.4mm 670g	RF24mm F1.8 MACRO IS STM	Φ74.4×63.1mm 270g	Camera + Lens	✓	✓		
Panasonic	GH4 DC-G99K-K DMC-GH5S	GH4 132.9×93.4×83.9mm, 560g G9 136.9×97.3×91.6mm 658g GH5S 138.5×98.1×87.4mm 660g	M. ZUIKO DIGITAL ED 12mm f/2.00	Φ56mm×43mm, 130g	Camera + Lens	✓	✓	
			LEICA DG Vario-Elmarit 12-60 f/2.8-4 Power OIS	Φ68mm×86mm, 320g	Camera + Lens	✓	✓	
			LEICA DG SUMMILUX 15mm f/1.7 ASPH	Φ58×36×46mm 115g	Camera + Lens	✓	✓	
			LEICA DG MACRO 45mm f/2.8 OIS	Φ63mm×62.5mm 225g	Camera + Lens	✓	✓	
			LEICA DG Vario-Elmarit 8-18mm f/2.8-4.0 ASPH	Φ73.4mm×88mm 315g	Camera + Lens	✓	✓	
			LUMIX G X Vario 12-35mm f/2.8 II ASPH POWER OIS (H-HS12035GK I generation)	Φ68mm×74mm 305g	Camera + Lens	✓	✓	
			M. ZUIKO DIGITAL ED 12mm f/2.0	Φ56mm×43mm 130g	Camera + Lens	✓	✓	
			Lumix G 25mm f/1.7	Φ60.8mm×52mm 125g	Camera + Lens	✓	✓	
			LUMIX G MACRO 30mm f/2.8 ASPH MEGA OIS	Φ58.8mm×63.5mm 180g	Camera + Lens	✓	✓	
			H-FS1442A	Φ56mm×49mm 110g	Camera + Lens	✓	✓	

Brand	Camera Model	Camera Size	Camera Size	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Installation Remark
						Short End	Long End	
Fujifilm	X-A5	116.9×67.7×40.4mm, 361g	XC15-45mm F3.5-5.6 OIS PZ	Φ62.6mm*65.2mm 135g	Camera + Lens	✓	✓	
	X-A7	119×67.7×41.1mm, 320g	XC 15-45mm F3.5-5.6 OIS PZ	Φ62.6mm*65.2mm 135g	Camera + Lens	✓	✓	
	X-T30 II	118×83×47mm, 383g	XC 15-45mm F3.5-5.6 OIS PZ	Φ62.6mm*65.2mm 135g	Camera + Lens	✓	✓	
	X-T20	118.4x82.8x41.4mm, 333g	XF 18-55mm f/2.8-4 R OIS	Φ65mm*70.4mm 310g	Camera + Lens	✓	✓	
	X-T3	132.5×92.8×58.8mm, 539g	XF 16mm F/2.8 R LM WR	Φ60mm*45.4mm 155g	Camera + Lens	✓	✓	
	X-T4	134.6×92.8×63.8mm 607g	XF 18-55mm f/2.8-4 R OIS	Φ65mm*70.4mm 310g	Camera + Lens	✓	✓	
	X-T30	118.4×82.8×46.6mm, 383g	XF 16mm F/2.8 R LM WR	Φ60mm*45.4mm 155g	Camera + Lens	✓	✓	
	X-H1	139.8×97.3×85.5mm, 673g	XC 16-50mm f/3.5-5.6 OIS II	Φ118.4*82.8*41.4mm 383g	Camera + Lens	✓	✓	Need to remove its viewfinder's protector
	X-T100	121.0 x 83.0 x 47.4mm, 448g	XC 15-45mm F3.5-5.6 OIS PZ	Φ62.6mm*65.2mm 135g	Camera + Lens	✓	✓	
	X-T200	121×83.7×55.1mm, 370g	XC 15-45mm F3.5-5.6 OIS PZ	Φ62.6mm*65.2mm 135g	Camera + Lens	✓	✓	
	X-S10	X-S10 126×85.1×65.4mm 465g	XC 15-45mm f/3.5-5.6 OIS PZ	Φ62.6mm*65.2mm 135g	Camera + Lens	✓	✓	
	X-E3	121.3×42.7×73.9mm, 337g	XF18-55mm F2.8-4 R LM OI	65mm*70.4mm 310g	Camera + Lens	✓	✓	
	X100V	X100V 128×74.8×53.3mm 478g	Kit Lens	—	Camera + Lens	✓	✓	
X-H2	X-H2 136.3×92.9×84.6mm 660g	XF16mm f/1.4R WR	Φ73.4mm*73.0mm 375g	Camera + Lens	✓	✓		
X-S20	X-S20 127.7x85.1x65.4mm 491g	XF18mm F1.4 R LM WR	Φ68.8x75.6mm 370g	Camera + Lens	✓	✓		

Brand	Camera Model	Camera Size	Camera Size	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Installation Remark
						Short End	Long End	
Nikon	Z 50	Z50 126.5×93.5×60mm 395g	NIKKOR Z DX 16-50mm f/3.5-6.3 VR	Φ70mm*32mm 135g	Camera + Lens	✓	✓	
	Zfc	Zfc 134.5×93.54×3.5mm 445g						
	Z6 II	Z6 134×100.5×67.5mm 675g	NIKKOR Z 28mm f/2.8	Φ71.5mm*43mm 160g	Camera + Lens	✓	✓	
	Z7	Z7 134×100.5×67.5mm 675g	NIKKOR Z 50mm f/2.8	Φ74.5mm*66mm 260g	Camera + Lens	✓	✓	
	Z7 II	Z7 II 134×100.5×67.5mm 705g						
	Z5	Z5 134×100.5×69.5mm 675g	NIKKOR Z 50mm f/2.8	Φ74.5mm*66mm 260g	Camera + Lens	✓	✓	
Z30	Z30 128 x 73.5 x 59.5mm 405g	NIKKOR Z DX 16-50mm f/3.5-6.3 VR	Φ70mm*32mm 135g	Camera + Lens	✓	✓		

Brand	Camera Model	Camera Size	Camera Size	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Installation Remark
						Short End	Long End	
SIGMA	FP	112.6×69.9×45.3mm 422g	SIGMA 45mm f/2.8 DG DN	Φ64mm*46.2mm 215g	Camera + Lens	✓	✓	

Brand	Camera Model	Camera Size	Camera Size	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Installation Remark
						Short End	Long End	
GoPro	GoPro5	62×44.6×33.7mm 112.5g	—	—	Camera	—	—	
	GoPro6	62×44.6×33.7mm 115.3g	—	—	Camera	—	—	
	GoPro7 SILVER	62.3×44.9×28.3mm 94.2g	—	—	Camera	—	—	
	GoPro7 Black	62×33.7×44.6mm 111.3g	—	—	Camera	—	—	
	GoPro7 White	62.3×44.9×28.3mm 92.3g	—	—	Camera	—	—	
	GoPro8 Black	66.3×48.6×28.4mm 124.5g	—	—	Camera	—	—	
	GoPro9 Black	71.8×50.8×33.6mm 158.5g	—	—	Camera	—	—	
	GoPro10 Black	71.8×50.8×33.6mm 159.6g	—	—	Camera	—	—	
	GoPro11	71.8×50.8×33.6mm 153.2g	—	—	Camera	—	—	
	GoPro Max	64×69×25mm 163.1g	—	—	—	Camera	—	—

Notice:
1. "✓" Means Support this function, "×" Means Do not Support;

Feiyu SCORP-Mini combination of camera and lens cannot carry list

Brand	Camera Model	Camera Size	Camera Size	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Installation Remark
						Short End	Long End	
Sony	A7R4	A7R4 128.9×96.4×77.5mm 665g	Sony FE 24-105mm f/4 G OSS	Φ83.4*113.3mm 663g	Camera + Lens	×	×	The Camera is too large, the camera plus the lens is too heavy to carry
	RX10IV (RX10M4)	RX10IV 132.5×94×127.4mm 1095g	Card Camera		Camera + Lens	×	×	The lens is long, the center of gravity is not centered, and it cannot be balance adjustment
	Alpha 6400	Alpha 6400 120×67×60mm 403g	E PZ 18-105mm f/4.0 G OSS	Φ78mm*110mm 427g	Camera + Lens	×	×	
	FDR-AX60	FDR-AX60 73mm x 80.5mm x 173mm 535g	DV		Camera + Lens	×	×	
	FDR-AX700	FDR-AX700 116×89.5×196.5mm 935g	DV		Camera + Lens	×	×	
Canon	EOS R3	R3 150×142.6×87.2mm 1015g	RF28-70mm F2 L USM	Φ103.8*139.8mm 1430g	Camera + Lens	×	×	The Camera is too large, the camera plus the lens is too heavy to carry
	EOS R5G	EOS R5G 142×101×111mm 680g	RF14-35mm F4 L IS USM	Φ84.1*99.8mm 540g	Camera + Lens	×	×	The Camera is too thick to carry
			RF15-30mm F4.5-6.3 IS STM	Φ76.6×88.4mm 390g	Camera + Lens	×	×	
	R6	R6 138.4×97.5×88.4mm 680g	35mm f/1.8 Macro IS STM	Φ74.4mm*62.8mm 305g	Camera + Lens	×	×	
			RF 50mm f/1.2L USM	Φ89.8mm*108mm 950g	Camera + Lens	×	×	
	EOS R7 EOS R10	R7 132×90.4×91.7mm 612g R10 122.5×87.8×83.4mm 429g	RF85mm F2 MACRO IS STM	Φ78×90.5mm 500g	Camera + Lens	×	×	
			RF 14-35mm f/4 L IS USM	Φ84.1*99.8mm 540g	Camera + Lens	×	×	
	EOS RP	EOS RP 132.5×85×70mm 485g	RF15-30mm F4.5-6.3 IS STM	Φ76.6×88.4mm 390g	Camera + Lens	×	×	
EOS R5	EOS R5 138.5×97.5×88mm 738g	RF15-30mm F4.5-6.3 IS STM	Φ76.6×88.4mm 390g	Camera + Lens	×	×		
Nikon	Z9	Z9 149×149.5×90.5mm 1340g	Nikkor Z 24-70mm f/2.8 S	Φ89mm*126mm 805g	Camera + Lens	×	×	The camera is too big, too heavy. Cannot be carried
	D850	D850 146×124×78.5mm 1005g	AF-S NIKKOR 24-120mm f/4G ED VR	Φ84mm*103.5mm 710g	Camera + Lens	×	×	The camera is too big, too heavy. Cannot be carried
	D7500	D7500 135.5×104×72.5mm 720g	NIKKOR 18-140mm f/3.5-5.6E ED VR	Φ78mm*97mm 490g	Camera + Lens	×	×	The Camera is too large, the camera plus the lens is too heavy to carry
	Z8	Z8 144 x 118.5 x 83mm 910g	NIKKOR Z 28-75mm f/2.8	Φ75x120.5mm 598g	Camera + Lens	×	×	

Panasonic	GH6	GH6 138.4*100.3*99.6mm 823g	LEICA DG Vario-Elmarit 12-60mm f/2.8-4 Power OIS	Φ68mm*86mm 320g	Camera + Lens	×	×	Tilt axis and roll axis cannot be balanced. Roll axis motors are hot.
	GH5	GH5 138.5*98.1*87.4mm 725g	Lumix G X Vario 12-35mm f/2.8 II ASPH POWER OIS (H-HSA12035GK II generation)	Φ68mm*74mm 305g	Camera + Lens	×	×	The roll axis cannot be balance
	S5II	S5II 102.3*134.3*90.1mm 740g	Lumix S 20-60mm f/3.5-5.6	Φ77.4*87.2mm 350g	Camera + Lens	×	×	The camera is too big, too heavy. Cannot be carried
Fujifilm	GFX 100S	GFX 100S 150*104.2*87.2mm 900g	GF 32-64mm f/4R LM WR	Φ92.6*145.5mm 875g	Camera + Lens	×	×	
	X-Pro 3	140.5*82.8*46.1mm 497g	XF16mmF1.4 R WR	Φ73.4mm*73.0mm 375g	Camera + Lens	×	×	The display hits the gimbal when flipped down
	X-H2S	X-H2S 136.3*92.9*84.6mm 660g	XF90mmF2 R LM WR	Φ75.0mm*105mm 540g	Camera + Lens	×	×	
	X-T5	X-T5 129.5*91*63.8mm 557g	XF 8-16mm f/2.8 R LM WR	Φ88*121.5mm 808g	Camera + Lens	×	×	The lens is too heavy to carry