



Feiyu SCORP Lens Compatibility List

Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark
						Short End	Long End	Short End	Long End	
Sony	α 1 α 9 α 7 II α 7 III (A7M3) α 7R α 7R II α 7S α 7S II α 7S III α 7R II (A7M2)	α 1 128.9×96.9×80.8mm 652g α 9 126.9×95.6×63.0mm 588g α 7 II 128.9×96.4×77.5mm 678g α 7M3 126.9×95.6×73.7mm 565g α 7R 126.9×94.4×48.2mm 407g α 7R II 126.9×95.6×62.7mm 572g α 7S 126.9×94.4×48.2mm 444g α 7S II 126.9×95.7×60.3mm 584g α 7S III 128.9×96.9×80.8mm 614g α 7R II 126.9×95.7×60.3mm 582g α 7M2 126.9×95.7×59.7mm 556g	E 10 - 18mm F4 OSS	Φ70mm*63.5mm 225g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			Camera + Lens	✓	✓	---	---			
			Focus motor + Camera	✓	✓	---	---			
			Camera + Lens	✓	✓	---	---			
			Focus motor + Camera	✓	✓	---	---			
			Camera + Lens	✓	✓	---	---			
			Focus motor + Camera	✓	✓	---	---			
			Camera + Lens	✓	✓	---	---			
			Focus motor + Camera	✓	✓	---	---			
			Camera + Lens	✓	✓	---	---			
			Focus motor + Camera	✓	✓	---	---			
			Camera + Lens	✓	✓	---	---			
			Focus motor + Camera	✓	✓	---	---			
			Camera + Lens	✓	✓	---	---			
			Focus motor + Camera	✓	✓	---	---			
			Camera + Lens	✓	✓	---	---			
			Focus motor + Camera	✓	✓	---	---			
			Camera + Lens	✓	✓	---	---			
			Focus motor + Camera	✓	✓	---	---			
			Camera + Lens	✓	✓	---	---			
			Focus motor + Camera	✓	✓	---	---			
			Camera + Lens	✓	✓	---	---			
			Focus motor + Camera	✓	✓	---	---			
			Camera + Lens	✓	✓	---	---			
			Focus motor + Camera	✓	✓	---	---			
			Camera + Lens	✓	✓	---	---			
			Focus motor + Camera	✓	✓	---	---			
			Camera + Lens	✓	✓	---	---	Camera Riser required Lens holder Required		
			Focus motor + Camera	✓	✓	✓	✓	Camera Riser required		
			Camera + Lens	✓	✓	✗	✗			
			Focus motor + Camera	✓	✓	✓	✓	Camera Riser required		
FX3	FX3 77.8×129.7×84.5mm 640g	TAMRON 28-75mm f/2.8 Di III RXD (A036)	Φ117.6mm*75.8mm 550g	Camera + Lens	✓	✓	---	---	Camera Riser Required	
				Focus motor + Camera	✓	✓	---	---		
				Camera + Lens	✓	✓	---	---		
				Focus motor + Camera	✓	✓	---	---		
α 7 IV (A7M4)	α 7M4 129.0×97.0×81.0mm 699g	FE 24-240mm F3.5-6.3 OSS	Φ119*81mm 780g	Camera + Lens	✓	✓	---	---		
				Focus motor + Camera	✓	✓	---	---		
				Camera + Lens	✓	✓	✗	✗		
				Focus motor + Camera	✓	✓	✓	✓		
A7R4 A7RM4	A7R4 128.9×96.4×77.5mm 665g A7RM4 128.9×96.4×77.5mm 580g	FE 24-105mm f/4 G OSS	Φ83.4mm*113.3mm 663g	Camera + Lens	✓	✓	✓	✓	1.Horizontal shooting requires the use of Camera Riser, Lens holder. 2.Vertical shots require Lens holder.	
				Focus motor + Camera	✓	✓	✓	✓		
		samyang 1.5/35mm	Φ77*137.5mm 720g	Camera + Lens	✓	✓	✗	✗		
				Focus motor + Camera	✓	✓	✗	✗	Camera Riser required	
A7C	A7C 124×71.1×59.7mm 509g	FE 28-60mm f/4-5.6	Φ67mm*45mm 167g	Camera + Lens	✓	✓	✗	✗		
				Focus motor + Camera	✓	✓	✓	✓	Camera Riser required when you install horizontally	
RX10 III (RX10M3) RX10 IV (RX10M4)	RX10M3 132.5×94×127.4mm 1095g RX10M4 132.5×94×127.4mm 1095g	---	---	Camera + Lens	✓	✓	✓	✓	Horizontal shooting requires the use of Camera Riser, Lens holder, no need to remove the viewfinder's protector; Vertical shots require Lens holder.	
				Focus motor + Camera	✓	✓	✓	✓		
A7C11	A7C11 124×71.1×63.4mm 514g	FE 4-5.6/28-60	Φ67mm*45mm 167g	Camera + Lens	✓	✓	✓	✓		
				Focus motor + Camera	✓	✓	✓	✓	Camera Riser required when you install horizontally	
A7RV (A7R5)	A7R5 131.3 × 96.9 × 82.4mm 638g	Sigma 20mm f/1.4 DG HSM Art	Φ90.7mm*129.8mm 950g	Camera + Lens	✓	✓	✓	✓		
				Focus motor + Camera	✓	✓	✗	✗	Camera Riser+lens holder are required	
A7OR	A7OR 124.0 × 71.1 × 63.4mm 515g	Sigma 65mm F2 DG DN Sony FE adapter	Φ72mm*74.7mm 405g	Camera + Lens	✓	✓	✓	✓		
				Focus motor + Camera	✓	✓	✗	✗	Camera Riser required	
ZV-E1	ZV-E1 121.0 × 71.9 × 54.3 mm 399g	Sigma 35MM F2 DGDN Sony FE adapter	Φ70mm × 67.4mm 325g	Camera + Lens	✓	✓	✗	✗		
Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark
						Short End	Long End	Short End	Long End	
			E 10 - 18mm F4 OSS	Φ70mm*63.5mm 225g	Camera + Lens	✓	✓	---	---	
					Focus motor + Camera	✓	✓	---	---	
			FE 12-24mm F4 G	Φ87mm*117mm 565g	Camera + Lens	✓	✓	---	---	
					Focus motor + Camera	✓	✓	---	---	
			FE 16-35mm F2.8 GM	Φ89mm*122mm 680g	Camera + Lens	✓	✓	---	---	
					Focus motor + Camera	✓	✓	---	---	
			FE16-35mm f/4 ZA OSS	Φ78mm*99mm 518g	Camera + Lens	✓	✓	---	---	
					Focus motor + Camera	✓	✓	---	---	
			FE 24-70 F2.8 GM	Φ87.6mm*136mm 886g	Camera + Lens	✓	✓	---	---	
					Focus motor + Camera	✓	✓	---	---	

Sony	a 5100 a 6000 a 6100 a 6300 a 6400 a 6500 a 6600	a 5100 109.6×62.8×35.7 224g a 6000 120×66.9×45.1mm 285g a 6100 120×66.9×49.9mm 396g a 6300 120×66.9×48.8mm 361g a 6400 120×67×60mm 359g a 6500 120×66.9×53.3mm 410g a 6600 120×66.9×59mm 503g	Vario-Tessar FE 24-70mm F4 ZA OSS	Φ73mm*94.5mm 426g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			Camera + Lens	✓	✓	---	---			
			Zeiss E 16-70 F4 OSS	Φ66.6mm*75mm 308g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			E PZ 18 - 105mm F4 G OSS	Φ78mm*110mm 427g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			E PZ 18 - 200mm F3.5-6.3 OSS LE	Φ93.2mm*99mm 649g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE 4/24-105 G OSS	Φ83.4mm*113.3 mm 663g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE 28-70mm f/3.5-5.6 OSS	Φ72.5mm*83mm 295g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE 28mm F2	Φ64mm*60mm 200g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			Zeiss FE 35mm F2.8 ZA	Φ61.5mm*36.5mm 120g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			Sigma 30mm f/1.4 DC DN	Φ64.8mm*73.3mm 265g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			Sigma 35mm f1.4 DG HSM Art	Φ77mm*94mm 665g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE 55mm F1.8	Φ64mm*71mm 281g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE 50mm F2.8 MACRO	Φ71mm*71mm 236g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE 28-70mm f/3.5-5.6 OSS	Φ72.5mm*83mm 295g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE 85mm F1.4 GM	Φ89.5mm*107.5mm 820g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			E 18-135mm F3.5-5.6 OSS	Φ67.2mm*88mm 325g	Camera + Lens	✓	✓	✓	✓	Camera Riser required
			Focus motor + Camera	✓	✓	✓	✓			
			Camera + Lens	✓	✓	✗	✗			
			Focus motor + Camera	✓	✓	✗	✗	Camera Riser required		
RX100 III (RX100M3)	RX100 III 101.6 x 58.1 x 41.0 mm 290g	---	---	Camera	✓	✓	---	---		
RX100 IV (RX100M4)	RX100 IV 101.6×58.1×41.0 mm 298g	---	---							
RX100 V (RX100M5)	RX100 V 101.6×58.1×41.0mm 299g	---	---							
RX100M5A	RX100M5A 101.6 x 58.1 x 41.0 mm 299g	---	---							
RX100 VI (RX100M6)	RX100 VI 101.6×58.1×42.8mm 301g	---	---							
RX100 VII (RX100M7)	RX100 VII 101.6×58.0×42.8mm 302g	---	---							
ZV-1	ZV-1 105.5×60×43.5mm 294g	---	---	Camera	✓	✓	---	---		
FDR-AX60	FDR-AX60 73mm x 80.5mm x 173mm 535g	---	---	DV Camera	✓	✓	✗	✗		
ZV-E10	ZV-E10 115*64*45mm 343g	E PZ 16-50/3.5-5.6 OSS	Φ64.7mm*29.9mm 116g	Camera + Lens	✓	✓	✗	✗	Camera Riser required	
DSC-WX500	DSC-WX500 101.6 x 58.1 x 35.5 mm 236g	---	---	Camera	✓	✓	✗	✗		
DSC-HX90	DSC-HX90 102.0 x 58.1 x 35.5 mm 245g	---	---	Camera	✓	✓	✗	✗		
FDR-AX700	FDR-AX700 116×89.5×196.5mm 935g	---	---	DV Camera	✓	✓	✗	✗		
A6700	A6700 122×69×75.1mm 493g	TAMRON DI III VXD 20-40mm F/2.8	Φ74.4mm*86.5mm 365g	Camera + Lens	✓	✓	✓	✓		
				Focus motor + Camera	✓	✓	✗	✗		
ZV-1M2	ZV-1M2 105.5 X 60.0 X 46.7 mm 292g	---	---	Camera	✓	✓	✓	✓		
Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark
Panasonic	DC-GH5SGK-K DC-GH5 DC-G9GK-K DMC-GH4GK	GH5S 138.5×98.1×87.4mm 640g GH5 138.5×98.1×87.4mm 725g G9 136.9×97.3×91.6mm 658g GH4 93.4×83.9×132.9mm 560g	LEICA DG SUMMILUX 15mm f/1.7 ASPH	Φ58mm*30mm*46mm 115g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			Camera + Lens	✓	✓	---	---			
			LEICA DG SUMMILUX 25mm f/1.4 ASPH	Φ77.7mm*75mm 510g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			Camera + Lens	✓	✓	---	---			
			LEICA DG MACRO 45mm f/2.8 OIS	Φ63mm*62.5mm 225g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			Camera + Lens	✓	✓	---	---			
			LEICA DG Vario-Elmarit 8-18mm f/2.8-4.0 ASPH	Φ73.4mm*88mm 315g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			Camera + Lens	✓	✓	---	---			
			LEICA DG Vario-Elmarit 12-60mm f/2.8-4.0 Power OIS	Φ68mm*86mm 320g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			LUMIX G X Vario 12-35mm f/2.8 II ASPH POWER OIS (H-HSI2035GK 1 generation)	Φ68mm*74mm 305g	Camera + Lens	✓	✓	✗	✗	
Focus motor + Camera	✓	✓	✗	✗						
M. ZUIKO DIGITAL ED 12mm f/2.0	Φ56mm*43mm 130g	Camera + Lens	✓	✓	---	---				
Focus motor + Camera	✓	✓	---	---						
LUMIX G 14-140mm f/4-5.8 OIS	Φ70mm*84mm 460g	Camera + Lens	✓	✓	---	---				
Focus motor + Camera	✓	✓	---	---						
OLYMPUS M. ZUIKO DIGITAL 12-40mm	Φ70mm*84mm 382g	Camera + Lens	✓	✓	---	---				
Focus motor + Camera	✓	✓	---	---						
S5	S5 132.6×97.1×81.9mm 714g	LUMIX S 24-105mm F4	Φ84mm*118mm 680g	Camera + Lens	✓	✓	---	---		
Focus motor + Camera	✓	✓	---	---						
GH6	GH6 138.4*100.3*99.6mm 823g	LEICA DG Vario-Elmarit 12-60mm f/2.8-4.0 Power OIS	Φ68mm*86mm 320g	Camera + Lens	✓	✓	✗	✗	Lens holder required	
Focus motor + Camera	✓	✓	✓	✓						
Camera + Lens	✓	✓	✗	✗						
S511	S511 102.3×134.3×90.1mm 740g	Lumix S 20-60mm f/3.5-5.6	Φ77.4×87.2mm 350g	Camera + Lens	✓	✓	✓	✓	Camera Riser required when you install horizontally	
Focus motor + Camera	✓	✓	✓	✓						

Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark
						Short End	Long End	Short End	Long End	
Nikon	Z6 Z6 II Z7 Z7 II	Z6 134×100.5×67.5mm 675g Z6 II 134×100.5×69.5mm 615g Z7 134×100.5×67.5mm 675g Z7 II 134×100.5×67.5mm 705g	NIKKOR Z 35mm f/1.8	Φ73mm*86mm 370g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			18-140mm f/3.5-5.6 ED VR	Φ78mm*97mm 490g	Camera + Lens	✓	✓	✓	✓	Camera Riser required when you install horizontally
			Focus motor + Camera	✓	✓	---	---			
			NIKKOR Z 50mm f/1.8 S	Φ76mm*86.5mm 415g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			NIKKOR Z 24-70mm f/4 S	Φ77.5mm*88.5mm 500g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			NIKKOR Z 14-30mm f/4 S	Φ85mm*89mm 485g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			NIKKOR Z 28mm f/2.8	Φ71.5mm*43mm 160g	Camera + Lens	✓	✓	✗	✗	Camera Riser required when you install horizontally
			Focus motor + Camera	✓	✓	✗	✗			
	NIKKOR Z macro 50mm f/2.8	Φ74.5mm*66mm 260g	Camera + Lens	✓	✓	✗	✗	Camera Riser required when you install horizontally		
	Focus motor + Camera	✓	✓	✓	✓					
	Z50	Z50 126.5×93.5×60mm 395g	NIKKOR Z DX 16-50mm f/3.5-6.3 VR	Φ70mm*32mm 135g	Camera + Lens	✓	✓			
	Zfc	Zfc 134.5×93.54×3.5mm 445g	NIKKOR Z DX 16-50mm f/3.5-6.3 VR	Φ70mm*32mm 135g	Camera + Lens	✓	✓			
	07500	07500 135.5×104×72.5mm 720g	NIKKOR 18-140mm f/3.5-5.6 ED VR	Φ78mm*97mm 490g	Camera + Lens	✓	✓	✓	✓	The Long end Lens need Lens holder
	Focus motor + Camera	✓	✓	✓	✓					
	0850	0850 146×124×78.5mm 1005g	AF-S NIKKOR 24-120mm f/4 ED VR	Φ84mm*103.5mm 710g	Camera + Lens	✓	✓	✗	✗	
	Focus motor + Camera	✓	✓	✗	✗					
Z5	Z5 134×100.5×69.5mm 675g	NIKKOR Z 50mm f/2.8	Φ74.5mm*66mm 260g	Camera + Lens	✓	✓	✗	✗		
Focus motor + Camera	✓	✓	✓	✓	Camera Riser required					
Z30	Z30 128 × 73.5 × 59.5mm 405g	NIKKOR Z DX 16-50mm f/3.5-6.3 VR	Φ70mm × 32mm 135g	Camera + Lens	✓	✓	✗	✗		
Focus motor + Camera	✓	✓	✗	✗	Camera Riser required					
Z8	Z8 144 × 118.5 × 83mm 910g	NIKKOR Z 28-75mm f/2.8	Φ75×120.5mm 598g	Camera + Lens	✓	✓	✗	✗		
Focus motor + Camera	✓	✓	✗	✗						
Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark
						Short End	Long End	Short End	Long End	
Canon	EOS R EOS RP EOS R6	EOS R 135.8×98.3×84.4mm 660g EOS RP 132.5×85×70mm 485g EOS R6 138.4×97.5×88.4mm 598g	RF 35mm F1.8 MACRO IS STM	Φ74.4mm*62.8mm 305g	Camera + Lens	✓	✓	✗	✗	
			Focus motor + Camera	✓	✓	✓	✓			
			EF-S 18-200mm f/3.5-5.6 IS	Φ78.6mm*102mm 595g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✗	✗	---	---			
			EF 50mm f/1.4 DG HSM Art	Φ85mm*100mm 815g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			EF 17-40mm f/4L USM	Φ83.5mm*96.8mm 475g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			RF 50mm F1.2L USM	Φ89.8mm*108mm 950g	Camera + Lens	✓	✓	✗	✗	
			Focus motor + Camera	✓	✓	✓	✓			
			RF 28-70mm F2L USM	Φ103.8mm*139.8mm 1430g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
	RF 24-105mm F4L IS USM	Φ83.5mm*107.3mm 670g	Camera + Lens	✓	✓	---	---			
	Focus motor + Camera	✓	✓	---	---					
	RF 15-35mm F2.8 L IS USM	Φ88.5mm*126.8mm 840g	Camera + Lens	✓	✓	---	---			
	Focus motor + Camera	✓	✓	---	---					
	RF50mm F1.8 STM	Φ69.2mm*40.5mm 160g	Camera + Lens	✓	✓	✗	✗	The pitch doesn't balance it		
	Focus motor + Camera	✓	✓	✓	✓					
	RF85mm F2 MACRO IS STM	Φ78×90.5mm 500g	Camera + Lens	✓	✓	✗	✗			
	Focus motor + Camera	✓	✓	✓	✓	Camera Riser required when you install horizontally				
RF-S18-45mm F4.5-6.3 IS STM	Φ69×44.3 130g	Camera + Lens	✓	✓	✗	✗				
Focus motor + Camera	✓	✓	✗	✗						
RF15-30mm F4.5-6.3 IS STM	Φ76.6×88.4mm 390g	Camera + Lens	✓	✓	✓	✓	Camera Riser required when you install horizontally			
Focus motor + Camera	✓	✓	✓	✓						
EOS 80D	EOS 80D 139×105.2×78.5mm 730g	EF-S 18-200mm f/3.5-5.6 IS	Φ78.6mm*102mm 595g	Camera + Lens	✓	✓	---	---		
Focus motor + Camera	✓	✓	---	---						
EOS 6D Mark II	6D Mark II 144×110.5×74.8mm 765g	EF 24-70mm f/4L IS USM	Φ83.4mm*93mm 600g	Camera + Lens	✓	✓	---	---		
Focus motor + Camera	✓	✓	---	---						
EOS 6D	EOS 6D 144.5×110.5×71.2mm 750g	16-35mm f/2.8L II USM	Φ88.5mm*111.6mm 635g	Camera + Lens	✓	✓	---	---		
		Focus motor + Camera	✓	✓	---	---				
		EF-S 18-200mm f/3.5-5.6 IS	Φ78.6mm*102mm 595g	Camera + Lens	✓	✓	---	---		
Focus motor + Camera	✗	✗	---	---						
EF 24-105mm f/4L IS USM	Φ83.5mm*107mm 670g	Camera + Lens	✓	✓	---	---				
Focus motor + Camera	✓	✓	---	---						
EOS 200D II (250D)	EOS 200D II 122.4×92.6×69.8mm 456g	EF-S18-55mm f/4-5.6 IS STM	Φ66.5mm*61.8mm 215g	Camera + Lens	✓	✓	---	---		
Focus motor + Camera	✓	✓	---	---						
EOS 5D Mark IV	5D Mark IV 150.7×116.4×75.9mm 890g	EF 24-105mm f/4L IS USM	Φ83.5mm*107mm 670g	Camera + Lens	✓	✓	---	---		
		Focus motor + Camera	✓	✓	---	---				
EF 24-70mm f/2.8L USM	Φ83.2mm*123.5mm 950g	Camera + Lens	✓	✓	---	---				
Focus motor + Camera	✓	✓	---	---						
EOS 5D Mark III EOS 5DS R	5D Mark III 152×116.4×76.4mm 950g 5DS R 152×116.4×76.4mm 930g	EF 24-105mm f/4L IS USM	Φ83.5mm*107mm 670g	Camera + Lens	✓	✓	---	---		
		Focus motor + Camera	✓	✓	---	---				
		EF 24-105mm f/4L IS II USM	Φ88.5mm*127.5mm 795g	Camera + Lens	✗	✗	---	---		
		Focus motor + Camera	✗	✗	---	---				
EF 24-70mm f/2.8L II USM	Φ88.5mm*113mm 805g	Camera + Lens	✓	✓	---	---				
Focus motor + Camera	✓	✓	---	---						
16-35mm f/2.8L II USM	Φ88.5mm*111.6mm 635g	Camera + Lens	✓	✓	---	---				
Focus motor + Camera	✓	✓	---	---						
EOS 70D	EOS 70D 139×104.3×78.5mm 755g	16-35mm f/2.8L II USM	Φ88.5mm*111.6mm 635g	Camera + Lens	✓	✓	---	---		
Focus motor + Camera	✓	✓	---	---						
EOS 77D	EOS 77D 131×99.9×76.2mm 540g	EF 24-70mm f/4L IS USM	Φ83.4mm*93mm 600g	Camera + Lens	✓	✓	---	---		
		Focus motor + Camera	✓	✓	---	---				
EOS M50 EOS M50 Mark II	M50 116.3×88.1×58.7mm 390g M50 Mark II 116.3×88.1×58.7mm 387g	EF-M 15-45mm F3.5-6.3 IS	Φ60.9mm*44.5mm 130g	Camera + Lens	✓	✓	✗	✗		
		Focus motor + Camera	✓	✓	✓	✓				

Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark
						Short End	Long End	Short End	Long End	
						Camera + Lens	Focus motor + Camera	Camera + Lens	Focus motor + Camera	
PowerShot G7 X Mark III	G7 X Mark III 105.0×60.9×41.4mm 304g				Camera + Lens	✓	✓	✗	✗	
					Focus motor + Camera	✓	✓	✗	✗	
EOS 850D	EOS 850D 131×102.6×76.2mm 515g		EF-S 18-55mm f/4-5.6 IS STM	Φ66.5mm*61.8mm 215g	Camera + Lens	✓	✓	---	---	
					Focus motor + Camera	✓	✓	---	---	
EOS 90D	EOS 90D 140.7×104.8×76.8mm 701g		EF-S 18-135mm f/3.5-5.6 IS USM	Φ77.4mm*96mm 515g	Camera + Lens	✓	✓	✗	✗	Horizontal shooting requires the use of Camera Riser
					Focus motor + Camera	✓	✓	✗	✗	
EOS R5C EOS R5	EOS R5C 142×101×111mm 680g EOS R5 138.5×97.5×88mm 738g		RF14-35mm F4 L IS USM	Φ84.1mm*99.8mm 540g	Camera + Lens	✓	✓	✗	✗	Horizontal shooting requires the use of Camera Riser and Lens holder
			RF15-30mm F4.5-6.3 IS STM	Φ76.6×88.4mm 390g	Camera + Lens	✓	✓	✗	✗	
EOS M6 Mark II	EOS M6 Mark II 119.6×70×49.2mm 408g		EF-M 15-45mm f/3.5-6.3 IS STM	Φ60.9mm*44.5mm 130g	Camera + Lens	✓	✓	✓	✓	
					Focus motor + Camera	✓	✓	✓	✓	Camera Riser required
EOS R7	EOS R7 132×90.4×91.7mm 612g		RF-S18-150mm F3.5-6.3 IS STM	Φ69mm*84.5mm 310g	Camera + Lens	✓	✓	✓	✓	
			RF35mm F1.8 MACRO IS STM	Φ74.4mm*62.8mm 305g	Camera + Lens	✓	✓	✗	✗	Camera Riser required
			RF-S18-45mm F4.5-6.3 IS STM	Φ69mm*44.3mm 130g	Camera + Lens	✓	✓	✗	✗	
			RF 14-35mm f/4 L IS USM	Φ84.1mm*99.8mm 540g	Camera + Lens	✓	✓	✓	✓	Camera Riser required
EOS R10	EOS R10 122.5×87.8×83.4mm 429g		RF-S18-150mm F3.5-6.3 IS STM	Φ69mm*84.5mm 310g	Camera + Lens	✓	✓	✓	✓	
			RF35mm F1.8 MACRO IS STM	Φ74.4mm*62.8mm 305g	Camera + Lens	✓	✓	✓	✓	Camera Riser required
			RF-S18-45mm F4.5-6.3 IS STM	Φ69mm*44.3mm 130g	Camera + Lens	✓	✓	✗	✗	
			RF 14-35mm f/4 L IS USM	Φ84.1mm*99.8mm 540g	Camera + Lens	✓	✓	✓	✓	Camera Riser required
EOS R8	EOS R8 132.5×86.1×70mm 461g		RF24-50mm F4.5-6.3 IS STM	Φ69.6mm*58mm 210g	Camera + Lens	✓	✓	✓	✓	
			Focus motor + Camera	✓	✓	✓	✓	Camera Riser required		
EOS R50	EOS R50 116.3×85.5×68.8mm 376g		RF-S18-45mm F4.5-6.3 IS STM	Φ69mm*44.3mm 130g	Camera + Lens	✓	✓	✓	✓	
			Focus motor + Camera	✓	✓	✓	✓	Camera Riser required		
EOS R6 Mark II	EOS R6 Mark II 138.4×98.4×88.4mm 670g		RF24mm F1.8 MACRO IS STM	Φ74.4*63.1mm 270g	Camera + Lens	✓	✓	✗	✗	
			Focus motor + Camera	✓	✓	✓	✓			
X-T2 X-T3 X-T4	X-T2 133×92×49mm 457g X-T3 132.5×92.8×58.8mm 539g X-T4 134.6×92.8×63.8mm 607g		XF 16mm 1:1.4 R WR	Φ73mm*73mm 375g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
X-H1	X-H1 139.8×97.3×85.5mm 673g		XF 23mm 1:1.4 R	Φ72mm*63mm 300g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
X-S10	X-S10 126×85.1×65.4mm 465g		XF 35mm 1:1.4	Φ65mm*54.9mm 187g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
X-A5 X-A7	X-A5 116.9×67.7×40.4mm 361g X-A7 119×67.7×41.1mm 320g		XF 10-24mm f/4.0 R OIS	Φ78mm*87mm 410g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
X-T30 II	X-T30 II 118×83×47mm 383g		XF 16-55mm 1:2.8 R LM WR	Φ83.3mm*106.0mm 655g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
X-E3	X-E3 121.3×42.7×73.9mm 337g		XF 18-55mm 1:2.8-4 R OIS	Φ65mm*70.4mm 310g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
X100V	X100V 128×74.8×53.3mm 478g		XF 18-135mm f/3.5-5.6 R LM OIS WR	Φ76mm*98mm 490g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
GF X 100S	GF X 100S 150×104.2×87.2mm 900g		XF 15-45mm f/3.5-5.6 OIS PZ	Φ62.6mm*65.2mm 135g	Camera + Lens	✓	✓	---	---	Camera Riser Required
			Focus motor + Camera	✓	✓	---	---	Camera Riser Required		
X100V	X100V 128×74.8×53.3mm 478g		Kit Lens	---	Camera + Lens	✓	✓	✗	✗	The camera body is too wide and the vertical plate is not long enough to mount
			Focus motor + Camera	✗	✗	✗	✗	The lens is too short for a focus motor		
GF X 100S	GF X 100S 150×104.2×87.2mm 900g		GF 32-64mm f/4R LM WR	Φ92.6mm*145.5mm 875g	Camera + Lens	✓	✓	✗	✗	Camera Riser required
			Focus motor + Camera	✓	✓	✗	✗	Camera Riser required		

X-T20 X-T30 X-T100 X-T200		X-T20 118.4×82.8×41.4mm 383g X-T30 118.4×82.8×46.8mm 383g X-T100 121.0×83.0×47.4mm 448g X-T200 121.0×83.7×55.1mm 370g	XF 16mm 1:1.4 R WR	Φ73mm*73mm 375g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			XF 23mm 1:1.4 R	Φ72mm*63mm 300g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			XF 35mm 1:1.4	Φ65mm*54.9mm 187g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			XF 10-24mm f/4.0 R OIS	Φ78mm*87mm 410g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			XC 16-50mm f/3.5-5.6 OIS	Φ62.6mm*65.2mm 195g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
XF 16-55mm 1: 2.8 R LM WR	Φ83.3mm*106.0mm 655g	Camera + Lens	✓	✓	---	---				
Focus motor + Camera	✓	✓	---	---						
XF 18-55mm 1:2.8-4 R OIS	Φ65mm*70.4mm 310g	Camera + Lens	✓	✓	---	---				
Focus motor + Camera	✓	✓	---	---						
XF 18-135mm f/3.5-5.6 R LM OIS WR	Φ76mm*98mm 490g	Camera + Lens	✓	✓	---	---				
Focus motor + Camera	✓	✓	---	---						
XC 15-45mm 1:3.5-5.6 OIS PZ	Φ62.6mm*65.2mm 135g	Camera + Lens	✓	✓	---	---				
Focus motor + Camera	✓	✓	---	---						
X-H2S	X-H2S 136.3×92.9×84.6mm 660g	XF90mmF2 R LM WR	Φ75.0mm*105mm 540g	Camera + Lens	✓	✓	✓	✓	Camera Riser required	
Focus motor + Camera	✓	✓	✓	✓						
X-H2	X-H2 136.3×92.9×84.6mm 660g	XF 16mm f/1.4R WR	Φ73.4mm*73.0mm 375g	Camera + Lens	✓	✓	✓	✓	Camera Riser required	
Focus motor + Camera	✓	✓	✓	✓						
X-T5	X-T5 129.5×91×63.8mm 557g	XF 8-16mm f/2.8 R LM WR	Φ88*121.5mm 808g	Camera + Lens	✓	✓	✓	✓	Camera Riser required	
Focus motor + Camera	✓	✓	✓	✓						
X-S20	X-S20 127.7x85.1x65.4mm 491g	XF18mmF1.4 R LM WR	Φ68.8x75.6mm 370g	Camera + Lens	✓	✓	✓	✓	Camera Riser required when you install horizontally	
Focus motor + Camera	✓	✓	✓	✓						
Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark
						Short End	Long End	Short End	Long End	
SIGMA	FP	FP 112.6×69.9×45.3mm 422g	SIGMA 45mm f/2.8 DG DN	Φ64mm*46.2mm 215g	Camera + Lens	✓	✓	×	×	
					Focus motor + Camera	✓	✓	✓	✓	Camera Riser Required

Notice:
1. "✓" Means Support this function, "×" Means Do not Support;

Feiyu SCORP Lens Incompatible list (For reference only)

Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark
						Short End	Long End	Short End	Long End	
Canon	EOS-1D X Mark III	158×167.6×82.6mm 1440g	EF 70-200mm f/2.8L IS III USM	Φ88.8mm*199mm 1480g	Camera + Lens	×	×	×	×	
	Focus motor + Camera	×	×	×	×					
EOS R3	150×142.6×87.2mm 1015g	RF28-70mm F2 L USM	Φ103.8mm*139.8mm 1430g	Camera + Lens	×	×	×	×		
	Focus motor + Camera	×	×	×	×					
Nikon	Z9	149×149.5×90.5mm 1340g	Nikkor Z 24-70mm f/2.8 S	Φ89mm*126mm 805g	Camera + Lens	×	×	×	×	
					Focus motor + Camera	×	×	×	×	
Panasonic	S1H	151.0×114.2×110.4mm 1164g	LUMIX S PRO 24-70mm f/2.8	Φ90.9mm*140mm 935g	Camera + Lens	×	×	×	×	
					Focus motor + Camera	×	×	×	×	
SIGMA	FP	112.6×69.9×45.3mm 422g	LUMIX S PRO 50mm F1.4	Φ90mm*130mm 955g	Camera + Lens	×	×	×	×	
					Focus motor + Camera	×	×	×	×	
Fujifilm	X-Pro 3	140.5×82.8×46.1mm 497g	XF16mmF1.4 R WR	Φ73.4mm*73.0mm 375g	Camera + Lens	×	×	×	×	The display hits the gimbal when flipped down
					Focus motor + Camera	×	×	×	×	
Black magic design	BMPCC 6K	180*122*94mm 1135g	EF 16-35mm f2.8L II USM	Φ88.5mm*111.6mm 640g	Camera + Lens	×	×	×	×	
					Focus motor + Camera	×	×	×	×	