



# Feiyu SCORP-C Lens Compatibility List

Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark
						Short End	Long End	Short End	Long End	
Sony	a 1 a 9 a 9 II a 7 III (A7M3) a 7R a 7R III a 7S a 7S II a 7S III a 7R II a 7 II (A7M2)	a 1 128.9×96.9×80.8mm 652g a 9 126.9×95.6×63.0mm 588g a 9 II 128.9×96.4×77.5mm 678g a 7M3 126.9×95.6×73.7mm 565g a 7R 126.9×94.4×48.2mm 407g a 7R III 126.9×95.6×62.7mm 572g a 7S 126.9×94.4×48.2mm 446g a 7S II 126.9×95.7×60.3mm 584g a 7S III 128.9 x 96.9 x 80.8mm 614g a 7R2 126.9×95.7×60.3mm 582g a 7M2 126.9×95.7×59.7mm 556g	E 10-18mm F4 OSS	Φ70mm*63.5mm 225g	Camera + Lens	√	√	---	---	
					Focus motor + Camera	√	√	---	---	
			FE 12-24mm F4 G	Φ87mm*117mm 565g	Camera + Lens	√	√	---	---	
					Focus motor + Camera	√	√	---	---	
			FE 16-35mm F2.8 GM	Φ89mm*122mm 680g	Camera + Lens	√	√	---	---	
					Focus motor + Camera	√	√	---	---	
			FE16-35mm f/4 ZA OSS	Φ78mm*99mm 518g	Camera + Lens	√	√	---	---	
					Focus motor + Camera	√	√	---	---	
			FE 24-70 F2.8 GM	Φ87.6mm*136mm 886g	Camera + Lens	√	√	---	---	
					Focus motor + Camera	√	√	---	---	
			Zeiss E 16-70 F4 OSS	Φ66.6mm*75mm 308g	Camera + Lens	√	√	---	---	
					Focus motor + Camera	√	√	---	---	
			E PZ 18-105mm F4 G OSS	Φ78mm*110mm 427g	Camera + Lens	√	√	---	---	
					Focus motor + Camera	√	√	---	---	
			E PZ 18-200mm F3.5-6.3 OSS LE	Φ93.2mm*99mm 649g	Camera + Lens	√	√	---	---	
					Focus motor + Camera	√	√	---	---	
			FE 4/24-105 G OSS	Φ83.4mm*113.3 mm 663g	Camera + Lens	√	√	---	---	
					Focus motor + Camera	√	√	---	---	
			FE 28-70mm f/3.5-5.6 OSS	Φ72.5mm*83mm 295g	Camera + Lens	√	√	---	---	
					Focus motor + Camera	√	√	---	---	
			FE 28mm F2	Φ64mm*60mm 200g	Camera + Lens	√	√	---	---	
					Focus motor + Camera	√	√	---	---	
			Zeiss FE 35mm F2.8 ZA	Φ61.5mm*36.5mm 120g	Camera + Lens	√	√	---	---	
					Focus motor + Camera	√	√	---	---	
			Sigma 30mm f/1.4 DC DN	Φ64.8mm*73.3mm 265g	Camera + Lens	√	√	---	---	
					Focus motor + Camera	√	√	---	---	
			Sigma 35mm f1.4 DG HSM Art	Φ77mm*94mm 665g	Camera + Lens	√	√	---	---	
					Focus motor + Camera	√	√	---	---	
			FE 55mm F1.8	Φ64mm*71mm 281g	Camera + Lens	√	√	---	---	
					Focus motor + Camera	√	√	---	---	
			FE 50mm F2.8 MACRO	Φ71mm*71mm 236g	Camera + Lens	√	√	---	---	
					Focus motor + Camera	√	√	---	---	
FE 85mm F1.4 GM	Φ89.5mm*107.5mm 820g	Camera + Lens	√	√	---	---				
		Focus motor + Camera	√	√	---	---				
Vario-Tessar FE 24-70mm F4 ZA OSS	Φ73mm*94.5mm 426g	Camera + Lens	√	√	---	---				
		Focus motor + Camera	√	√	---	---				
		Camera + Lens	√	√	√	√	1. Need to remove the viewfinder's protector 2. Camera Riser required			
		Focus motor + Camera	√	√	√	√	Camera Riser required			
FX3	FX3 77.8×129.7×84.5mm 640g	TAMRON 28-75mm f/2.8 Di III RXD (A036)	Φ117.6mm*75.8mm 550g	Camera + Lens	√	√	---	---	Camera Riser Required	
				Focus motor + Camera	√	√	---	---		
		FE 24-240mm F3.5-6.3 OSS	Φ119mm*81mm 780g	Camera + Lens	√	√	---	---		
				Focus motor + Camera	√	√	---	---		
a 7 IV (A7M4)	a 7M4 129.0×97.0×81.0mm 699g	FE 50mm f/1.8	Φ68.6mm*59.5mm 186g	Camera + Lens	√	√	×	×		
				Focus motor + Camera	√	√	√	√		
A7R4	A7R4 128.9×96.4×77.5mm 665g	FE 24-105mm f/4 G OSS	Φ83.4mm*113.3mm 663g	Camera + Lens	√	√	√	√	Camera Riser required when you install horizontally and the	
A7RM4A	A7RM4A 128.9×96.4×77.5mm 580g			Focus motor + Camera	√	√	√	√		
		samyang 1.5/35mm	Φ77mm*137.5mm 720g	Camera + Lens	√	√	×	×		
				Focus motor + Camera	√	√	×	×	Camera Riser Required	



Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark
						Short End	Long End	Short End	Long End	
A7C	A7C	124×71.1×59.7mm 509g	FE 28-60mm f/4-5.6	Φ67mm*45mm 167g	Camera + Lens	√	√	×	×	Camera Riser required when you install horizontally
					Focus motor + Camera	√	√	√	√	
RX10 III (RX10M3) RX10 IV (RX10M4)	RX10M3 132.5×94×127.4mm 1095g RX10M4 132.5×94×127.4mm 1095g		—	—	Camera + Lens	√	√	√	√	1.Horizontal shooting requires the use of Camera Riser,Lens holder. 2.Vertical shots require Lens holder.
					Focus motor + Camera	√	√	√	√	
Sony	α 5100 α 6000 α 6100 α 6300 α 6400 α 6500 α 6600	α 5100 109.6×62.8×35.7 224g α 6000 120×66.9×45.1mm, 285g α 6100 120×66.9×49.9mm, 396g α 6300 120×66.9×48.8mm, 361g α 6400 120×67×60mm, 359g α 6500 120×66.9×53.3mm, 410g α 6600 120×66.9×59mm, 503g	E 10-18mm F4 OSS	Φ70mm*63.5mm 225g	Camera + Lens	√	√	—	—	
			Focus motor + Camera	√	√	—	—			
			FE 12-24mm F4 G	Φ87mm*117mm 565g	Camera + Lens	√	√	—	—	
			Focus motor + Camera	√	√	—	—			
			FE 16-35mm F2.8 GM	Φ89mm*122mm 680g	Camera + Lens	√	√	—	—	
			Focus motor + Camera	√	√	—	—			
			FE16-35mm f/4 ZA OSS	Φ78mm*99mm 518g	Camera + Lens	√	√	—	—	
			Focus motor + Camera	√	√	—	—			
			FE 24-70 F2.8 GM	Φ87.6mm*136mm 886g	Camera + Lens	√	√	—	—	
			Focus motor + Camera	√	√	—	—			
			Vario-Tessar FE 24-70mm F4 ZA OSS	Φ73mm*94.5mm 426g	Camera + Lens	√	√	—	—	
			Focus motor + Camera	√	√	—	—			
			Zeiss E 16-70 F4 OSS	Φ66.6mm*75mm 308g	Camera + Lens	√	√	—	—	
			Focus motor + Camera	√	√	—	—			
			E PZ 18-105mm F4 G OSS	Φ78mm*110mm 427g	Camera + Lens	√	√	—	—	
			Focus motor + Camera	√	√	—	—			
			E PZ 18-200mm F3.5-6.3 OSS LE	Φ93.2mm*99mm 649g	Camera + Lens	√	√	—	—	
			Focus motor + Camera	√	√	—	—			
			FE 4/24-105 G OSS	Φ83.4mm*113.3 mm 663g	Camera + Lens	√	√	—	—	
			Focus motor + Camera	√	√	—	—			
			FE 28-70mm f/3.5-5.6 OSS	Φ72.5mm*83mm 295g	Camera + Lens	√	√	—	—	
			Focus motor + Camera	√	√	—	—			
			FE 28mm F2	Φ64mm*60mm 200g	Camera + Lens	√	√	—	—	
			Focus motor + Camera	√	√	—	—			
			Zeiss FE 35mm F2.8 ZA	Φ61.5mm*36.5mm 120g	Camera + Lens	√	√	—	—	
			Focus motor + Camera	√	√	—	—			
			Sigma 30mm f/1.4 DC DN	Φ64.8mm*73.3mm 265g	Camera + Lens	√	√	—	—	
			Focus motor + Camera	√	√	—	—			
			Sigma 35mm f1.4 DG HSM Art	Φ77mm*94mm 665g	Camera + Lens	√	√	—	—	
			Focus motor + Camera	√	√	—	—			
			FE 55mm F1.8	Φ64mm*71mm 281g	Camera + Lens	√	√	—	—	
			Focus motor + Camera	√	√	—	—			
FE 50mm F2.8 MACRO	Φ71mm*71mm 236g	Camera + Lens	√	√	—	—				
Focus motor + Camera	√	√	—	—						
FE 28-70mm f/3.5-5.6 OSS	Φ72.5mm*83mm 295g	Camera + Lens	√	√	—	—				
Focus motor + Camera	√	√	—	—						
FE 85mm F1.4 GM	Φ89.5mm*107.5mm 820g	Camera + Lens	√	√	—	—				
Focus motor + Camera	√	√	—	—						
E 18-135mm F3.5-5.6 OSS	Φ67.2mm*88mm 325g	Camera + Lens	√	√	√	√	Camera Riser Required			
Focus motor + Camera	√	√	√	√						
E PZ 16-50mm f/3.5-5.6 OSS	Φ64.7mm*29.9mm 116g	Camera + Lens	√	√	×	×				
Focus motor + Camera	√	√	×	×	Camera Riser required					



RX100 III (RX100M3)	RX100 III	101.6 x 58.1 x 41.0 mm	290g			Camera	√	√	---	---		
RX100 IV (RX100M4)	RX100 IV	101.6×58.1×41.0 mm	298g									
RX100 V (RX100M5)	RX100 V	101.6×58.1×41.0mm	299g									
RX100M5A	RX100M5A	101.6 x 58.1 x 41.0 mm	299g									
RX100 VI (RX100M6)	RX100 VI	101.6×58.1×42.8mm	301g									
RX100 VII (RX100M7)	RX100 VII	101.6×58.0×42.8mm	302g									
ZV-1	ZV1	105.5×60×43.5mm	294g			Camera	√	√	---	---		
FDR-AX60	FDR-AX60	73mm x 80.5mm x 173mm	535g			DV机	√	√	×	×		
ZV-E10	ZV-E10	115*64*45mm	343g	E PZ 16-50/3.5-5.6 OSS	Φ64.7mm*29.9mm	116g	Camera + Lens	√	√		Camera Riser required	
DSC-WX500	DSC-WX500	101.6 x 58.1 x 35.5 mm	236g			Camera	√	√	×	×		
DSC-HX90	DSC-HX90	102.0 x 58.1 x 35.5 mm	245g			Camera	√	√	×	×		
FDR-AX700	FDR-AX700	116×89.5×196.5mm	935g			DV机	√	√	×	×		
Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark		
						Short End	Long End	Short End	Long End			
Panasonic	DC-GH5SGK-K DC-GH5 DC-G9GK-K DMC-GH4GK	GH5S 138.5×98.1×87.4mm 660g GH5 138.5×98.1×87.4mm 725g G9 136.9×97.3×91.6mm 658g GH4 93.4×83.9×132.9mm 560g	LEICA DG SUMMILUX 15mm f/1.7 ASPH	Φ58mm*36mm*46mm 115.00g	Camera + Lens	√	√	---	---			
			Focus motor + Camera	√	√	---	---					
			LEICA DG SUMMILUX 25mm f/1.4 ASPH	Φ77.7mm*75mm 510g	Camera + Lens	√	√	---	---			
			Focus motor + Camera	√	√	---	---					
			LEICA DG MACRO 45mm f/2.8 OIS	Φ63mm*62.5mm 225g	Camera + Lens	√	√	---	---			
			Focus motor + Camera	√	√	---	---					
			LEICA DG Vario-Elmarit 8-18mm f/2.8-4.0 ASPH	Φ73.4mm*88mm 315g	Camera + Lens	√	√	---	---			
			Focus motor + Camera	√	√	---	---					
			LEICA DG Vario-Elmarit 12-60 f/2.8-4 Power OIS	Φ68mm*86mm 320g	Camera + Lens	√	√	---	---			
			Focus motor + Camera	√	√	---	---					
			LUMIX G X Vario 12-35mm f/2.8 II ASPH POWER OIS (H-HS12035GK Igeneration)	Φ68mm*74mm 305g	Camera + Lens	√	√	×	×			
			Focus motor + Camera	√	√	×	×	Camera Riser Required				
			M. ZUIKO DIGITAL ED 12mm f/2.0	Φ56mm*43mm 130g	Camera + Lens	√	√	---	---			
			Focus motor + Camera	√	√	---	---					
			LUMIX G 14-140mm f/4-5.8 OIS	Φ70mm*84mm 460g	Camera + Lens	√	√	---	---			
			Focus motor + Camera	√	√	---	---					
OLYMPUS M. ZUIKO DIGITAL 12-40mm	Φ70mm*84mm 382g	Camera + Lens	√	√	---	---						
Focus motor + Camera	√	√	---	---								
S5	S5	132.6×97.1×81.9mm	714g	LUMIX S 24-105mm F4	Φ84mm*118mm	680g	Camera + Lens	√	√	---	---	
Focus motor + Camera	√	√	---	---								
GH6	GH6	138.4*100.3*99.6mm	823g	LEICA DG Vario-Elmarit 12-60mm f/2.8-4 Power OIS	Φ68mm*86mm	320g	Camera + Lens	√	√	×	×	Lens holder required
Focus motor + Camera	√	√	√	√								
Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark		
						Short End	Long End	Short End	Long End			
Z6 Z6 II Z7 Z7 II		Z6 134×100.5×67.5mm 675g Z6 II 134×100.5×69.5mm 615g Z7 134×100.5×67.5mm 675g Z7 II 134×100.5×67.5mm 705g	NIKKOR Z 35mm f/1.8	Φ73mm*86mm 370g	Camera + Lens	√	√	---	---			
			Focus motor + Camera	√	√	---	---					
			18-140mm f/3.5-5.6G ED VR	Φ78mm*97mm 490g	Camera + Lens	√	√	√	√			
			Focus motor + Camera	√	√	---	---	Camera Riser required when you install horizontally				
			NIKKOR Z 50mm f/1.8 S	Φ76mm*86.5mm 415g	Camera + Lens	√	√	---	---			
			Focus motor + Camera	√	√	---	---					
			NIKKOR Z 24-70mm f/4 S	Φ77.5mm*88.5mm 500g	Camera + Lens	√	√	---	---			
			Focus motor + Camera	√	√	---	---					
			NIKKOR Z 14-30mm f/4 S	Φ85mm*89mm 485g	Camera + Lens	√	√	---	---			
			Focus motor + Camera	√	√	---	---					
NIKKOR Z 28mm f/2.8	Φ71.5mm*43mm 160g	Camera + Lens	√	√	×	×						
Focus motor + Camera	√	√	×	×	Camera Riser required when you install horizontally							



Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark	
						Short End	Long End	Short End	Long End		
Nikon			NIKKOR Z macro 50mm f/2.8	Φ74.5mm*66mm 260g	Camera + Lens	√	√	×	×		
					Focus motor + Camera	√	√	√	√	Camera Riser required when you install horizontally	
	Z 50	Z50 126.5×93.5×60mm 395g	NIKKOR Z DX 16-50mm f/3.5-6.3 VR	Φ70mm*32mm 135g	Camera + Lens	√	√	---	---		
	Zfc	Zfc 134.5×93.54×3.5mm 445g	NIKKOR Z DX 16-50mm f/3.5-6.3 VR	Φ70mm*32mm 135g	Camera + Lens	√	√	---	---		
	D7500	D7500 135.5×104×72.5mm 720g	NIKKOR 18-140mm f/3.5-5.6G ED VR	Φ78mm*97mm 490g	Camera + Lens	√	√	√	√	The Long end Lens need Lens holder	
					Focus motor + Camera	√	√	√	√	The Long end Lens need Lens holder	
	D850	D850 146×124×78.5mm 1005g	AF-S NIKKOR 24-120mm f/4G ED VR	Φ84mm*103.5mm 710g	Camera + Lens	√	√	×	×		
					Focus motor + Camera	√	√	×	×		
	Z5	Z5 134×100.5×69.5mm 675g	尼克尔 Z 微距 50mm f/2.8	Φ74.5mm*66mm 260g	Camera + Lens	√	√	×	×		
					Focus motor + Camera	√	√	√	√	Camera Riser required	
Z30	Z30 128 x 73.5 x 59.5mm 405g	尼克尔 Z DX 16-50mm f/3.5-6.3 VR	Φ70mm*32mm 135g	Camera + Lens	√	√	×	×			
				Focus motor + Camera	√	√	×	×	Camera Riser required		
EOS R EOS RP EOS R6	EOS R 135.8×98.3×84.4mm 660g EOS RP 132.5×85×70mm 485g EOS R6 138.4×97.5×88.4mm 598g	RF 35mm F1.8 MACRO IS STM	Φ74.4mm*62.8mm 305g	Camera + Lens	√	√	×	×			
				Focus motor + Camera	√	√	√	√			
				EF-S 18-200mm f/3.5-5.6 IS	Φ78.6mm*102mm 595g	Camera + Lens	√	√	---	---	
						Focus motor + Camera	×	×	---	---	
				EF 50mm f/1.4 DG HSM Art	Φ85mm*100mm 815g	Camera + Lens	√	√	---	---	
						Focus motor + Camera	√	√	---	---	
				EF 17-40mm f/4L USM	Φ83.5mm*96.8mm 475g	Camera + Lens	√	√	---	---	
						Focus motor + Camera	√	√	---	---	
				RF 50mm F1.2L USM	Φ89.8mm*108mm 950g	Camera + Lens	√	√	×	×	
						Focus motor + Camera	√	√	√	√	
RF 28-70mm F2L USM	Φ103.8mm*139.8mm 1430g	Camera + Lens	√	√	---	---					
		Focus motor + Camera	√	√	---	---					
RF 24-105mm F4L IS USM	Φ83.5mm*107.3mm 670g	Camera + Lens	√	√	---	---					
		Focus motor + Camera	√	√	---	---					
RF 15-35mm F2.8 L IS USM	Φ88.5mm*126.8mm 840g	Camera + Lens	√	√	---	---					
		Focus motor + Camera	√	√	---	---					
EOS 80D	EOS 80D 139×105.2×78.5mm 730g	EF-S 18-200mm f/3.5-5.6 IS	Φ78.6mm*102mm 595g	Camera + Lens	√	√	×	×	The pitch axis cannot be balance		
				Focus motor + Camera	√	√	√	√			
EOS 6D Mark II	6D Mark II 144×110.5×74.8mm 765g	EF 24-70mm f/4L IS USM	Φ83.4mm*93mm 600g	Camera + Lens	√	√	---	---			
				Focus motor + Camera	√	√	---	---			
EOS 6D	EOS 6D 144.5×110.5×71.2mm 750g	EF 85MM F/1.2L II USM	Φ84.0mm*91.0mm 1025g	Camera + Lens	√	√	---	---			
				Focus motor + Camera	√	√	---	---			
EOS 6D	EOS 6D 144.5×110.5×71.2mm 750g	16-35mm f/2.8L II USM	Φ88.5mm*111.6mm 635g	Camera + Lens	√	√	---	---			
				Focus motor + Camera	√	√	---	---			
EOS 6D	EOS 6D 144.5×110.5×71.2mm 750g	EF-S 18-200mm f/3.5-5.6 IS	Φ78.6mm*102mm 595g	Camera + Lens	√	√	---	---			
				Focus motor + Camera	×	×	---	---			
EOS 200D II (250D)	EOS 200D II 122.4×92.6×69.8mm 456g	EF 24-105mm f/4L IS USM	Φ83.5mm*107mm 670g	Camera + Lens	√	√	---	---			
				Focus motor + Camera	√	√	---	---			
EOS 5D Mark IV	EOS 5D Mark IV 150.7×116.4×75.9mm 890g	EF-S18-55mm f/4-5.6 IS STM	Φ66.5mm*61.8mm 215g	Camera + Lens	√	√	---	---			
				Focus motor + Camera	√	√	---	---			
EOS 5D Mark IV	EOS 5D Mark IV 150.7×116.4×75.9mm 890g	EF 24-105mm f/4L IS USM	Φ83.5mm*107mm 670g	Camera + Lens	√	√	---	---			
				Focus motor + Camera	√	√	---	---			
EOS 5D Mark IV	EOS 5D Mark IV 150.7×116.4×75.9mm 890g	EF 24-70mm f/2.8L USM	Φ83.2mm*123.5mm 950g	Camera + Lens	√	√	---	---			
				Focus motor + Camera	√	√	---	---			
EOS 5D Mark IV	EOS 5D Mark IV 150.7×116.4×75.9mm 890g	EF 24-105mm f/4L IS USM	Φ83.5mm*107mm 670g	Camera + Lens	√	√	---	---			
				Focus motor + Camera	√	√	---	---			



Canon

EOS 5D Mark III EOS 5DS R	5D Mark III 152×116.4×76.4mm 950g 5DS R 152×116.4×76.4mm 930g	EF 24-105 mm f/4L IS II USM	Φ 88.5mm*127.5mm 795g	Camera + Lens	✓	✓	---	---	
				Focus motor + Camera	✓	✓	---	---	
		EF 24-70mm f/2.8L II USM	Φ 88.5mm*113mm 805g	Camera + Lens	✓	✓	---	---	
				Focus motor + Camera	✓	✓	---	---	
		16-35mm f/2.8L II USM	Φ 88.5mm*111.6mm 635g	Camera + Lens	✓	✓	---	---	
				Focus motor + Camera	✓	✓	---	---	
EOS 70D	EOS 70D 139×104.3×78.5mm 755g	16-35mm f/2.8L II USM	Φ 88.5mm*111.6mm 635g	Camera + Lens	✓	✓	---	---	
				Focus motor + Camera	✓	✓	---	---	
EOS 77D	EOS 77D 131×99.9×76.2mm 540g	EF 24-70mm f/4L IS USM	Φ 83.4mm*93mm 600g	Camera + Lens	✓	✓	---	---	
				Focus motor + Camera	✓	✓	---	---	
EOS M50 EOS M50 Mark II	M50 116.3×88.1×58.7mm 390g M50 Mark II 116.3×88.1×58.7mm 387g	EF-M 15-45mm F3.5-6.3 IS	Φ 60.9mm*44.5mm 130g	Camera + Lens	✓	✓	×	×	
				Focus motor + Camera	✓	✓	✓	✓	
PowerShot G7 X Mark III	G7 X Mark III 105.0×60.9×41.4mm 304g	---	---	Camera + Lens	✓	✓	×	×	
				Focus motor + Camera	✓	✓	×	×	
EOS 850D	EOS 850D 131×102.6×76.2mm 515g	EF-S 18-55mm f/4-5.6 IS STM	Φ 66.5mm*61.8mm 215g	Camera + Lens	✓	✓	---	---	
				Focus motor + Camera	✓	✓	---	---	
EOS 90D	EOS 90D 140.7×104.8×76.8mm 701g	EF-S 18-135mm f/3.5-5.6 IS USM	Φ 77.4mm*96mm 515g	Camera + Lens	✓	✓	×	×	Camera Riser required when you install horizontally
				Focus motor + Camera	✓	✓	×	×	
EOS R5C EOS R5	EOS R5C 142×101×111mm 680g EOS R5 138.5×97.5×88mm 738g	RF14-35mm F4 L IS USM	Φ 84.1mm*99.8mm 540g	Camera + Lens	✓	✓	×	×	Camera Riser and Lens holder required when you install horizontally
				Focus motor + Camera	✓	✓	×	×	
EOS M6 Mark II	EOS M6 Mark II 119.6×70×49.2mm 408g	EF-M 15-45mm f/3.5-6.3 IS STM	Φ 60.9mm*44.5mm 130g	Camera + Lens	✓	✓	✓	✓	
				Focus motor + Camera	✓	✓	✓	✓	Camera Riser required
EOS R7	EOS R7 132×90.4×91.7mm 612g	RF-S18-150mm F3.5-6.3 IS STM	Φ 69mm*84.5mm 310g	Camera + Lens	✓	✓	✓	✓	
				Focus motor + Camera	✓	✓	✓	✓	
		RF35mm F1.8 MACRO IS STM	Φ 74.4mm*62.8mm 305g	Camera + Lens	✓	✓	×	×	Camera Riser required
				Focus motor + Camera	✓	✓	×	×	Camera Riser required
		RF-S18-45mm F4.5-6.3 IS STM	Φ 69mm*44.3mm 130g	Camera + Lens	✓	✓	×	×	
				Focus motor + Camera	✓	✓	×	×	
EOS R10	EOS R10 122.5×87.8×83.4mm 429g	RF 14-35mm f/4 L IS USM	Φ 84.1mm*99.8mm 540g	Camera + Lens	✓	✓	✓	✓	Camera Riser required
				Focus motor + Camera	✓	✓	✓	✓	Camera Riser required
		RF-S18-150mm F3.5-6.3 IS STM	Φ 69mm*84.5mm 310g	Camera + Lens	✓	✓	✓	✓	
				Focus motor + Camera	✓	✓	✓	✓	
		RF35mm F1.8 MACRO IS STM	Φ 74.4mm*62.8mm 305g	Camera + Lens	✓	✓	✓	✓	Camera Riser required
				Focus motor + Camera	✓	✓	✓	✓	Camera Riser required
EOS R10	EOS R10 122.5×87.8×83.4mm 429g	RF-S18-45mm F4.5-6.3 IS STM	Φ 69mm*44.3mm 130g	Camera + Lens	✓	✓	×	×	
				Focus motor + Camera	✓	✓	✓	✓	
		RF 14-35mm f/4 L IS USM	Φ 84.1mm*99.8mm 540g	Camera + Lens	✓	✓	✓	✓	Camera Riser required
				Focus motor + Camera	✓	✓	✓	✓	Camera Riser required

EOS R8	EOS R8 132.5×86.1×70mm 461g	RF24-50mm F4.5-6.3 IS STM	Φ69.6mm*58mm 210g	Camera + Lens	√	√	√	√					
				Focus motor + Camera	√	√	√	√	Camera Riser required				
EOS R50	EOS R50 116.3×85.5×68.8mm 376g	RF-S18-45mm F4.5-6.3 IS STM	Φ69mm*44.3mm 130g	Camera + Lens	√	√	√	√					
				Focus motor + Camera	√	√	√	√	Camera Riser required				
Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment		Balance adjustment		Installation Remark			
						Short End	Long End	Short End	Long End				
X-T2 X-T3 X-T4	X-T2 133×92×49mm 457g X-T3 132.5×92.8×58.8mm 539g X-T4 134.6×92.8×63.8mm 607g	XF 16mm 1:1.4 R WR	Φ73mm*73mm 375g	Camera + Lens	√	√	---	---					
				Focus motor + Camera	√	√	---	---					
				XF 23mm 1:1.4 R	Φ72mm*63mm 300g	Camera + Lens	√	√	---	---			
				Focus motor + Camera		√	√	---	---				
				XF 35mm 1:1.4	Φ65mm*54.9mm 187g	Camera + Lens	√	√	---	---			
				Focus motor + Camera		√	√	---	---				
				XF 10-24mm f/4.0 R OIS	Φ78mm*87mm 410g	Camera + Lens	√	√	---	---			
				Focus motor + Camera		√	√	---	---				
				XF 16-55mm 1: 2.8 R LM WR	Φ83.3mm*106.0mm 655g	Camera + Lens	√	√	---	---			
				Focus motor + Camera		√	√	---	---				
				XF 18-55mm 1:2.8-4 R OIS	Φ65mm*70.4mm 310g	Camera + Lens	√	√	---	---			
				Focus motor + Camera		√	√	---	---				
				XF 18-135mm f/3.5-5.6 R LM OIS WR	Φ76mm*98mm 490g	Camera + Lens	√	√	---	---			
				Focus motor + Camera		√	√	---	---				
				X-H1	X-H1 139.8×97.3×85.5mm 673g	XF 16mm 1:1.4 R WR	Φ73mm*73mm 375g	Camera + Lens	√	√	---	---	
								Focus motor + Camera	√	√	---	---	
XF 23mm 1:1.4 R	Φ72mm*63mm 300g	Camera + Lens	√			√	---	---					
		Focus motor + Camera	√			√	---	---					
XF 35mm 1:1.4	Φ65mm*54.9mm 187g	Camera + Lens	√			√	---	---					
		Focus motor + Camera	√			√	---	---					
XF 10-24mm f/4.0 R OIS	Φ78mm*87mm 410g	Camera + Lens	√			√	---	---					
		Focus motor + Camera	√			√	---	---					
XF 16-55mm 1: 2.8 R LM WR	Φ83.3mm*106.0mm 655g	Camera + Lens	√			√	---	---					
		Focus motor + Camera	√			√	---	---					
XF 18-55mm 1:2.8-4 R OIS	Φ65mm*70.4mm 310g	Camera + Lens	√	√	---	---							
		Focus motor + Camera	√	√	---	---							
XF 18-135mm f/3.5-5.6 R LM OIS WR	Φ76mm*98mm 490g	Camera + Lens	√	√	---	---							
		Focus motor + Camera	√	√	---	---							
X-S10	X-S10 126×85.1×65.4mm 465g	XC 15-45mm f/3.5-5.6 OIS PZ	Φ62.6mm*65.2mm 135g	Camera + Lens	√	√	---	---	Camera Riser Required				
X-A5 X-A7	X-A5 116.9×67.7×40.4mm 361g X-A7 119×67.7×41.1mm 320g	XC 15-45mm f/3.5-5.6 OIS PZ	Φ62.6mm*65.2mm 135g	Camera + Lens	√	√	---	---	Camera Riser Required				
X-T30 II	X-T30 II 118×83×47mm 383g	XC 15-45mm f/3.5-5.6 OIS PZ	Φ62.6mm*65.2mm 135g	Camera + Lens	√	√	×	×	The camera screw hole is to the right, so it cannot be installed vertically				
				Focus motor + Camera	√	√	×	×	Camera Riser required when you install horizontally				
X-E3	X-E3 121.3×42.7×73.9mm 337g	XF18-55mm F2.8-4 R LM OI	Φ65mm*70.4mm 310g	Camera + Lens	√	√	×	×					
				Focus motor + Camera	√	√	×	×					
X100V	X100V 128×74.8×52.2mm 179g	Kit Lens	---	Camera + Lens	√	√	×	×	The camera body is too wide and the vertical plate is not long enough to mount				

A100V	A100V 120^ / 4.0^ 33.3mm 4/0g	A10 LENS		Focus motor + Camera	x	x	x	x	The lens is too short for a focus motor
-------	-------------------------------	----------	--	----------------------	---	---	---	---	-----------------------------------------



GFX 100S	GFX 100S 150×104.2×87.2mm 900g	GF 32-64mm f/4R LM WR	Φ92.6mm*145.5mm 875g	Camera + Lens	√	√	×	×	Camera Riser required	
				Focus motor + Camera	√	√	×	×	Camera Riser required	
X-T20 X-T30 X-T100 X-T200	X-T20 118.4×82.8×41.4mm 383g X-T30 118.4×82.8×46.8mm 383g X-T100 121.0×83.0×47.4mm 448g X-T200 121.0×83.7×55.1mm 370g	XF 16mm 1:1.4 R WR	Φ73mm*73mm 375g	Camera + Lens	√	√	---	---		
				Focus motor + Camera	√	√	---	---		
		XF 23mm 1:1.4 R	Φ72mm*63mm 300g	Camera + Lens	√	√	---	---		
				Focus motor + Camera	√	√	---	---		
		XF 35mm 1:1.4	Φ65mm*54.9mm 187g	Camera + Lens	√	√	---	---		
				Focus motor + Camera	√	√	---	---		
		XF 10-24mm f/4.0 R OIS	Φ78mm*87mm 410g	Camera + Lens	√	√	---	---		
				Focus motor + Camera	√	√	---	---		
		XC 16-50mm f/3.5-5.6 OIS	Φ62.6mm*65.2mm 195g	Camera + Lens	√	√	---	---		
				Focus motor + Camera	√	√	---	---		
		XF 16-55mm 1: 2.8 R LM WR	Φ83.3mm*106.0mm 655g	Camera + Lens	√	√	---	---		
				Focus motor + Camera	√	√	---	---		
		XF 18-55mm 1:2.8-4 R OIS	Φ65mm*70.4mm 310g	Camera + Lens	√	√	---	---		
				Focus motor + Camera	√	√	---	---		
XF 18-135mm f/3.5-5.6 R LM OIS WR	Φ76mm*98mm 490g	Camera + Lens	√	√	---	---				
		Focus motor + Camera	√	√	---	---				
XC 15-45mm 1:3.5-5.6 OIS PZ	Φ62.6mm*65.2mm 135g	Camera + Lens	√	√	---	---				
		Focus motor + Camera	√	√	---	---				
X-H2S	X-H2S 136.3×92.9×84.6mm 660g	XF90mmF2 R LM WR	Φ75.0mm*105mm 540g	Camera + Lens	√	√	√	√		
				Focus motor + Camera	√	√	√	√	Camera Riser required	
X-H2	X-H2 136.3×92.9×84.6mm 660g	XF 16mm f/1.4R WR	Φ73.4mm*73.0mm 375g	Camera + Lens	√	√	√	√		
				Focus motor + Camera	√	√	√	√	Camera Riser required	
Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark
						Short End	Long End	Short End	Long End	
SIGMA	FP	FP 112.6×69.9×45.3mm 422g	SIGMA 45mm f/2.8 DG DN	Φ64mm*46.2mm 215g	Camera + Lens	√	√	×	×	
					Focus motor + Camera	√	√	√	√	Camera Riser Required

Notice:  
1. "√" Means Support this function, "×" Means Do not Support;--Means Unmeasured.

### Feiyu SCORP-C combination of camera and lens cannot carry list

Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark
						Short End	Long End	Short End	Long End	
Canon	EOS-1D X Mark III	158×167.6×82.6mm 1440g	EF 70-200mm f/2.8L IS III USM	Φ88.8mm*199mm 1480g	Camera + Lens	×	×	×	×	
					Focus motor + Camera	×	×	×	×	
Canon	EOS R3	EOS R3 150×142.6×87.2mm 1015g	RF28-70mm F2 L USM	Φ103.8mm*139.8mm 1430g	Camera + Lens	×	×	×	×	
					Focus motor + Camera	×	×	×	×	
Nikon	Z9	Z9 149×149.5×90.5mm 1340g	Nikkor Z 24-70mm f/2.8 S	Φ89mm*126mm 805g	Camera + Lens	×	×	×	×	
					Focus motor + Camera	×	×	×	×	
Panasonic	S1H	151.0×114.2×110.4mm 1164g	LUMIX S PRO 24-70mm f/2.8	Φ90.9*140mm 935g	Camera + Lens	×	×	×	×	
					Focus motor + Camera	×	×	×	×	
SIGMA	FP	112.6×69.9×45.3mm 422g	LUMIX S PRO 50mm F1.4	Φ90mm*130mm 955g	Camera + Lens	×	×	×	×	
					Focus motor + Camera	×	×	×	×	
Fujifilm	X-Pro 3	140.5×82.8×46.1mm 497g	XF16mmF1.4 R WR	Φ73.4mm*73.0mm 375g	Camera + Lens	×	×	×	×	The display hits the gimbal when flipped down
					Focus motor + Camera	×	×	×	×	
Black magic design	BMPCC 6K	177.8*101.6*96.52mm 898g	EF 16-35mm f2.8L II USM	Φ88.5mm*111.6mm 640g	Camera + Lens	×	×	×	×	
					Focus motor + Camera	×	×	×	×	