



Feiyu SCORP Lens Compatibility List

Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark
						Short End	Long End	Short End	Long End	
Sony	α1 α9 α9 II α7 III (A7M3) α7R α7R III α7S α7S II α7S III α7R II α7 II (A7M2)	α1 128.9×96.9×80.8mm 652g α9 126.9×95.6×63.0mm 588g α9 II 128.9×96.4×77.5mm 678g α7M3 126.9×95.6×73.7mm 565g α7R 126.9×94.4×48.2mm 407g α7R III 126.9×95.6×62.7mm 572g α7S 126.9×94.4×48.2mm 446g α7S II 126.9×95.7×60.3mm 584g α7S III 128.9×96.9×80.8mm 614g α7R2 126.9×95.7×60.3mm 582g α7M2 126.9×95.7×59.7mm 556g	E 10-18mm F4 OSS	Φ70mm*63.5mm 225g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE 12-24mm F4 G	Φ87mm*117mm 565g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE 16-35mm F2.8 GM	Φ89mm*122mm 680g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE16-35mm f/4 ZA OSS	Φ78mm*99mm 518g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE 24-70 F2.8 GM	Φ87.6mm*136mm 886g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			Zeiss E 16-70 F4 OSS	Φ66.6mm*75mm 308g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			E PZ 18-105mm F4 G OSS	Φ78mm*110mm 427g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			E PZ 18-200mm F3.5-6.3 OSS LE	Φ93.2mm*99mm 649g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE 4/24-105 G OSS	Φ83.4mm*113.3mm 663g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE 28-70mm f/3.5-5.6 OSS	Φ72.5mm*83mm 295g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE 28mm F2	Φ64mm*60mm 200g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			Zeiss FE 35mm F2.8 ZA	Φ61.5mm*36.5mm 120g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			Sigma 30mm f/1.4 DC DN	Φ64.8mm*73.3mm 265g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			Sigma 35mm f1.4 DG HSM Art	Φ77mm*94mm 665g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE 55mm F1.8	Φ64mm*71mm 281g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE 50mm F2.8 MACRO	Φ71mm*71mm 236g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			FE 85mm F1.4 GM	Φ89.5mm*107.5mm 820g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
			Vario-Tessar FE 24-70mm F4 ZA OSS	Φ73mm*94.5mm 426g	Camera + Lens	✓	✓	---	---	
			Focus motor + Camera	✓	✓	---	---			
FE PZ 16-35mm F4 G	Φ80.5mm*88.1mm 353g	Camera + Lens	✓	✓	✓	✓	Camera Riser required Lens holder Required			
Focus motor + Camera	✓	✓	✓	✓	Camera Riser required					
FX3	FX3 77.8×129.7×84.5mm 640g	TAMRON 28-75mm f/2.8 Di III RXD (A036)	Φ117.6mm*75.8mm 550g	Camera + Lens	✓	✓	---	---	Camera Riser Required	
Focus motor + Camera	✓	✓	---	---						
α7 IV (A7M4)	α7M4 129.0×97.0×81.0mm 699g	FE 24-240mm F3.5-6.3 OSS	Φ119*81mm 780g	Camera + Lens	✓	✓	---	---		
Focus motor + Camera	✓	✓	---	---						
		FE 50mm f/1.8	Φ68.6mm*59.5mm 186g	Camera + Lens	✓	✓	✗	✗		
Focus motor + Camera	✓	✓	✓	✓						
A7R4 A7RM4A	A7R4 128.9×96.4×77.5mm 665g A7RM4A 128.9×96.4×77.5mm 580g	FE 24-105mm f/4 G OSS	Φ83.4mm*113.3mm 663g	Camera + Lens	✓	✓	✓	✓	1.Horizontal shooting requires the use of Camera Riser,Lens holder, 2.Vertical shots require Lens holder.	
Focus motor + Camera	✓	✓	✓	✓						
				Camera + Lens	✓	✓	✗	✗		

	RX100 III (RX100M3) RX100 IV (RX100M4) RX100 V (RX100M5) RX100M5A RX100 VI (RX100M6) RX100 VII (RX100M7)	RX100 III 101.6 x 58.1 x 41.0 mm 290g RX100 IV 101.6x58.1x41.0 mm 298g RX100 V 101.6x58.1x41.0mm 299g RX100M5A 101.6 x 58.1 x 41.0 mm 299g RX100 VI 101.6x58.1x42.8mm 301g RX100 VII 101.6x58.0x42.8mm 302g	—	—	Camera	√	√	—	—				
	ZV-1	ZV1 105.5x60x43.5mm 294g	—	—	Camera	√	√	—	—				
	FDR-AX60	FDR-AX60 73mm x 80.5mm x 173mm 535g	—	—	DV机	√	√	×	×				
	ZV-E10	ZV-E10 115*64*45mm 343g	E PZ 16-50/3.5-5.6 OSS	Φ64.7mm*29.9mm 116g	Camera + Lens	√	√			Camera Riser required			
	DSC-WX500	DSC-WX500 101.6 x 58.1 x 35.5 mm 236g	—	—	Camera	√	√	×	×				
	DSC-HX90	DSC-HX90 102.0 x 58.1 x 35.5 mm 245g	—	—	Camera	√	√	×	×				
	FDR-AX700	FDR-AX700 116x89.5x196.5mm 935g	—	—	DV机	√	√	×	×				
Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark			
						Short End	Long End	Short End	Long End				
Panasonic	DC-GH5SGK-K DC-GH5 DC-G9GK-K DMC-GH4GK	GH5S 138.5x98.1x87.4mm 660g GH5 138.5x98.1x87.4mm 725g G9 136.9x97.3x91.6mm 658g GH4 93.4x83.9x132.9mm 560g	LEICA DG SUMMILUX 15mm f/1.7 ASPH	Φ58mm*36mm*46mm 115.00g	Camera + Lens	√	√	—	—				
					Focus motor + Camera	√	√	—	—				
			LEICA DG SUMMILUX 25mm f/1.4 ASPH	Φ77.7mm*75mm 510g	Camera + Lens	√	√	—	—				
					Focus motor + Camera	√	√	—	—				
			LEICA DG MACRO 45mm f/2.8 OIS	Φ63mm*62.5mm 225g	Camera + Lens	√	√	—	—				
					Focus motor + Camera	√	√	—	—				
			LEICA DG Vario-Elmarit 8-18mm f/2.8-4.0 ASPH	Φ73.4mm*88mm 315g	Camera + Lens	√	√	—	—				
					Focus motor + Camera	√	√	—	—				
			LEICA DG Vario-Elmarit 12-60 f/2.8-4 Power OIS	Φ68mm*86mm 320g	Camera + Lens	√	√	—	—				
					Focus motor + Camera	√	√	—	—				
			LUMIX G X Vario 12-35mm f/2.8 II ASPH POWER OIS (H-HS12035GK Igeneration)	Φ68mm*74mm 305g	Camera + Lens	√	√	×	×				
					Focus motor + Camera	√	√	×	×				
			M. ZUIKO DIGITAL ED 12mm f/2.0	Φ56mm*43mm 130g	Camera + Lens	√	√	—	—				
					Focus motor + Camera	√	√	—	—				
			LUMIX G 14-140mm f/4-5.8 OIS	Φ70mm*84mm 460g	Camera + Lens	√	√	—	—				
					Focus motor + Camera	√	√	—	—				
								Camera + Lens	√	√	—	—	
								Focus motor + Camera	√	√	—	—	
	S5	S5 132.6x97.1x81.9mm 714g	LUMIX S 24-105mm F4	Φ84mm*118mm 680g	Camera + Lens	√	√	—	—				
					Focus motor + Camera	√	√	—	—				
	GH6	GH6 138.4*100.3*99.6mm 823g	LEICA DG Vario-Elmarit 12-60mm f/2.8-4 Power OIS	Φ68mm*86mm 320g	Camera + Lens	√	√	×	×	Lens holder required			
					Focus motor + Camera	√	√	√	√				
Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark			
						Short End	Long End	Short End	Long End				
	Z6 Z6 II Z7 Z7 II	Z6 134x100.5x67.5mm 675g Z6 II 134x100.5x69.5mm 615g Z7 134x100.5x67.5mm 675g Z7 II 134x100.5x67.5mm 705g	NIKKOR Z 35mm f/1.8	Φ73mm*86mm 370g	Camera + Lens	√	√	—	—				
					Focus motor + Camera	√	√	—	—				
			18-140mm f/3.5-5.6G ED VR	Φ78mm*97mm 490g	Camera + Lens	√	√	√	√				
					Focus motor + Camera	√	√	—	—	Camera Riser required when you install horizontally			
			NIKKOR Z 50mm f/1.8 S	Φ76mm*86.5mm 415g	Camera + Lens	√	√	—	—				
					Focus motor + Camera	√	√	—	—				
			NIKKOR Z 24-70mm f/4 S	Φ77.5mm*88.5mm 500g	Camera + Lens	√	√	—	—				
					Focus motor + Camera	√	√	—	—				
			NIKKOR Z 14-30mm f/4 S	Φ85mm*89mm 485g	Camera + Lens	√	√	—	—				
					Focus motor + Camera	√	√	—	—				
					Camera + Lens	√	√	×	×				

Canon

EOS 5D Mark III EOS 5DS R	5D Mark III 152×116.4×76.4mm 950g 5DS R 152×116.4×76.4mm 930g	EF 24-70mm f/2.8L II USM	Φ88.5mm*113mm 805g	Focus motor + Camera	×	×	---	---	
				Camera + Lens	√	√	---	---	
EOS 70D	EOS 70D 139×104.3×78.5mm 755g	16-35mm f/2.8L II USM	Φ88.5mm*111.6mm 635g	Focus motor + Camera	√	√	---	---	
				Camera + Lens	√	√	---	---	
EOS 77D	EOS 77D 131×99.9×76.2mm 540g	EF 24-70mm f/4L IS USM	Φ83.4mm*93mm 600g	Focus motor + Camera	√	√	---	---	
				Camera + Lens	√	√	---	---	
EOS M50 EOS M50 Mark II	M50 116.3×88.1×58.7mm 390g M50 Mark II 116.3×88.1×58.7mm 387g	EF-M 15-45mm F3.5-6.3 IS	Φ60.9mm*44.5mm 130g	Focus motor + Camera	√	√	√	√	
				Camera + Lens	√	√	×	×	
PowerShot G7 X Mark III	G7 X Mark III 105.0×60.9×41.4mm 304g	---	---	Focus motor + Camera	√	√	×	×	
				Camera + Lens	√	√	---	---	
EOS 850D	EOS 850D 131×102.6×76.2mm 515g	EF-S 18-55mm f/4-5.6 IS STM	Φ66.5mm*61.8mm 215g	Focus motor + Camera	√	√	---	---	
				Camera + Lens	√	√	×	×	
EOS 90D	EOS 90D 140.7×104.8×76.8mm 701g	EF-S 18-135mm f/3.5-5.6 IS USM	Φ77.4mm*96mm 515g	Focus motor + Camera	√	√	×	×	Horizontal shooting requires the use of Camera Riser
				Camera + Lens	√	√	×	×	
EOS R5C EOS R5	EOS R5C 142×101×111mm 680g EOS R5 138.5×97.5×88mm 738g	RF14-35mm F4 L IS USM	Φ84.1mm*99.8mm 540g	Focus motor + Camera	√	√	×	×	Horizontal shooting requires the use of Camera Riser and Lens holder
				Camera + Lens	√	√	√	√	
EOS M6 Mark II	EOS M6 Mark II 119.6×70×49.2mm 408g	EF-M 15-45mm f/3.5-6.3 IS STM	Φ60.9mm*44.5mm 130g	Focus motor + Camera	√	√	√	√	Camera Riser required
				Camera + Lens	√	√	√	√	
EOS R7	EOS R7 132×90.4×91.7mm 612g	RF-S18-150mm F3.5-6.3 IS STM	Φ69mm*84.5mm 310g	Focus motor + Camera	√	√	√	√	
				Camera + Lens	√	√	×	×	Camera Riser required
		RF35mm F1.8 MACRO IS STM	Φ74.4mm*62.8mm 305g	Focus motor + Camera	√	√	×	×	Camera Riser required
				Camera + Lens	√	√	×	×	
		RF-S18-45mm F4.5-6.3 IS STM	Φ69mm*44.3mm 130g	Focus motor + Camera	√	√	×	×	
				Camera + Lens	√	√	√	√	Camera Riser required
RF 14-35mm f/4 L IS USM	Φ84.1mm*99.8mm 540g	Focus motor + Camera	√	√	√	√	Camera Riser required		
		Camera + Lens	√	√	√	√			
EOS R10	EOS R10 122.5×87.8×83.4mm 429g	RF-S18-150mm F3.5-6.3 IS STM	Φ69mm*84.5mm 310g	Focus motor + Camera	√	√	√	√	
				Camera + Lens	√	√	√	√	Camera Riser required
		RF35mm F1.8 MACRO IS STM	Φ74.4mm*62.8mm 305g	Focus motor + Camera	√	√	√	√	Camera Riser required
				Camera + Lens	√	√	×	×	
		RF-S18-45mm F4.5-6.3 IS STM	Φ69mm*44.3mm 130g	Focus motor + Camera	√	√	√	√	
				Camera + Lens	√	√	√	√	Camera Riser required
RF 14-35mm f/4 L IS USM	Φ84.1mm*99.8mm 540g	Focus motor + Camera	√	√	√	√	Camera Riser required		
		Camera + Lens	√	√	√	√			
EOS R8	EOS R8 132.5×86.1×70mm 461g	RF24-50mm F4.5-6.3 IS STM	Φ69.6mm*58mm 210g	Focus motor + Camera	√	√	√	√	Camera Riser required
				Camera + Lens	√	√	√	√	

Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark
						Short End	Long End	Short End	Long End	
						Camera + Lens	Focus motor + Camera	Camera + Lens	Focus motor + Camera	
EOS R50	EOS R50	116.3×85.5×68.8mm 376g	RF-S18-45mm F4.5-6.3 IS STM	Φ69mm*44.3mm 130g	Camera + Lens	√	√	√	√	
					Focus motor + Camera	√	√	√	√	Camera Riser required
Fujifilm	X-T2 X-T3 X-T4	X-T2 133×92×49mm 457g X-T3 132.5×92.8×58.8mm 539g X-T4 134.6×92.8×63.8mm 607g	XF 16mm 1:1.4 R WR	Φ73mm*73mm 375g	Camera + Lens	√	√	---	---	
					Focus motor + Camera	√	√	---	---	
			XF 23mm 1:1.4 R	Φ72mm*63mm 300g	Camera + Lens	√	√	---	---	
					Focus motor + Camera	√	√	---	---	
			XF 35mm 1:1.4	Φ65mm*54.9mm 187g	Camera + Lens	√	√	---	---	
					Focus motor + Camera	√	√	---	---	
			XF 10-24mm f/4.0 R OIS	Φ78mm*87mm 410g	Camera + Lens	√	√	---	---	
					Focus motor + Camera	√	√	---	---	
			XF 16-55mm 1: 2.8 R LM WR	Φ83.3mm*106.0mm 655g	Camera + Lens	√	√	---	---	
					Focus motor + Camera	√	√	---	---	
			XF 18-55mm 1:2.8-4 R OIS	Φ65mm*70.4mm 310g	Camera + Lens	√	√	---	---	
					Focus motor + Camera	√	√	---	---	
			XF 18-135mm f/3.5-5.6 R LM OIS WR	Φ76mm*98mm 490g	Camera + Lens	√	√	---	---	
					Focus motor + Camera	√	√	---	---	
	X-H1	X-H1 139.8×97.3×85.5mm 673g	XF 16mm 1:1.4 R WR	Φ73mm*73mm 375g	Camera + Lens	√	√	---	---	
					Focus motor + Camera	√	√	---	---	
			XF 23mm 1:1.4 R	Φ72mm*63mm 300g	Camera + Lens	√	√	---	---	
					Focus motor + Camera	√	√	---	---	
			XF 35mm 1:1.4	Φ65mm*54.9mm 187g	Camera + Lens	√	√	---	---	
					Focus motor + Camera	√	√	---	---	
			XF 10-24mm f/4.0 R OIS	Φ78mm*87mm 410g	Camera + Lens	√	√	---	---	
					Focus motor + Camera	√	√	---	---	
			XF 16-55mm 1: 2.8 R LM WR	Φ83.3mm*106.0mm 655g	Camera + Lens	√	√	---	---	
					Focus motor + Camera	√	√	---	---	
			XF 18-55mm 1:2.8-4 R OIS	Φ65mm*70.4mm 310g	Camera + Lens	√	√	---	---	
					Focus motor + Camera	√	√	---	---	
			XF 18-135mm f/3.5-5.6 R LM OIS WR	Φ76mm*98mm 490g	Camera + Lens	√	√	---	---	
					Focus motor + Camera	√	√	---	---	
X-S10	X-S10 126×85.1×65.4mm 465g	XC 15-45mm f/3.5-5.6 OIS PZ	Φ62.6mm*65.2mm 135g	Camera + Lens	√	√	---	---	Camera Riser Required	
				Focus motor + Camera	√	√	---	---		
X-A5 X-A7	X-A5 116.9×67.7×40.4mm 361g X-A7 119×67.7×41.1mm 320g	XC 15-45mm f/3.5-5.6 OIS PZ	Φ62.6mm*65.2mm 135g	Camera + Lens	√	√	---	---	Camera Riser Required	
X-T30 II	X-T30 II 118×83×47mm 383g	XC 15-45mm f/3.5-5.6 OIS PZ	Φ62.6mm*65.2mm 135g	Camera + Lens	√	√	×	×	The camera screw hole is to the right, so it cannot be installed vertically	
				Focus motor + Camera	√	√	×	×	Camera Riser required when you install horizontally	
X-E3	X-E3 121.3×42.7×73.9mm 337g	XF18-55mm F2.8-4 R LM OI	Φ65mm*70.4mm 310g	Camera + Lens	√	√	×	×		
				Focus motor + Camera	√	√	×	×		
X100V	X100V 128×74.8×53.3mm 478g	Kit Lens	---	Camera + Lens	√	√	×	×	The camera body is too wide and the vertical plate is not long enough to mount	
				Focus motor + Camera	×	×	×	×	The lens is too short for a focus motor	
GFX 100S	GFX 100S 150×104.2×87.2mm 900g	GF 32-64mm f/4R LM WR	Φ92.6mm*145.5mm 875g	Camera + Lens	√	√	×	×	Camera Riser required	
				Focus motor + Camera	√	√	×	×	Camera Riser required	
		XF 16mm 1:1.4 R WR	Φ73mm*73mm 375g	Camera + Lens	√	√	---	---		
				Focus motor + Camera	√	√	---	---		

X-T20 X-T30 X-T100 X-T200		X-T20 118.4×82.8×41.4mm 383g X-T30 118.4×82.8×46.8mm 383g X-T100 121.0×83.0×47.4mm 448g X-T200 121.0×83.7×55.1mm 370g	XF 23mm 1:1.4 R	Φ72mm*63mm 300g	Camera + Lens	√	√	---	---		
						Focus motor + Camera	√	√	---	---	
			XF 35mm 1:1.4	Φ65mm*54.9mm 187g	Camera + Lens	√	√	---	---		
						Focus motor + Camera	√	√	---	---	
			XF 10-24mm f/4.0 R OIS	Φ78mm*87mm 410g	Camera + Lens	√	√	---	---		
						Focus motor + Camera	√	√	---	---	
			XC 16-50mm f/3.5-5.6 OIS	Φ62.6mm*65.2mm 195g	Camera + Lens	√	√	---	---		
						Focus motor + Camera	√	√	---	---	
			XF 16-55mm 1: 2.8 R LM WR	Φ83.3mm*106.0mm 655g	Camera + Lens	√	√	---	---		
						Focus motor + Camera	√	√	---	---	
			XF 18-55mm 1:2.8-4 R OIS	Φ65mm*70.4mm 310g	Camera + Lens	√	√	---	---		
						Focus motor + Camera	√	√	---	---	
XF 18-135mm f/3.5-5.6 R LM OIS WR	Φ76mm*98mm 490g	Camera + Lens	√	√	---	---					
			Focus motor + Camera	√	√	---	---				
XC 15-45mm 1:3.5-5.6 OIS PZ	Φ62.6mm*65.2mm 135g	Camera + Lens	√	√	---	---					
			Focus motor + Camera	√	√	---	---				
X-H2S	X-H2S 136.3×92.9×84.6mm 660g	XF90mmF2 R LM WR	Φ75.0mm*105mm 540g	Camera + Lens	√	√	√	√			
				Focus motor + Camera	√	√	√	√	Camera Riser required		
X-H2	X-H2 136.3×92.9×84.6mm 660g	XF 16mm f/1.4R WR	Φ73.4mm*73.0mm 375g	Camera + Lens	√	√	√	√			
				Focus motor + Camera	√	√	√	√	Camera Riser required		
Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark	
						Short End	Long End	Short End	Long End		
SIGMA	FP	FP 112.6×69.9×45.3mm 422g	SIGMA 45mm f/2.8 DG DN	Φ64mm*46.2mm 215g	Camera + Lens	√	√	×	×		
					Focus motor + Camera	√	√	√	√	Camera Riser Required	

Notice:
1. "√" Means Support this function, "×" Means Do not Support;

Feiyu SCORP Lens Incompatible list (For reference only)

Brand	Camera Model	Camera Size	Lens Model	Lens size & weight	Mounting status	Balance adjustment (install horizontally)		Balance adjustment (install vertically)		Installation Remark
						Short End	Long End	Short End	Long End	
Canon	EOS-1D X Mark III	158×167.6×82.6mm 1440g	EF 70-200mm f/2.8L IS III USM	Φ88.8mm*199mm 1480g	Camera + Lens	×	×	×	×	
					Focus motor + Camera	×	×	×	×	
	EOS R3	EOS R3 150×142.6×87.2mm 1015g	RF28-70mm F2 L USM	Φ103.8mm*139.8mm 1430g	Camera + Lens	×	×	×	×	
					Focus motor + Camera	×	×	×	×	
Nikon	Z9	Z9 149×149.5×90.5mm 1340g	Nikkor Z 24-70mm f/2.8 S	Φ89mm*126mm 805g	Camera + Lens	×	×	×	×	
					Focus motor + Camera	×	×	×	×	
Panasonic	S1H	151.0×114.2×110.4mm 1164g	LUMIX S PRO 24-70mm f/2.8	Φ90.9mm*140mm 935g	Camera + Lens	×	×	×	×	
					Focus motor + Camera	×	×	×	×	
SIGMA	FP	112.6×69.9×45.3mm 422g	LUMIX S PRO 50mm F1.4	Φ90mm*130mm 955g	Camera + Lens	×	×	×	×	
					Focus motor + Camera	×	×	×	×	
Fujifilm	X-Pro 3	140.5×82.8×46.1mm 497g	XF16mmF1.4 R WR	Φ73.4mm*73.0mm 375g	Camera + Lens	×	×	×	×	The display hits the gimbal when flipped down
					Focus motor + Camera	×	×	×	×	
Black magic design	BMPCC 6K	177.8*101.6*96.52mm 898g	EF 16-35mm f2.8L II USM	Φ88.5mm*111.6mm 640g	Camera + Lens	×	×	×	×	
					Focus motor + Camera	×	×	×	×	