

LED Strip Touch Panel Controllers



IMAGE	PART NUMBER	DESCRIPTION	POWER
	HV9101-E1	<ul style="list-style-type: none"> Single Colour LED strip touch panel "Favourite" memory button Input Voltage: 12v DC or 24v DC Dimming Range 5-100% 	12v DC 96w 24v DC 192w
	HV9101-E2	<ul style="list-style-type: none"> Colour Temp (CT) LED strip touch panel Input Voltage: 12v DC or 24v DC Dimming Range 5-100% 	12v DC 96w 24v DC 192w
	HV9101-E3S	<ul style="list-style-type: none"> RGB LED strip touch panel controller Input Voltage: 12v DC or 24v DC Adjustable speed and brightness 	12v DC 144w 24v DC 288w
	HV9101-E4S	<ul style="list-style-type: none"> RGBC & RGBW LED strip Touch Panel controller Input Voltage: 12v DC or 24v DC Adjustable speed and brightness 	12v DC 192w 24v DC 384w
	HV9101-E5S	<ul style="list-style-type: none"> RGBCW LED Strip Touch Panel Input Voltage: 12-24v DC Adjustable Brightness + Speed 4 x Scenes 	12v DC 192w 24v DC 384w



Single Colour
HV9101-E1



Colour Temp (CT) 3000K-5000K
HV9101-E2




RGB
HV9101-E3S



RGBC & RGBW
HV9101-E4S



RGBCW
HV9101-E5S



All low voltage products that specify an input of 12v or 24v DC must be used with a suitable LED driver, refer to pages 315 - 324
Lumen output measured at source. All globes supplied with fittings are non dimmable. If you require 240v dimmable globes refer to page 418 & 420

All low voltage products that specify an input of 12v or 24v DC must be used with a suitable LED driver, refer to pages 315 - 324
Lumen output measured at source. All globes supplied with fittings are non dimmable. If you require 240v dimmable globes refer to page 418 & 420