



LED-3 Diving Light System

Introduction

Thank you for choosing the Hollis LED3 Light System. To help ensure its high performance and reliability, please take the time to review and understand this manual.

This User's Guide describes the unique functions and features of the Hollis LED3 Light System. The more acquainted that you become with your new light, the more you will enjoy your diving experience. By following the instructions in this guide, you will understand how your light works allowing the best use of its features. It is very important to first read the entire contents of this manual before attempting to use your new light.

All Hollis products are tested for function and water integrity before leaving the factory. Hollis products are constructed with the highest quality materials and utilize the latest computer aided design and manufacturing techniques to ensure their highest performance and reliability.



Technical Specifications

The LED3 light system offers the reliability, durability and efficiency of LED technology in a small compact package.

Power Source	3 Watt LED
Weight	0.9 lbs (batteries installed)
Beam Degree	8 Degree – PMMA Reflector
Burn Time	Approx. 3 hours
Output	230 Lumens
Bulb Life	50,000 hour life
Material	T6061-T6 Anodized Aluminum
Battery	3 “AA” Alkaline
Maximum Operating Depth	600 Feet / 152 Meters
Dimensions	50mm (Diameter) / 147mm (Length)

Instruction for Use

The LED3 light system has a simple operating procedure. Once the batteries are installed into the supplied battery carrier, slide the pack into the housing and secure the battery cap by turning the cap clockwise until it stops – at this point the light is in the “OFF” position. (The light will activate shortly before reaching the “OFF” position) To activate light: Turn the cap counterclockwise one full turn ONLY.

CAUTION:

- * While underwater, do not turn the cap counterclockwise more than one and half full turns as this will flood the light
- * LED3 light system is not to be used out of water

MANUFACTURER WARRANTY – 1 Year Limited

For details, refer to the Product Warranty section on the Hollis web site.

www.HollisGear.com

SERVICE – Please refer to the following address for all service related issues with your Hollis 3w light system; or for immediate assistance call 510-729-5110:

**Hollis Customer Service
2002 Davis Street
San Leandro, Ca 94577**

COPYRIGHT NOTICE

This user’s guide is copyrighted, all rights are reserved. It may not, in whole or in part, be copied, photocopied, reproduced, translated, or reduced to any electronic medium or machine readable format without prior consent in writing from Hollis.

LED3 Light System, Doc. No. 12-4057

©2010 Hollis

2002 Davis Street

San Leandro, CA USA 94577

TRADEMARK NOTICE

Hollis and the Hollis logo are registered or unregistered trademarks of Hollis. All rights are reserved.

