


# THE MOPAR® ADVANTAGE

## CV AXLE ASSEMBLY

- All cores are screened, fully disassembled, and cleaned thoroughly, retaining the integrity of subassemblies.
- Both inner and outer joint assemblies must pass functional tests for rotational torque, rocking play, and plunge effort.
- The final assembly must pass a final functional “tuning” test for total play of less than 2 degrees. All 43 in-process tests meet the SAE Recommended Practice (draft J1620).



# CV AXLE ASSEMBLIES

## CHRYSLER LLC HALF-SHAFT IDENTIFICATION (IDENTIFY USING INNER JOINT & BOOT)


### INNER SIDE

### OUTER SIDE



**ACI**

(Y-Shaped Inner w/3 Ribs Tapered – Cone-Shaped)




**SAGINAW (SAG)**

(Round Inner w/6 Ribs Tapered – Cone-Shaped)  
*1991 and up – Y-Shaped Inner – Without Plastic Cap*



**GKN**

(Round Inner w/3 Ribs [2 Small, 1 Large] – Spaced)  
*1991 and up – Y-Shaped Inner – With Plastic Cap*



**CITROEN (CIT)**

(Round Inner Welded w/3 Ribs – Narrow Neck)

**IMPORTANT NOTE:  
COMPLETE SHAFT TYPES ARE INTERCHANGEABLE – COMPONENTS ARE NOT.**

Replacement shafts may be different from the shaft being removed due to part number consolidations. If there are visible differences, verification can be made by checking the following as being the same:

1. Overall length should be the same – compress shaft and measure end to end.
2. Inner CV joint splines, diameter and contact surfaces should be the same for the areas that insert into the transmission.
3. Outer CV joint splines, diameter and contact surfaces should be the same for the areas that insert into the wheel hub.

# CV AXLE ASSEMBLIES

## PRODUCT FEATURES:

- Required to pass 43 tests to ensure quality and adherence to Chrysler LLC Engineering specifications
- Quality inspections are performed throughout the entire remanufacturing process, from preliminary core inspection through final assembly



## PASSENGER CARS

MODEL YEAR	APPLICATION	ENGINE/ TRANS.	REMAN PART NUMBER LEFT/RIGHT SIDE	NOTE	AXLE BOOTS (LEFT SIDE) OUTER/INNER	AXLE BOOTS (RIGHT SIDE) INNER/OUTER
2006	LX Body w/o ABS	All RWD w/5.7L	R4578431AD/R4578034AD	—	—	—
2006-2004	CS Body AWD w/o ABS	All	R5110027AD/R5110028AD	—	—	—
	CS Body w/ABS	All	— /R4641970AD	—	—	—
2006-2003	PT Body w/ABS	2.4L Turbo M/T	R5085060AD/R5085064AC	—	—	—
	PT Body w/ABS	2.2L, 2.4L A/T	R5274711AE/ —	—	—	—
2005	LX Body w/o ABS	All RWD except w/5.7L	R5126331AA/R5126330AA	—	—	—
2005-2003	PL Body w/ABS	2.4L Turbo M/T	R5037623AA/R5037622AA	—	—	—
2005-2002	PL Body w/o ABS	1.6L, 2.0L M/T	R4668915AA/R4668914AA	—	—	—
2004-2002	LH Body w/ABS	All	R5074003AA/R5074002AA	—	—	—
2002-2001	JR Body w/o ABS	4 Cyl. A/T	R2073679AC/R2073689AC	—	—	—
	JR Body w/ABS	4 Cyl. A/T	R2073677AC/R2073687AC	—	—	—
	JR Body w/o ABS*	6 Cyl.	R2073679AC/R2073689AC	—	—	—
	JR Body w/ABS*	6 Cyl.	R2073677AC/R2073687AC	—	—	—
	JR Body w/o ABS	4 Cyl. M/T	R2073679AC/R2073689AC	—	—	—
	PT Body w/ABS	A/T	R2073357AC/R2073367AC	—	—	—
2002-1998	LH Body w/ABS	All	R2073753AC/R2073763AC	—	—	R2826064/ —
2001-2000	PL Body w/wo ABS	3 Spd. A/T	R2073395AC/R2073380AC	—	—	—
2001-1993	LH Body w/o ABS	All	R2073756AC/R2073766AC	—	—	—
2000	JX Body w/wo ABS	All	R2073677AC/R2073687AC	—	—	—
2000-1998	JA Body w/ABS	All	R2073677AC/R2073687AC	—	—	R2826064/ —

\*For Stratus R/T applications, order 04578023AA

# CV AXLE ASSEMBLIES

## PASSENGER CARS (CONT.)

MODEL YEAR	APPLICATION	ENGINE/ TRANS.	REMAN PART NUMBER LEFT/RIGHT SIDE	NOTE	AXLE BOOTS (LEFT SIDE) OUTER/INNER	AXLE BOOTS (RIGHT SIDE) INNER/OUTER
2000-1995	FJ Body w/wo ABS	2.5L	R2078318AC/R2078325AC	—	R2826075/ —	— /R2826075
	JA Body w/o ABS	All	R2073677AC/R2073687AC	—	—	R2826064/ —
1999-1998	PL Body w/wo ABS	M/T	R2073397AC/R2073387AC	—	—	—
	PL Body w/wo ABS	A/T	R2073397AC/R2073386AC	—	—	—
	JX Body w/ABS	All	R2073677AC/R2073687AC	—	—	—
1997-1996	JX Body w/wo ABS	2.5L A/T	R2073674AC/R2073684AC	—	R2826075/ —	— /R2826075
	JX Body w/ABS	2.0L, 2.4L M/T	R2073674AC/ —	—	R2826075/ —	— /R2826075
	JX Body w/ABS	2.5L A/T	R2073674AC/R2073684AC	—	R2826075/ —	— /R2826075
	LH Body w/ABS	All	R2073759AC/R2073769AC	—	—	R2826064/ —
1997-1995	JA Body w/ABS	All	R2073673AC/R2073683AC	—	—	R2826064/ —
	PL Body w/wo ABS	A/T	R2073393AC/ —	—	—	—
	PL Body w/wo ABS	M/T	R2073393AC/ —	—	—	—
1995-1993	LH Body w/ABS	All	R2073757AC/R2073767AC	—	—	R2826064/ —
1995-1991	A, C, G, J, P, Y Bodies** w/o ABS	2.2L, 2.5L w/o Turbo and 3.0L, 3.3L, 3.8L w/ RSS	R2073372AC/R2073422AC	3 3/8 SAG^	—	—
				GKN	— /R2826003	R2826003/ —
				3 5/8 SAG^	— /R2826064	R2826064/ —
				GKN	R2826075/R2826559	R2826559/R2826075
	A, C, G, J, P, Y Bodies** w/ABS	2.2L, 2.5L w/o Turbo and 3.0L, 3.3L, 3.8L w/ RSS	R2073372AC/R2073422AC	3 3/8 SAG^	—	—
				GKN	— /R2826003	R2826003/ —
				3 5/8 SAG^	— /R2826064	R2826064/ —
				GKN	R2826075/R2826559	R2826559/R2826075
1994-1991	A, C, G, J, P, Y Bodies** w/o ABS	2.2L, 2.5L Turbo and 3.0L, 3.3L, 3.8L w/ ELSS	R2073372AC/R2073372AC	3 3/8 SAG^	—	—
				GKN	— /R2826003	R2826003/ —
				3 5/8 SAG^	— /R2826064	R2826064/ —
				GKN	— /R2826559	R2826559/ —
	A, C, G, J, P, Y Bodies** w/ABS	2.2L, 2.5L Turbo and 3.0L, 3.3L, 3.8L w/ ELSS	R2073372AC/R2073372AC	3 3/8 SAG^	—	—
				GKN	— /R2826003	R2826003/ —
				3 5/8 SAG^	— /R2826064	R2826064/ —
				GKN	— /R2826559	R2826559/ —

\*\*Body Codes — add "A" before each code.

^Internal housing outside maximum diameter (lobes).

Note: ELSS (Equal Length Shaft System); RSS (Regular Shaft System)

# CV AXLE ASSEMBLIES

(CONTINUED)

## PASSENGER CARS (CONT.)

MODEL YEAR	APPLICATION	ENGINE/ TRANS.	REMAN PART NUMBER LEFT/RIGHT SIDE	NOTE	AXLE BOOTS (LEFT SIDE) OUTER/INNER	AXLE BOOTS (RIGHT SIDE) INNER/OUTER
1990-1987	A, C, E, G, H, J, P, Y Bodies** w/wo ABS	2.5L w/o Turbo, 3.0L, 3.3L, 3.8L w/RSS	R2073372AC/R2073422AC	SAG	—	—
				GKN	—	—
	A, C, E, G, H, J, K, P, Y Bodies** w/wo ABS	3.0L, 3.3L, 3.8L w/ ELSS	R2073372AC/R2073372AC	SAG	—	—
				GKN	— /R2826024	—
	A, C, E, G, H, J, K, P, Y Bodies** w/wo ABS	2.2L, 2.5L w/Turbo	R2073372AC/R2073372AC	SAG	—	—
				GKN	— /R2826024	—
	A, H, J, P Bodies** w/ABS	2.2L w/o Turbo	R2073372AC/R2073422AC	—	—	—

## MINIVANS

MODEL YEAR	APPLICATION	ENGINE/ TRANS.	REMAN PART NUMBER LEFT/RIGHT SIDE	NOTE	AXLE BOOTS (LEFT SIDE) OUTER/INNER	AXLE BOOTS (RIGHT SIDE) INNER/OUTER
2006-2003	RS Body w/ABS	All	R2073659AC/R4641856AF	—	— /R2826064	—
2002-2001	RS Body	All	R2073659AC/R2073669AC	—	— /R2826064	—
	RS Body Front AWD	All	R2073659AC/R2073703AC	—	— /R2826064	—
2000-1996	NS Body w/wo ABS	All	R2073659AC/R2073669AC	—	— /R2826064	—
	NS Bodies w/ABS, Front AWD	All	R2073659AC/R2073702AC	—	— /R2826064	—
	NS Body w/ABS, Rear AWD	All	R2073718AC/R2073718AC	—	R2826559/R2826559	R2826559/R2826559
1995-1991	AS Body w/o ABS	2.5L A/T	R2073656AC/R2073665AC	Int Hsg Round	—	—
				Trilobal	— /R2826559	R2826559/ —
	AS Body w/wo ABS	2.5L M/T	R2073656AC/R2073665AC	GKN	— /R2826003	R2826003/ —
				Int Hsg Round	— /R2826024	R2826024/ —
	AS Body w/o ABS	3.0L, 3.3L, 3.8L w/ RSS	R2073656AC/R2073665AC	Trilobal	— /R2826559	R2826559/ —
				Int Hsg Round	— /R2826024	R2826024/ —
	AS Body w/o ABS	3.0L, 3.3L, 3.8L w/ ELSS	R2073656AC/R2073665AC	Trilobal	— /R2826559	R2826559/ —
				Int Hsg Round	— /R2826024	R2826024/ —
	AS Body w/ABS	3.0L, 3.3L, 3.8L w/ RSS	R2073656AC/R2073665AC	Trilobal	— /R2826559	R2826559/ —
				Int Hsg Round	— /R2826024	R2826024/ —
	AS Body w/ABS	3.0L, 3.3L, 3.8L w/ ELSS	R2073656AC/R2073665AC	Trilobal	— /R2826559	R2826559/ —
				Int Hsg Round	— /R2826024	R2826024/ —

\*\*Body Codes — add "A" before each code.

Note: ELSS (Equal Length Shaft System); RSS (Regular Shaft System)

# CV AXLE ASSEMBLIES

(CONTINUED)

## MINIVANS (CONT.)

MODEL YEAR	APPLICATION	ENGINE/ TRANS.	REMAN PART NUMBER LEFT/RIGHT SIDE	NOTE	AXLE BOOTS (LEFT SIDE) OUTER/INNER	AXLE BOOTS (RIGHT SIDE) INNER/OUTER
1995-1991 (cont.)	AS Body w/o ABS Front AWD	All	R2073656AC/R2073667AC	—	— /R2826003	R2826003/ —
	AS Body w/ ABS Front AWD	All	R2073656AC/R2073667AC	—	R2826064/ —	— /R2826064
	AS Body w/wo ABS Rear AWD	All	R2073715AC/R2073715AC	—	R2826559/R2826559	R2826559/R2826559
1990-1987	AS Body	A/T	R2073656AC/R2073665AC	—	—	—
	AS Body	M/T w/ ELSS	R2073656ACR2073656AC*	—	—	—

## JEEP®

MODEL YEAR	APPLICATION	ENGINE/ TRANS.	REMAN PART NUMBER LEFT/RIGHT SIDE	NOTE	AXLE BOOTS (LEFT SIDE) OUTER/INNER	AXLE BOOTS (RIGHT SIDE) INNER/OUTER
2002-1999	WJ Body	Vari-Lock	R2073979AC/R2073989AC	—	—	—
	WJ Body	w/o Vari-Lock	R2073978AC/R2073988AC	—	—	—
1998-1992	ZJ, SJ Bodies	All	R2073977AC/R2073987AC	—	R2826003/ —	— /R2826003

## TRUCKS

MODEL YEAR	APPLICATION	ENGINE/ TRANS.	REMAN PART NUMBER LEFT/RIGHT SIDE	NOTE	AXLE BOOTS (LEFT SIDE) OUTER/INNER	AXLE BOOTS (RIGHT SIDE) INNER/OUTER
2002-2001*	AN, DN Bodies	All	R2073992AC/R2073992AC	—	—	—
2001-2000	AN, DN Bodies	All	R2073973AC/R2073973AC	—	—	—
1999-1997	AN, DN Bodies	All	R2073976AC/R2073976AC	—	—	—
1996-1991	AN Body w/o ABS	All	R2073975AC/R2073975AC	—	—	—
1990-1987	AN Body	All	R2073972AC/R2073972AC	—	—	—

\*For 2001 AN/DN, inspect the driveshaft being removed. If the part being removed is tagged as 52068701AC, use R2073973AB. If the part being removed is tagged as 52068701AD or 05072214AA, order R2073992AC.



AUTHENTIC PERFORMANCE™



# ELECTRICAL / ELECTRONICS

---

ELECTRONICS TROUBLESHOOTING GUIDE

---

ALTERNATORS

---

STARTERS

---

DISTRIBUTORS

---

ELECTRIC MOTORS

---

ELECTRONIC CONTROL MODULES

---

