



**THROW BAG BELT**  
USER MANUAL

The Throw Bag Belt is used to attach Throw Bags to a Force 6 PFD. It can be used for all Force 6 Throw Bags.

It can be used for these Force 6 PFD models:

- Rescue Ops

*\*It cannot be used on older models - Manufactured before August 2020, as the older models do not have the required attachment loops.*

*This set contains 5 pieces:*

*A - 1 belt*

*B - 2 cam buckles with snap attachments*

*C - 2 MOLLE attachment straps*




*Note: The MOLLE attachment (C) straps are not required for the RescueTec and Rescuer 3 PFDs because they have webbing loops sewn in for this purpose. The MOLLE attachment straps are required for the Rescue Ops PFD and can be used anywhere on the MOLLE.*

## ATTACH BELT AT BACK

1 - Locate loop at center bottom of PFD back.

2 - Thread belt through loop at center back as shown below, and secure in place with the Pull-the-DOT™ snap.




**Pull-the-DOT® snaps:** These are heavy-duty, one-way fasteners which withstand extreme pressure from three sides without unlocking.

*\*These snaps open and close in one direction only.*

**To open :** Find the “DOT”, and lift the snap from the side that has the “DOT”

**To close :** Angle snap (tang on stud first) then rock from the bottom (tang side, opposite side of the dot) to the top of the snap (DOT side).


**Do not push straight down.**




## ATTACH CAM BUCKLES TO FRONT

The attachment loops are sewn on for this attachment. You can choose between center attachment and side attachment.

### CENTER ATTACHMENT



### SIDE ATTACHMENT




*\*NOTE Attachment loops are behind MOLLE panels.*


**\*Pull-the-DOT® snaps** are again used, so they must be aligned when opening and closing.

## ATTACHING CAM BUCKLES TO THE RESCUE OPS PFD

Because the Rescue Ops does not have sewn in loops, an extra step is required. This uses the small attachment loops on the MOLLE of the front pocket. The loops can be located anywhere - centered or on the outer sides of the pockets.




Use MOLLE attachment straps, and snap together behind MOLLE panels.



## ATTACHING CAM BUCKLES TO THE RESCUE OPS PFD - CONTINUED

Attach Cam Buckles as per the RescueTec and Rescuer 3



After threading Throw Bags, thread the belt through the cam buckle and close.

### TRIMMING BELT



If the belt is too long, it can be cut with scissors. Remember to melt the edge to prevent fraying.



**VISIT FORCE6.COM TO SEE  
OTHER AVAILABLE ACCESSORIES**

EXTRICATION LEASH

LEG LOOPS

BACK POCKET

UNIVERSAL FRONT POCKET

TALL POCKET

SMALL POCKET

DELUXE RUBBER EXTRICATION HANDLE

WEBBING EXTRICATION HANDLE

LASH TAB ATTACHMENT

**FORCE6.COM**



MADE IN CHINA