



OP-413 Ball Joint Feet

FEATURES

- Active ball suspension allows for optimal performance
- Rubber pad adds grip to prevent scale from sliding on or scraping the floor
- Includes 2 jam nuts
- UNF threading
- Top is slotted for applications with top access

PRODUCT NO.	MATERIAL	SIZE	THREAD	SHIP WT.
OP-413-1/2	Alloy Steel	2.4"(D) x 3.4"(H)	20 UNF	1.25 lbs
OP-413-3/4	Alloy Steel	3"(D) x 4.25"(H)	16 UNF	1.25 lbs
OP-413-1	Alloy Steel	3"(D) x 4.25"(H)	14 UNF	1.25 lbs
OP-413SS-1/2	Stainless Steel	2.4"(D) x 3.4"(H)	20 UNF	1.25 lbs
OP-413SS-3/4	Stainless Steel	3"(D) x 4.25"(H)	16 UNF	1.25 lbs
OP-413SS-1	Stainless Steel	3"(D) x 4.25"(H)	14 UNF	1.25 lbs



OP-413A Ball Joint Feet

FEATURES

- Active ball suspension allows for optimal performance
- Rubber pad adds grip to prevent scale from sliding on or scraping the floor
- Includes jam nut
- Top is slotted for applications with top access

PRODUCT NO.	MATERIAL	SIZE	THREAD	SHIP WT.
OP-413C-1/2	Alloy Steel	3"(D) x 4"(H)	20 UNF	1.25 lbs
OP-413C-3/4	Alloy Steel	3"(D) x 4.2"(H)	16 UNF	1.25 lbs
OP-413C-1	Alloy Steel	3"(D) x 4.5"(H)	14 UNF	1.25 lbs
OP-413CSS-1/2	Stainless Steel	3"(D) x 4"(H)	20 UNF	1.25 lbs
OP-413CSS-3/4	Stainless Steel	3"(D) x 4.2"(H)	16 UNF	1.25 lbs
OP-413CSS-1	Stainless Steel	3"(D) x 4.5"(H)	14 UNF	1.25 lbs



OP-413B Ball Joint Feet

FEATURES

- Ball and socket allows for the best accuracy from the load cell
- Rubber pad adds grip to prevent scale from sliding on or scraping the floor
- Includes jam nut
- Top is slotted for applications with top access

PRODUCT NO.	MATERIAL	SIZE	THREAD	SHIP WT.
OP-413B-1/2	Alloy Steel	3"(D) x 3.9"(H)	20 UNF	1.25 lbs
OP-413B-3/4	Alloy Steel	3"(D) x 4.5"(H)	16 UNF	1.25 lbs
OP-413B-1	Alloy Steel	3"(D) x 4.5"(H)	14 UNF	1.25 lbs
OP-413BSS-1/2	Stainless Steel	3"(D) x 3.75"(H)	20 UNF	1.25 lbs
OP-413BSS-3/4	Stainless Steel	3"(D) x 4.5"(H)	16 UNF	1.25 lbs
OP-413BSS-1	Stainless Steel	3"(D) x 4.5"(H)	14 UNF	1.25 lbs



OP-413C Ball Joint Feet

FEATURES

- Active ball suspension allows for optimal performance
- Rubber pad adds grip to prevent scale from sliding on or scraping the floor
- Includes jam nut
- Top is slotted for applications with top access

PRODUCT NO.	MATERIAL	SIZE	THREAD	SHIP WT.
OP-413C-1/2	Alloy Steel	3"(D) x 4"(H)	20 UNF	1.25 lbs
OP-413C-3/4	Alloy Steel	3"(D) x 4"(H)	16 UNF	1.25 lbs
OP-413C-1	Alloy Steel	3"(D) x 4.5"(H)	14 UNF	1.25 lbs
OP-413CSS-1/2	Stainless Steel	3"(D) x 4"(H)	20 UNF	1.25 lbs
OP-413CSS-3/4	Stainless Steel	3"(D) x 4"(H)	16 UNF	1.25 lbs
OP-413CSS-1	Stainless Steel	3"(D) x 4.5"(H)	14 UNF	1.25 lbs



OP-414 Rigid Feet

FEATURES

- Rubber pad adds grip to prevent scale from sliding on or scraping the floor
- Includes jam nut
- UNF threading
- Top is slotted for applications with top access

PRODUCT NO.	MATERIAL	SIZE	THREAD	SHIP WT.
OP-414-1/2	Alloy Steel	3"(D) x 2.7"(H)	20 UNF	0.75 lbs
OP-414SS-1/2	Stainless Steel	3"(D) x 3.25"(H)	20 UNF	0.75 lbs
OP-414-3/4	Alloy Steel	3"(D) x 2.75"(H)	20 UNF	0.75 lbs
OP-414SS-3/4	Stainless Steel	3"(D) x 2.75"(H)	20 UNF	0.75 lbs



OP-414A Low Profile Rigid Feet

FEATURES

- Small low profile foot
- Bottom rubber pad adds grip to prevent scale from sliding on or scraping the floor
- Top is slotted for applications with top access
- Includes jam nut

PRODUCT NO.	MATERIAL	SIZE	THREAD	SHIP WT.
OP-414A-1/2	Alloy Steel	2"(D) x 2.5"(H)	20 UNF	0.75 lbs
OP-414ASS-1/2	Stainless Steel	2"(D) x 2.5"(H)	20 UNF	0.75 lbs



OP-414B Low Profile Rigid Feet

FEATURES

- Heavy duty large low profile feet with 1/2" anchor holes for ultimate security
- Includes 2 jam nuts
- UNF threading
- Top is slotted for applications with top access

PRODUCT NO.	MATERIAL	SIZE	THREAD	SHIP WT.
OP-414B-1/2	Alloy Steel	5.85"(D) x 3"(H)	20 UNF	3.1 lbs
OP-414BSS-1/2	Stainless Steel	5.85"(D) x 3"(H)	20 UNF	3.1 lbs



OP-415 ABS Bench Scale Feet

FEATURES

- ABS bottom construction
- Alloy steel stem

PRODUCT NO.	MATERIAL	SIZE	THREAD	SHIP WT.
OP-415-M10	Alloy Steel	2"(D) x 2"(H)	16 UNF	0.5 lbs



OP-415A Washdown Bench Scale Feet

FEATURES

- All stainless steel construction
- Bottom rubber pad adds grip to prevent scale from sliding on or scraping the floor

PRODUCT NO.	MATERIAL	SIZE	THREAD	SHIP WT.
OP-415A-M10	Stainless Steel	2"(D) x 2"(H)	16 UNF	0.5 lbs

OP-413-P Replacement Rubber Foot Pad

FEATURES

- Replacement for OP-413 ball joint feet's rubber padding
- Rubber adds grip to prevent scale from sliding on or scraping the floor

PRODUCT NO.	SIZE	SHIP WT.
OP-413-1/2-RC	2.4"(D) x 0.5"(H)	1 lbs
OP-413-3/4-RC	3.1"(D) x 0.75"(H)	1 lbs



OP-419 Anchoring Plate

FEATURES

- Foot retainers for anchoring your scale from moving
- Anchor plates to the ground with 1/2" bolts
- Place feet inside holes to prevent scale from moving

PRODUCT NO.	COLOR	HOLE SIZE	SHIP WT.
OP-419-BU2	Blue	2.57"	3 lbs
OP-419-BU3	Blue	3.15"	3 lbs
OP-419-BL2	Black	2.57"	3 lbs
OP-419-BL3	Black	3.15"	3 lbs

