



SL-413 BALL JOINT FEET

FEATURES

- Active ball suspension allows for optimal performance
- Rubber pad adds grip to prevent scale from sliding on or scraping the floor
- Includes 2 jam nuts
- UNF threading
- Top is slotted for applications with top access

PART #	MATERIAL	SIZE	THREAD	SHIP WT.	PRICE
SL-413-1/2	Alloy Steel	2.4" D x 3.5" H	1/2" - 20 UNF	1.25 lbs	\$14
SL-413-3/4	Alloy Steel	3" D x 4.25" H	3/4" - 16 UNF	1.25 lbs	\$24
SL-413-1	Alloy Steel	3" D x 4.25" H	1" - 14 UNF	1.25 lbs	\$40
SL-413SS-1/2	Stainless Steel	2.4" D x 3.5" H	1/2" - 20 UNF	1.25 lbs	\$24
SL-413SS-3/4	Stainless Steel	3"D x 4.25" H	3/4" - 16 UNF	1.25 lbs	\$40
SL-413SS-1	Stainless Steel	3" D x 4.25" H	1" - 14 UNF	1.25 lbs	\$50



PARTS

PART #	ITEM	SIZE	SHIP WT.	PRICE
SL-413-Pad-1/2	Replacement Rubber Pad	2.4" D x 0.5" H	1 lbs	\$6
SL-413-Pad-3/4	Replacement Rubber Pad	3.1" D x 0.75" H	1 lbs	\$6



SL-413A BALL JOINT FEET

FEATURES

- Active ball suspension allows for optimal performance
- Rubber pad adds grip to prevent scale from sliding on or scraping the floor
- Includes 2 jam nuts
- Top is slotted for applications with top access

PART #	MATERIAL	SIZE	THREAD	SHIP WT.	PRICE
SL-413A-1/2	Alloy Steel	3" D x 4" H	1/2" - 20 UNF	1.25 lbs	\$25
SL-413A-3/4	Alloy Steel	3" D x 4" H	3/4" - 16 UNF	1.25 lbs	\$35
SL-413A-1	Alloy Steel	3" D x 4.5" H	1" - 14 UNF	1.25 lbs	\$45
SL-413ASS-1/2	Stainless Steel	3" D x 4" H	1/2" - 20 UNF	1.25 lbs	\$35
SL-413ASS-3/4	Stainless Steel	3" D x 4" H	3/4" - 16 UNF	1.25 lbs	\$45
SL-413ASS-1	Stainless Steel	3" D x 4.5" H	1" - 14 UNF	1.25 lbs	\$55



SL-419 ANCHORING PLATE

FEATURES

- Foot retainers for anchoring your scale from moving
- Anchor plates to the ground with 1/2" bolts
- · Place feet inside holes to prevent movement


PART #	COLOR	HOLE SIZE	SHIP WT.	PRICE
SL-419-2.5	Disak/Diva	2.57"	2 lbs	\$11
SL-419-3	Black/Blue -	3.15"	2 lbs	\$11

















844.735.5386 | INFO@SELLETONSCALES.COM

SL-413B BALL JOINT FEET

FEATURES

- Ball and socket allows for best accuracy from the load cell
- Rubber pad adds grip to prevent scale from sliding on or scraping the floor
- Includes 2 jam nuts
- Top is slotted for applications with top access

PART #	MATERIAL	SIZE	THREAD	SHIP WT.	PRICE
SL-413B-1/2	Alloy Steel	3" D x 3.75" H	1/2" - 20 UNF	1.25 lbs	\$30
SL-413B-3/4	Alloy Steel	3" D x 4.5" H	3/4" - 16 UNF	1.25 lbs	\$40
SL-413B-1	Alloy Steel	3" D x 4.5" H	1" - 14 UNF	1.25 lbs	\$50
SL-413BSS-1/2	Stainless Steel	3" D x 3.75" H	1/2" - 20 UNF	1.25 lbs	\$40
SL-413BSS-3/4	Stainless Steel	3" D x 4.5" H	3/4" - 16 UNF	1.25 lbs	\$50
SL-413BSS-1	Stainless Steel	3" D x 4.5" H	1" - 14 UNF	1.25 lbs	\$62



SL-414 RIGID FEET

FEATURES

- Rubber pad adds grip to prevent scale from sliding on or scraping the floor
- Includes 2 jam nuts
- UNF threading
- Top is slotted for applications with top access

PART #	MATERIAL	SIZE	THREAD	SHIP WT.	PRICE
SL-414-1/2	Alloy Steel	3" D x 2.75" H	1/2" - 20 UNF	0.25 lbs	\$16
SL-414-3/4	Alloy Steel	3" D x 2.75" H	3/4" - 16 UNF	0.25 lbs	\$24
SL-414SS-1/2	Stainless Steel	3" D x 2.75" H	1/2" - 20 UNF	0.25 lbs	\$24



SL-414A LOW PROFILE RIGID FEET

FEATURES

- Small, low profile foot
- Bottom rubber pad adds grip to prevent scale from sliding on or scraping the floor
- Top is slotted for applications with top access

PART #	MATERIAL	SIZE	THREAD	SHIP WT.	PRICE
SL-414A	Alloy Steel	2" D x 2.5" H	1/2" - 20 UNF	0.75 lbs	\$14





844-735-5386





SL-414B LARGE FEET FOR AG APPLICATIONS

FEATURES

- Heavy duty large low profile feet with 1/2" anchor holes for ultimate security
- Used in agricultural applications
- Includes 2 jam nuts
- Top is slotted for applications with top access

PART #	MATERIAL	SIZE	THREAD	SHIP WT.	PRICE
SL-414B	Alloy Steel	5.85" D x 3" H	1/2" - 20 UNF	3.1 lbs	\$35



SL-415 ABS BENCH SCALE FEET

FEATURES

- ABS (Acrylonitrile Butadiene Styrene) bottom construction
- · Alloy steel stem

PART #	MATERIAL	SIZE	THREAD	SHIP WT.	PRICE
SL-415	Alloy Steel	2" D x 2" H	16 UNF	0.5 lbs	\$8



SL-415A BENCH SCALE FEET

FEATURES

- All stainless steel construction
- For use with our washdown bench scales
- Bottom rubber pad adds grip to prevent scale from sliding on or scraping floor

PART#	MATERIAL	SIZE	THREAD	SHIP WT.	PRICE
SL-415A	Stainless Steel	2" D x 2" H	16 UNF	0.5 lbs	\$12



SL-415B BENCH SCALE FEET

FEATURES

- All stainless steel construction
- For use with our washdown bench scales
- Bottom rubber adds grip to prevent scale from sliding on or scraping floor

PART #	MATERIAL	SIZE	THREAD	SHIP WT.	PRICE
SL-415B	Stainless Steel	2" D x 2" H	16 UNF	0.5 lbs	\$12



