
































# N120 Port System for Nikon System



























































MACRO

## N120 Port System for Nikon System





LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
Nikon AF-S DX NIKKOR 18-55mm f/3.5-5.6G VR	 <b>19123</b> N1855VR-Z	 <b>18211</b> Compact port base		 <b>18301</b> Compact port 30	
Nikon AF-S DX Zoom-Nikkor 18-55mm f/3.5-5.6G ED II	 <b>19124</b> N1855II-Z	 <b>18211</b> Compact port base		 <b>18301</b> Compact port 30	
Nikon AF-S DX NIKKOR 18-55mm f/3.5-5.6G VR II	 <b>19144</b> N1855VRII-Z	 <b>18211</b> Compact port base		 <b>18303</b> Compact port 15	
Nikon AF-S NIKKOR 24-85mm f/3.5-4.5G ED VR	 <b>19139</b> N2485-Z		 <b>21150</b> Extension ring 50 with lock	 <b>18802</b> 8.5" acrylic dome port	
Sigma 17-70mm F2.8-4.5 DC Macro HSM	 <b>19132</b> SN1770-Z		 <b>21150</b> Extension ring 50 with lock	 <b>18802</b> 8.5" acrylic dome port	
Sigma 17-70mm F2.8-4 DC Macro OS HSM	 <b>19133</b> SN1770OS-Z		 <b>21150</b> Extension ring 50 with lock	 <b>18802</b> 8.5" acrylic dome port	
Sigma 17-70mm F2.8-4 DC Macro OS HSM C	 <b>19140</b> SN1770OSC-Z		 <b>21140</b> Extension ring 40 with lock	 <b>18802</b> 8.5" acrylic dome port	
Sigma 18-35mm F1.8 DC HSM   A	 <b>19146</b> SN1835f1.8-Z		 <b>21180</b> Extension ring 80 with lock  <b>21150+21150</b> Extension ring 50+50  <b>21180</b> Extension ring 80 with lock  <b>21180</b> Extension ring 80 with lock	 <b>18802</b> 8.5" acrylic dome port  <b>18807</b> 250mm optical glass wide angle port  <b>18808</b> 230mm optical glass fisheye port  <b>18809 (*1)</b> 180mm optical glass wide angle port	

STANDARD/ZOOM










































## N120 Port System for Nikon System

LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
Nikon AF-S DX NIKKOR 10-24mm f/3.5-4.5G ED	 <b>19135</b> N1024-Z	---	 <b>21150</b> Extension ring 50 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21160</b> Extension ring 60 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21170</b> Extension ring 70 with lock	 <b>18802</b> 8.5" acrylic dome port	
Nikon AF-S DX NIKKOR 12-24mm f/4G IF-ED	 <b>19125</b> N1224-Z	---	 <b>21180</b> Extension ring 80 with lock	 <b>18807 (*1)</b> 250mm optical glass wide angle port	
			 <b>21180</b> Extension ring 80 with lock	 <b>18808</b> 230mm optical glass fisheye port	
			 <b>21170</b> Extension ring 70 with lock	 <b>18802</b> 8.5" acrylic dome port	
Nikon AF-S NIKKOR 14-24mm f/2.8G ED	 <b>19131</b> N1424-Z	---	 <b>21190</b> Extension ring 90 with lock	 <b>18807</b> 250mm optical glass wide angle port	
			 <b>21190</b> Extension ring 90 with lock	 <b>18808 (*1)</b> 230mm optical glass fisheye port	
			 <b>21180</b> Extension ring 80 with lock	 <b>18809</b> 180mm optical glass wide angle port	
			 <b>21170</b> Extension ring 70 with lock	 <b>18802</b> 8.5" acrylic dome port	
Nikon AF-S NIKKOR 16-35mm f/4G ED VR	 <b>19138</b> N1635-Z	---	 <b>21270</b> Extension ring 70 with Focus knob	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21170</b> Extension ring 70 with lock	 <b>18802</b> 8.5" acrylic dome port	
Nikon AF-S 17-35mm f/2.8D IF-ED	 <b>19142</b> N1635-F	---	 <b>21170</b> Extension ring 70 with lock	 <b>18807</b> 250mm optical glass wide angle port	
			 <b>21170</b> Extension ring 70 with lock	 <b>18808 (*1)</b> 230mm optical glass fisheye port	
			 <b>21170</b> Extension ring 70 with lock	 <b>18809</b> 180mm optical glass wide angle port	
			 <b>21170</b> Extension ring 70 with lock	 <b>18802</b> 8.5" acrylic dome port	
Nikon AF-S 17-35mm f/2.8D IF-ED	 <b>19130</b> N1735-Z	---	 <b>21160</b> Extension ring 60 with lock	 <b>18807</b> 250mm optical glass wide angle port	
			 <b>21160</b> Extension ring 60 with lock	 <b>18808 (*1)</b> 230mm optical glass fisheye port	
			 <b>21160</b> Extension ring 60 with lock	 <b>18809</b> 180mm optical glass wide angle port	
			 <b>21160</b> Extension ring 60 with lock	 <b>18802</b> 8.5" acrylic dome port	
Nikon AF-S NIKKOR 18-35mm f/3.5-4.5G ED	 <b>19141</b> N1835-Z	---	 <b>21150</b> Extension ring 50 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21150</b> Extension ring 50 with lock	 <b>18807</b> 250mm optical glass wide angle port	
Sigma 8-16mm F4.5-5.6 DC HSM	 <b>19136</b> SN816-Z	---	 <b>21150</b> Extension ring 50 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21150</b> Extension ring 50 with lock	 <b>18807</b> 250mm optical glass wide angle port	

WIDE/ZOOM

-  **21150**  
Extension ring 50 with lock
-  **21140**  
Extension ring 40 with lock
-  **18808 (\*1)**  
230mm optical glass fisheye port
-  **18809**  
180mm optical glass wide angle port

## N120 Port System for Nikon System

LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
Sigma 10-20mm F4-5.6 EX DC HSM	 <b>19126</b> SN1020-Z	---	 <b>21150</b> Extension ring 50 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21150</b> Extension ring 50 with lock	 <b>18807</b> 250mm optical glass wide angle port	
			 <b>21150</b> Extension ring 50 with lock	 <b>18808 (*1)</b> 230mm optical glass fisheye port	
			 <b>21140</b> Extension ring 40 with lock	 <b>18809</b> 180mm optical glass wide angle port	
Sigma 12-24mm F4 DG HSM   Art	 <b>19149</b> SN1224A-Z	---	 <b>21160</b> Extension ring 60 with lock <i>*Compatible from SN:A143566 onwards</i>	 <b>18812 (*1)</b> 230mm optical glass fisheye port II	
			 <b>21150</b> Extension ring 50 with lock <i>*Compatible from SN:A213191 onwards</i>	 <b>18815</b> 250mm optical glass wide angle port II	
Sigma 20mm F1.4 DG HSM   A	 <b>19128</b> TN1116-Z	---	 <b>21170</b> Extension ring 70 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21170</b> Extension ring 70 with lock	 <b>18807</b> 250mm optical glass wide angle port	
			 <b>21170</b> Extension ring 70 with lock	 <b>18808 (*1)</b> 230mm optical glass fisheye port	
			 <b>21160</b> Extension ring 60 with lock	 <b>18809</b> 180mm optical glass wide angle port	
Tokina AT-X 116 PRO DX AF 11-16mm f/2.8	 <b>19128</b> TN1116-Z	---	 <b>21150</b> Extension ring 50 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21160</b> Extension ring 60 with lock	 <b>18807</b> 250mm optical glass wide angle port	
			 <b>21160</b> Extension ring 60 with lock	 <b>18808 (*1)</b> 230mm optical glass fisheye port	
			 <b>21150</b> Extension ring 50 with lock	 <b>18809</b> 180mm optical glass wide angle port	
Tokina AT-X 124 AF PRO DX AF 12-24mm f/4	 <b>19134</b> TN1224-Z	---	 <b>21150</b> Extension ring 50 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21160</b> Extension ring 60 with lock	 <b>18807</b> 250mm optical glass wide angle port	
			 <b>21160</b> Extension ring 60 with lock	 <b>18808 (*1)</b> 230mm optical glass fisheye port	
			 <b>21160</b> Extension ring 60 with lock	 <b>18809</b> 180mm optical glass wide angle port	

WIDE/ZOOM

Zeiss Distagon T\* 2,8/15 ZF.2



**19145**  
ZN15-F



























**21155\***  
Extension ring 55 with lock  
*\*Compatible from SN:A055053 onwards*




**18812**  
230mm optical glass fisheye port II

## N120 Port System for Nikon System




































LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
Nikon AF-S Fisheye NIKKOR 8-15mm f/3.5-4.5E ED	 <b>19150</b> N815-Z		 <b>21120</b> Extension ring 20 with lock	 <b>18802</b> 8.5" acrylic dome port	***Removable shade compatible with 8mm on a full frame camera
			 <b>21130</b> Extension ring 30 with lock	 <b>18803</b> 4.33" acrylic dome port	***NOT compatible with 8mm on a full frame camera
			 <b>21120</b> Extension ring 20 with lock	 <b>18812</b> 230mm optical glass fisheye port	***Removable shade compatible with 8mm on a full frame camera
			 <b>21120</b> Extension ring 20 with lock	 <b>18811 (*1)</b> N120 140mm optical glass fisheye port with removable shade	***Removable shade compatible with 8mm on a full frame camera
Nikon AF DX Fisheye 10.5mm f/2.8G ED	 <b>19137</b> N10.5-F		 <b>21110</b> Extension ring 10 with screws	 <b>18802</b> 8.5" acrylic dome port	
				 <b>18803</b> 4.33" acrylic dome port	
				 <b>18808</b> 230mm optical glass fisheye port	
				 <b>18810 (*1)</b> N120 140mm optical glass fisheye port	
Nikon AF Fisheye 16mm f/2.8D				 <b>18802</b> 8.5" acrylic dome port	
				 <b>18808</b> 230mm optical glass fisheye port	
				 <b>18810 (*1)</b> N120 140mm optical glass fisheye port	
Sigma 10mm F2.8 EX DC HSM Fisheye			 <b>21110</b> Extension ring 10 with screws	 <b>18802</b> 8.5" acrylic dome port	
Sigma 15mm F2.8 EX DG Diagonal Fisheye	 <b>19143</b> SN15-F			 <b>18802</b> 8.5" acrylic dome port	
				 <b>18808</b> 230mm optical glass fisheye port	
				 <b>18810 (*1)</b> N120 140mm optical glass fisheye port	

FISHEYE/ZOOM

## N120 Port System for Nikon System









































## N120 Port System for Canon System

LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES	
MACRO	Canon EF-S 60mm f2.8 Macro USM	 <b>19521</b> C60-F	 <b>18211</b> Compact port base	 <b>18704</b> Macro port 41	 <b>25101</b> M67 Flip diopter holder for M67 macro ports	
	Canon MP-E 65mm f/2.8 1-5X	 <b>19539</b> C65-F	 <b>18211</b> Compact port base	 <b>18550+18530+18530</b> Compact port ext. 50+30+30	 <b>18306</b> Compact port 50 with M67 thread	 INON UFL-MR130 EFS60 <i>(***This is not a NAUTICAM product)</i>
	Canon EF 100mm f2.8 Macro USM	 <b>19522</b> C100-F	 <b>18211</b> Compact port base		 <b>18702</b> Macro port 87	 <b>25101</b> M67 Flip diopter holder for M67 macro ports
	Canon EF 100mm f/2.8L Macro IS USM	 <b>19523</b> C100IS-F	 <b>18211</b> Compact port base		 <b>18703</b> Macro port 94	 <b>25101</b> M67 Flip diopter holder for M67 macro ports
	Canon EF 180mm f/3.5L Macro USM		 <b>18211</b> Compact port base	 <b>18530</b> Compact port extension 30	 <b>18301</b> Compact port 30	
	Sigma 50mm F2.8 EX DG Macro		 <b>18211</b> Compact port base	 <b>18530+18540</b> Compact port ext. 30+40	 <b>18302</b> Compact port 50	
	Sigma 70mm F2.8 EX DG Macro		 <b>18211</b> Compact port base	 <b>18520</b> Compact port extension 20	 <b>18303</b> Compact port 15	
	Sigma 105mm F2.8 EX DG OS HSM Macro	 <b>19553</b> SC105-F	 <b>18211</b> Compact port base	 <b>18550</b> Compact port extension 50  <b>18530</b> Compact port extension 30	 <b>18301</b> Compact port 30  <b>18302</b> Compact port 50	
			 <b>21130</b> Extension ring 30 with lock	 <b>18701</b> Macro port 60	 <b>25101</b> M67 Flip diopter holder for M67 macro ports	












































## N120 Port System for Canon System

LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
Canon EF-S 18-55mm f/3.5-5.6 IS	 <b>19532</b> C1855IS-Z	 <b>18211</b> Compact port base		 <b>18303</b> Compact port 15	
Canon EF-S 18-55mm f/3.5-5.6 IS STM	 <b>19547</b> C1855ISSTM-Z	 <b>18211</b> Compact port base		 <b>18303</b> Compact port 15	
Canon EF-S 18-135mm f/3.5-5.6 IS	 <b>19524</b> C18135IS-Z		 <b>21160</b> Extension ring 60 with lock	 <b>18802</b> 8.5" acrylic dome port	
Canon EF 24mm f/1.4L II USM			 <b>21140</b> Extension ring 40 with lock	 <b>18802</b> 8.5" acrylic dome port	
Canon EF 24-70mm f/2.8L II USM	 <b>19543</b> C2470II-Z		 <b>21170</b> Extension ring 70 with lock	 <b>18802</b> 8.5" acrylic dome port	
Canon EF 24-70mm f/4L IS USM	 <b>19544</b> C2470f4-Z		 <b>21170</b> Extension ring 70 with lock	 <b>18802</b> 8.5" acrylic dome port	
Canon EF 24-105mm f/4L IS USM	 <b>19545</b> C24105-Z		 <b>21170</b> Extension ring 70 with lock	 <b>18802</b> 8.5" acrylic dome port	
Sigma 17-70mm F2.8-4.5 DC Macro	 <b>19533</b> SC1770-Z		 <b>21150</b> Extension ring 50 with lock	 <b>18802</b> 8.5" acrylic dome port	
Sigma 17-70mm F2.8-4 DC Macro OS HSM	 <b>19534</b> SC1770OS-Z		 <b>21150</b> Extension ring 50 with lock	 <b>18802</b> 8.5" acrylic dome port	
Sigma 17-70mm F2.8-4 DC Macro OS HSM C	 <b>19540</b> SC1770OSC-Z		 <b>21140</b> Extension ring 40 with lock	 <b>18802</b> 8.5" acrylic dome port	
Sigma 18-35mm F1.8 DC HSM   A	 <b>19552</b> SC1835f.18-Z		 <b>21180</b> Extension ring 80 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21150+21150</b> Extension ring 50+50	 <b>18815</b> 250mm optical glass wide angle port II	
			 <b>21180</b> Extension ring 80 with lock	 <b>18812</b> 230mm optical glass fisheye port II	
			 <b>21180</b> Extension ring 80 with lock	 <b>18809 (*1)</b> 180mm optical glass wide angle port	





STANDARD/ZOOM





































## N120 Port System for Canon System

LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
Canon EF-S 10-18mm f/4.5-5.6 IS STM	 <b>19549</b> C1018-Z	—	 <b>21150</b> Extension ring 50 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21150</b> Extension ring 50 with lock	 <b>18807</b> 250mm optical glass wide angle port	
			 <b>21150</b> Extension ring 50 with lock	 <b>18812 (*1)</b> 230mm optical glass fisheye port II	
			 <b>21140</b> Extension ring 40 with lock	 <b>18809</b> 180mm optical glass wide angle port	
Canon EF-S 10-22mm f/3.5-4.5 USM	 <b>19525</b> C1022-Z	—	 <b>21160</b> Extension ring 60 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21160</b> Extension ring 60 with lock	 <b>18807</b> 250mm optical glass wide angle port	
			 <b>21160</b> Extension ring 60 with lock	 <b>18812 (*1)</b> 230mm optical glass fisheye port II	
			 <b>21150</b> Extension ring 50 with lock	 <b>18809</b> 180mm optical glass wide angle port	
Canon EF 11-24mm f/4L USM	 <b>19550</b> C1124-Z	—	 <b>21150*</b> Extension ring 50 with lock <i>*Compatible from SN:A213191 onwards</i>	 <b>18815 (*1)</b> 250mm optical glass wide angle port II	
			 <b>21170*</b> Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	 <b>18812</b> 230mm optical glass fisheye port II	
			 <b>21271</b> Extension ring 70 with focus knob for Canon EF 11-24mm f4L USM	 <b>18812</b> 230mm optical glass fisheye port II	
Canon EF 16-35mm f/2.8L II USM	 <b>19551</b> C1124-F	—	 <b>21170</b> Extension ring 70 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21180</b> Extension ring 80 with lock	 <b>18807</b> 250mm optical glass wide angle port	
			 <b>21180</b> Extension ring 80 with lock	 <b>18812 (*1)</b> 230mm optical glass fisheye port II	
			 <b>21170</b> Extension ring 70 with lock	 <b>18809</b> 180mm optical glass wide angle port	
Canon EF 16-35mm F4L IS USM	 <b>19542</b> C1635II-F	—	 <b>21270</b> Extension ring 70 with Focus knob	 <b>18802</b> 8.5" acrylic dome port	
			 <b>19548</b> C1635f4-Z	—	 <b>21170</b> Extension ring 70 with lock
			 <b>21180</b> Extension ring 80 with lock		 <b>18807</b> 250mm optical glass wide angle port



WIDE/ZOOM

-  Extension ring 80 with lock
-  230mm optical glass fisheye port II
-  **21170**  
Extension ring 70 with lock
-  **18809**  
180mm optical glass wide angle port


## N120 Port System for Canon System

LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
Canon EF 16-35mm f/2.8L III USM	 <b>19554</b> C1635III-Z		 <b>21190</b> Extension ring 90 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21190</b> Extension ring 90 with lock	 <b>18815</b> 250mm optical glass wide angle port II	
Canon EF 17-40mm f/4L USM	 <b>19528</b> C1740-Z		 <b>21190</b> Extension ring 90 with lock	 <b>18812 (*1)</b> 230mm optical glass fisheye port II	
			 <b>21180</b> Extension ring 80 with lock	 <b>18809</b> 180mm optical glass wide angle port	
	 <b>19555</b> C1635III-F		 <b>21271 + 21120</b> Extension ring 70 w/ knob for Canon EF 11-24mm f4L USM + Extension ring 20 with lock	 <b>18812 (*1)</b> 230mm optical glass fisheye port II	
Sigma 8-16mm F4.5-5.6 DC HSM	 <b>19536</b> SC816-Z		 <b>21150</b> Extension ring 50 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21170</b> Extension ring 70 with lock	 <b>18807</b> 250mm optical glass wide angle port	
			 <b>21170</b> Extension ring 70 with lock	 <b>18812 (*1)</b> 230mm optical glass fisheye port II	
			 <b>21160</b> Extension ring 60 with lock	 <b>18809</b> 180mm optical glass wide angle port	
Sigma 10-20mm F4-5.6 EX DC HSM	 <b>19535</b> SC1020-Z		 <b>21150</b> Extension ring 50 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21150</b> Extension ring 50 with lock	 <b>18807</b> 250mm optical glass wide angle port	
			 <b>21150</b> Extension ring 50 with lock	 <b>18812 (*1)</b> 230mm optical glass fisheye port II	
			 <b>21140</b> Extension ring 40 with lock	 <b>18809</b> 180mm optical glass wide angle port	
Sigma 12-24mm F4 DG HSM   Art	 <b>19556</b> SC1224A-Z		 <b>21160*</b> Extension ring 60 with lock <i>*Compatible from SN:A143566 onwards</i>	 <b>18812 (*1)</b> 230mm optical glass fisheye port II	

WIDE/ZOOM






























 **21150\*** Extension ring 50 with lock  
*\*Compatible from SN:A213191 onwards*
 **18815** 250mm optical glass wide angle port II

## N120 Port System for Canon System



WIDE/ZOOM


## N120 Port System for Canon System

LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
Canon EF 8-15mm f/4L Fisheye USM	 <b>19537</b> C815-Z	—	 <b>21130</b> Extension ring 30 with lock	 <b>18802</b> 8.5" acrylic dome port	***Remove shade when used on a full frame camera
			 <b>21130</b> Extension ring 30 with lock	 <b>18812</b> 230mm optical glass fisheye port	***Remove shade when used on a full frame camera
			 <b>21130</b> Extension ring 30 with lock	 <b>18811 (*1)</b> N120 140mm optical glass fisheye port with removable shade	***Remove shade when used on a full frame camera
Canon EF 8-15mm f/4L Fisheye USM with Kenko 1.4x Teleplus Pro 300 DGX	 <b>19541</b> C815-F	—	 <b>21230</b> Extension ring 30 with Focus knob	 <b>18802</b> 8.5" acrylic dome port	***Remove shade when used on a full frame camera
			 <b>21150</b> Extension ring 50 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21150</b> Extension ring 50 with lock	 <b>18812</b> 230mm optical glass fisheye port II	
Canon EF 15mm f/2.8 Fisheye	—	—	 <b>21110</b> Extension ring 10 with screws	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21110</b> Extension ring 10 with screws	 <b>18802</b> 8.5" acrylic dome port	
			 <b>19546</b> SC15-F	—	—
 <b>18812</b> 230mm optical glass fisheye port II					
 <b>18810 (*1)</b> N120 140mm optical glass fisheye port					
Tokina AT-X 107 AF DX Fisheye AF 10-17mm f/3.5-4.5	 <b>19529</b> TC1017-Z	—	 <b>18804</b> 4.33" acrylic dome port For Tokina 10-17 Lens		
			 <b>21120</b> Extension ring 20 with lock	 <b>18802</b> 8.5" acrylic dome port	
			 <b>21120</b> Extension ring 20 with lock	 <b>18812</b> 230mm optical glass fisheye port II	
			 <b>21110</b> Extension ring 10 with screws	 <b>18810 (*1)</b> N120 140mm optical glass fisheye port	
			—	—	

FISHEYE/ZOOM

with Kenko 1.4x Teleplus Pro 300 DGX


 TC1017-Z+1.4


 Extension ring 20 with lock


 **21140**  
Extension ring 40 with lock


 **21140**  
Extension ring 40 with lock

 **21130**  
Extension ring 30 with lock


 4.33" acrylic dome port For Tokina 10-17 Lens

 **18802**  
8.5" acrylic dome port








































 **18812**  
230mm optical glass fisheye port II

 **18810 (\*1)**  
N120 140mm optical glass fisheye port

# N85 Port System for Panasonic & Olympus & BMPCC M4/3 System




## N85 Port System for Panasonic & Olympus & BMPCC M4/3 System






































LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
<b>STANDARD/ZOOM</b> Panasonic LUMIX G X Vario 12-35mm F2.8 ASPH. POWER O.I.S.	 <b>36148</b> P1235-Z			 <b>36133</b> 6" wide angle port	
	 <b>36042</b> P1235-F	 <b>36052</b> N85 to N120 47mm port adaptor with focus knob	 <b>21120</b> Extension ring 20 with lock	 <b>36164</b> 6" wide angle port with Focus knob	 <b>18809 (*1)</b> 180mm optical glass wide angle port
Panasonic LEICA DG VARIO-ELMARIT 12-60mm F2.8-4.0 ASPH. POWER O.I.S.	 <b>36058</b> PL1260-Z			 <b>36129</b> 7" acrylic dome port	
		 <b>36401</b> N85 to N120 55mm port adaptor with knob	 <b>21110</b> Extension ring 10 with screws	 <b>18809</b> 180mm optical glass wide angle port	
Panasonic LUMIX G 14mm / F2.5 ASPH				 <b>36131</b> 3.5" wide angle port	
Panasonic LUMIX G VARIO 14-42mm F3.5-5.6 ASPH. MEGA O.I.S.	 <b>36141</b> P1442-Z			 <b>36151</b> N10 Pancake Port	 <b>83201</b> Wet Wide Lens 1 (WWL-1)
				 <b>36121</b> Flat port 72	 <b>25104</b> M67 Flip diopter holder for 36121
				 <b>36137</b> 4" wide angle port	 <b>25105</b> M67 Flip diopter holder for 36137
Panasonic LUMIX G VARIO 14-42mm F3.5-5.6 II ASPH. MEGA O.I.S.	 <b>36057</b> P1442II-Z			 <b>36139</b> Macro Port 35	 <b>83201</b> Wet Wide Lens 1 (WWL-1)
Panasonic LUMIX G X VARIO PZ 14-42mm F3.5-5.6 ASPH. Power O.I.S.	 <b>36146</b> P1442X-PZ * <b>36061</b> for use with NA-GH5			 <b>36165</b> N85 Power Zoom Macro Port 29	 <b>83201</b> Wet Wide Lens 1 (WWL-1)
Panasonic LUMIX G VARIO 14-45mm F3.5-5.6 ASPH. MEGA O.I.S.	 <b>36053</b> P1445-Z			 <b>36121</b> Flat port 72	 <b>25104</b> M67 Flip diopter holder for 36121
				 <b>36137</b> 4" wide angle port	 <b>25105</b> M67 Flip diopter holder for 36137
<b>WIDE/ZOOM</b> Olympus M.ZUIKO DIGITAL ED 9-18mm F4.0-5.6	 <b>36144</b> O918-Z			 <b>36137</b> 4" wide angle port	
		 <b>36052</b> N85 to N120 47mm port adaptor with focus knob	 <b>21120</b> Extension ring 20 with lock	 <b>18809 (*1)</b> 180mm optical glass wide angle port	
	 <b>36401</b> N85 to N120 55mm port adaptor with knob	 <b>21110</b> Extension ring 10 with screws	 <b>18809</b> 180mm optical glass wide angle port		




## N85 Port System for Panasonic & Olympus & BMPCC M4/3 System



































# N85 Port System for Sony E-mount System

	LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
MACRO	Sony SEL30M35 E 30mm F3.5 Macro	 <b>36171</b> SE30-F			 <b>36128</b> Macro port 45 with knob	<i>*Wet Dioptors are not compatible with this lens</i>
					 <b>36135</b> Macro port 45	<i>*Wet Dioptors are not compatible with this lens</i>
	Sony SEL50M28 FE 50mm F2.8 Macro		 <b>36206*</b> N85 to N120 50mm port adaptor with zoom/focus knob <i>*Sea&amp;Sea style f/o cable adaptors are not usable on NA-NEX5/5N/5R housing</i>		 <b>18704</b> Macro port 41	<i>*Wet Dioptors are not compatible with this lens</i>
	Sony SEL90M28G FE 90mm F2.8 Macro G OSS	 <b>36175</b> SFE90-F	 <b>36205</b> N85 to N100 65mm port adaptor with zoom/focus knob		 <b>37123*</b> N100 Macro Port 55 <i>*Compatible from SN:A175724 onwards</i>	 <b>25101</b> M67 Flip diopter holder for M67 macro ports
			 <b>36204*</b> N85 to N120 60mm port adaptor <i>*Sea&amp;Sea style f/o cable adaptors are not usable on NA-NEX5/5N/5R/A5000 housing</i>		 <b>18701</b> Macro port 60	 <b>25101</b> M67 Flip diopter holder for M67 macro ports
			 <b>36206*</b> N85 to N120 50mm port adaptor with zoom/focus knob <i>*Sea&amp;Sea style f/o cable adaptors are not usable on NA-NEX5/5N/5R housing</i>	 <b>21110</b> Extension ring 10 with screws	 <b>18701</b> Macro port 60	 <b>25101</b> M67 Flip diopter holder for M67 macro ports
	Sony A-mount Adaptor [LA-EA1] with SAL30M28 DT 30mmF2.8 Macro SAM				 <b>36202</b> EA30 port	<i>*Wet Dioptors are not compatible with this lens</i>
	Metabones EF Lens to NEX Smart Adapter II with Canon EF-S 60mm f/2.8 Macro USM	 <b>36203</b> EEF60-F			 <b>36203</b> EEF60 port	 <b>25101</b> M67 Flip diopter holder for M67 macro ports
	Carl Zeiss Touit 2.8/50M			 <b>36630</b> Mini extension ring 30	 <b>36135</b> Macro port 45	 <b>25101</b> M67 Flip diopter holder for M67 macro ports
	STANDARD/ZOOM	Sony SEL16F28 E 16mm F2.8				 <b>36126</b> E16 pancake port
					 <b>36125</b> E mount 4.33" fisheye port	
Sony SELP1650 E PZ 16-50mm F3.5-5.6 OSS		 <b>36172</b> SE1650-PZ			 <b>36128</b> Macro port 45 with knob	 <b>25101</b> M67 Flip diopter holder for M67 macro ports
Sony SEL1670Z Vario-Tessar T* E 16-70mm F4 ZA OSS		 <b>36174</b> SE1670-Z			 <b>36129</b> 7" acrylic dome port	
Sony SEL1855 E 18-55mm F3.5-5.6 OSS		 <b>36122</b> SE1855-Z			 <b>36121</b> Flat port 72	 <b>25104</b> M67 Flip diopter holder for 36121
					 <b>36137</b> 4" wide angle port	 <b>25105</b> M67 Flip diopter holder for 36137
Sigma 19mm F2.8 DN   A					 <b>36135</b> Macro port 45	 <b>83201</b> Wet Wide Lens 1 (WWL-1)

































## N85 Port System for Sony E-mount System



# N100 Port System for Sony A7/A7R/A7S System
















	LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
MACRO	Sony SEL50M28 FE 50mm F2.8 Macro			 <b>37402</b> N100 Extension ring 40	 <b>37128</b> N100 Flat Port 37	*Wet Dioptors are not compatible with this lens **slightly vignette at infinity
	Sony SEL90M28G FE 90mm F2.8 Macro G OSS	 <b>37147</b> SE90-F			 <b>37125</b> N100 Macro port 110	 <b>25101</b> M67 Flip diopter holder for M67 macro ports
	Metabones EF Lens to NEX Smart Adapter III with Canon EF 100mm f/2.8L Macro IS USM	 <b>19523</b> C100IS-F	 <b>37301</b> N100 to N120 40mm port adaptor with zoom/focus knob		 <b>18703</b> Macro port 94	 <b>25101</b> M67 Flip diopter holder for M67 macro ports
STANDARD/ZOOM	Sony SEL2470GM FE 24-70mm F2.8 GM	 <b>37151</b> SFE2470GM-Z	 <b>37301</b> N100 to N120 40mm port adaptor with zoom/focus knob	 <b>21160</b> Extension ring 60 with lock	 <b>18809</b> 180mm optical glass wide angle port	
		 <b>37152</b> SFE2470GM-F				
	Sony SEL2470Z Vario-Tessar T* FE 24-70mm F4 ZA OSS	 <b>37149</b> SE2470-Z		 <b>37402+37401</b> N100 Extension ring 40+30	 <b>37129</b> N100 180mm optical glass wide angle port	
			 <b>37302</b> N100 to N120 port adaptor with lock for SEL2470Z		 <b>18809</b> 180mm optical glass wide angle port	
		 <b>37148</b> SE2470-F	 <b>37301</b> N100 to N120 40mm port adaptor with zoom/focus knob	 <b>21130</b> Extension ring 30 with lock	 <b>18809</b> 180mm optical glass wide angle port	
	Sony SEL28F20 FE 28mm F2	 <b>37150</b> SE28-F			 <b>37128</b> N100 Flat Port 37	 <b>83201</b> Wet Wide Lens 1 (WWL-1)
	Sony SEL2870 FE 28-70mm F3.5-5.6 OSS	 <b>37141</b> SE2870-Z			 <b>37121</b> Flat Port 74 with M77 thread	 <b>25103</b> M67 flip diopter holder for M77 macro ports
Sony SEL35F28Z Sonnar T* FE 35mm F2.8 ZA				 <b>37122</b> 4" wide angle port		
Sony SEL55F18Z Sonnar T* FE 55mm F1.8 ZA				 <b>37123</b> N100 Macro Port 55	 <b>25101</b> M67 Flip diopter holder for M67 macro ports	

## N100 Port System for Sony A7/A7R/A7S System

LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
Sony SEL1224G FE 12-24mm F4 G	 <b>37153</b> SFE1224-Z	 <b>37301</b> N100 to N120 40mm port adaptor with zoom/focus knob	 <b>37401+37401</b> N100 Extension ring 30+30	 <b>37129</b> N100 180mm optical glass wide angle port	
	 <b>37154</b> SFE1224-F		 <b>21140</b> Extension ring 40 with lock	 <b>18812 (*1)</b> 230mm optical glass fisheye port II	
Sony SEL1635Z Vario-Tessar T* FE 16-35mm F4 ZA OSS	 <b>37145</b> SE1635-Z	 <b>37301</b> N100 to N120 40mm port adaptor with zoom/focus knob	 <b>37402+37403</b> N100 Extension ring 40+50	 <b>37129</b> N100 180mm optical glass wide angle port	
	 <b>37146</b> SE1635-F		 <b>21150</b> Extension ring 50 with lock	 <b>18809</b> 180mm optical glass wide angle port	
Zeiss Batis 2.8/18		 <b>37301</b> N100 to N120 40mm port adaptor with zoom/focus knob	 <b>37401+37401</b> N100 Extension ring 30+30	 <b>37129</b> N100 180mm optical glass wide angle port	
			 <b>21120</b> Extension ring 20 with lock	 <b>18809</b> 180mm optical glass wide angle port	
Sony SEL28F20 + SEL075UWC FE 28mm F2 + FE Ultra wide adaptor		 <b>37301</b> N100 to N120 40mm port adaptor with zoom/focus knob	 <b>21130</b> Extension ring 30 with lock	 <b>18809</b> 180mm optical glass wide angle port	
Metabones EF Lens to NEX Smart Adapter III with Canon EF 16-35mm f/2.8L II USM	 <b>19527</b> C1635II-Z	 <b>37301</b> N100 to N120 40mm port adaptor with zoom/focus knob	 <b>21270</b> Extension ring 70 with Focus knob	 <b>18802</b> 8.5" acrylic dome port	
	 <b>19542</b> C1635II-F				
Sony A-mount Adaptor [LA-EA3] w/ SAL1635Z Vario-Sonnar T* 16-35mm F2.8 ZA SSM	 <b>37143</b> EA1635-Z	 <b>37301</b> N100 to N120 40mm port adaptor with zoom/focus knob	 <b>21170</b> Extension ring 70 with lock	 <b>18809</b> 180mm optical glass wide angle port	
	 <b>37144</b> EA1635-F				
















































WIDE/ZOOM

## N100 Port System for Sony A7/A7R/A7S System

	LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
FISHEYE/ZOOM	Sony SEL28F20 + SEL057FEC FE 28mm F2 + FE Fisheye adaptor		 <b>37301</b> N100 to N120 40mm port adaptor with zoom/focus knob	 <b>21120</b> Extension ring 20 with lock	 <b>18810</b> N120 140mm optical glass fisheye port	
	Metabones EF Lens to NEX Smart Adapter III with Canon EF 8-15mm f/4L Fisheye USM	 <b>19537</b> C815-Z   <b>19541</b> C815-F	 <b>37301</b> N100 to N120 40mm port adaptor with zoom/focus knob	 <b>21230</b> Extension ring 30 with Focus knob	 <b>18811</b> N120 140mm optical glass fisheye port with removable shade	***Remove shade when used on a full frame camera
	Metabones EF Lens to NEX Smart Adapter III w/ Sigma 15mm F2.8 EX DG Diagonal Fisheye	 <b>19546</b> SC15-F	 <b>37301</b> N100 to N120 40mm port adaptor with zoom/focus knob		 <b>18810 (*1)</b> N120 140mm optical glass fisheye port	 <b>18802</b> 8.5" acrylic dome port
NIKONOS	U/W Nikkor 15 mm f/2.8		 <b>37201</b> Nikonos Adaptor for NA-A7			 <b>36317</b> Filter holder for Nikonos adaptor
	U/W Nikkor 20 mm f/2.8					
	U/W Nikkor 80mm f/4					
	Sea & Sea 12mm f/3.5 Fisheye for Nikonos					
EF mount Lenses	EF mount lenses with Metabones EF Lens to NEX Smart Adapter III / IV <i>*See Canon N120 Port System for available lenses</i>	See Canon N120 Port System	 <b>37301</b> N100 to N120 40mm port adaptor with zoom/focus knob	See Canon N120 Port System	See Canon N120 Port System	















# N100 Port System for Sony A9/A7II/A7R II/A7S II System


	LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
MACRO	Sony SEL50M28 FE 50mm F2.8 Macro			 <b>37402</b> N100 Extension ring 40	 <b>37127</b> N100 Flat Port 32	*Wet Dioptors are not compatible with this lens **slightly vignette at infinity
	Sony SEL90M28G FE 90mm F2.8 Macro G OSS	 <b>37147</b> SE90-F			 <b>37126</b> N100 Macro port 105	 <b>25101</b> M67 Flip diopter holder for M67 macro ports
STANDARD/ZOOM	Sony SEL2470GM FE 24-70mm F2.8 GM	 <b>37151</b> SFE2470GM-Z  <b>37152</b> SFE2470GM-F	 <b>37303</b> N100 to N120 35.5mm port adaptor with zoom/focus knob	 <b>21160</b> Extension ring 60 with lock	 <b>18809</b> 180mm optical glass wide angle port	
	Sony SEL2470Z Vario-Tessar T* FE 24-70mm F4 ZA OSS	 <b>37149</b> SE2470-Z	 <b>37302</b> N100 to N120 port adaptor with lock for SEL2470Z	 <b>37401+37401</b> N100 Extension ring 30+30	 <b>37129</b> N100 180mm optical glass wide angle port  <b>18809</b> 180mm optical glass wide angle port	
		 <b>37148</b> SE2470-F	 <b>37303</b> N100 to N120 35.5mm port adaptor with zoom/focus knob	 <b>21130</b> Extension ring 30 with lock	 <b>18809</b> 180mm optical glass wide angle port	
	Sony SEL28F20 FE 28mm F2	 <b>37150</b> SE28-F			 <b>37127</b> N100 Flat Port 32	 <b>83201</b> Wet Wide Lens 1 (WWL-1)
	Sony SEL2870 FE 28-70mm F3.5-5.6 OSS	 <b>37141</b> SE2870-Z			 <b>37124</b> Flat Port 66 with M77 thread	 <b>25103</b> M67 flip diopter holder for M77 macro ports
Sony SEL35F28Z Sonnar T* FE 35mm F2.8 ZA				 <b>37122</b> 4" wide angle port		
Sony SEL55F18Z AE Sonnar T* FE 55mm F1.8 ZA				 <b>37123</b> N100 Macro Port 55	 <b>25101</b> M67 Flip diopter holder for M67 macro ports	
WIDE/ZOOM	Sony SEL1224G FE 12-24mm F4 G	 <b>37153</b> SFE1224-Z  <b>37154</b> SFE1224-F	 <b>37303</b> N100 to N120 35.5mm port adaptor with zoom/focus knob	 <b>37403</b> N100 Extension ring 50  <b>21140</b> Extension ring 40 with lock	 <b>37129</b> N100 180mm optical glass wide angle port  <b>18812 (*1)</b> 230mm optical glass fisheye port II	
	Sony SEL1635Z Vario-Tessar T* FE 16-35mm F4 ZA OSS	 <b>37145</b> SE1635-Z  <b>37146</b> SE1635-F	 <b>37303</b> N100 to N120 35.5mm port adaptor with zoom/focus knob	 <b>37401+37403</b> N100 Extension ring 30+50  <b>21150</b> Extension ring 50 with lock	 <b>37129</b> N100 180mm optical glass wide angle port  <b>18809</b> 180mm optical glass wide angle port	
	Zeiss Batis 2.8/18		 <b>37303</b> N100 to N120 35.5mm port adaptor with zoom/focus knob	 <b>37401+37401</b> N100 Extension ring 30+30  <b>21120</b> Extension ring 20 with lock	 <b>37129</b> N100 180mm optical glass wide angle port  <b>18809</b> 180mm optical glass wide angle port	





































## N100 Port System for Sony A9/A7II/A7R II/A7S II System

	LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
WIDE/ZOOM	Sony SEL28F20 + SEL075UWC FE 28mm F2 + FE Ultra wide adaptor		 <b>37303</b> N100 to N120 35.5mm port adaptor with zoom/focus knob	 <b>21130</b> Extension ring 30 with lock	 <b>18809</b> 180mm optical glass wide angle port	
	Sony SEL28F20 + SEL057FEC FE 28mm F2 + FE Fisheye adaptor		 <b>37303</b> N100 to N120 35.5mm port adaptor with zoom/focus knob	 <b>21120</b> Extension ring 20 with lock	 <b>18810</b> N120 140mm optical glass fisheye port	
FISHEYE/ZOOM	Metabones EF Lens to NEX Smart Adapter III w/ Sigma 15mm F2.8 EX DG Diagonal Fisheye	 <b>19546</b> SC15-F	 <b>37303</b> N100 to N120 35.5mm port adaptor with zoom/focus knob		 <b>18810</b> N120 140mm optical glass fisheye port	
	U/W Nikkor 15 mm f/2.8 U/W Nikkor 20 mm f/2.8 U/W Nikkor 80mm f/4 Sea & Sea 12mm f/3.5 Fisheye for Nikonos			 <b>37202</b> Nikonos adaptor for NA-A7II/A9		 <b>36317</b> Filter holder for Nikonos adaptor
NIKONOS						
EF mount Lenses	EF mount lenses with Metabones EF Lens to NEX Smart Adapter III / IV <i>*See Canon N120 Port System for available lenses</i>	See Canon N120 Port System	 <b>37303</b> N100 to N120 35.5mm port adaptor with zoom/focus knob	See Canon N120 Port System	See Canon N120 Port System	


# N85 Port System for Nikon 1 System




























































# N85 Port System for Canon EF-M System

	LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
MACRO	EF-EOS M adaptor with Canon EF-S 60mm f2.8 Macro USM	 <b>36192</b> CMEF60-F  <b>19521</b> C60-F	 <b>36184*</b> N85 to N120 41.5mm port adaptor with zoom/focus knob <i>*Compatible with NA-EOSM5 only</i>		 <b>36182</b> Macro port for CMEF60  <b>18704</b> Macro port 41	 <b>25101</b> M67 Flip diopter holder for M67 macro ports  <b>25101</b> M67 Flip diopter holder for M67 macro ports
	EF-EOS M adaptor with Canon EF 100mm f/2.8L Macro IS USM	 <b>19523</b> C100IS-F	 <b>36184*</b> N85 to N120 41.5mm port adaptor with zoom/focus knob <i>*Compatible with NA-EOSM5 only</i>		 <b>18703</b> Macro port 94  <b>18704</b> Macro port 41	 <b>25101</b> M67 Flip diopter holder for M67 macro ports  <b>25101</b> M67 Flip diopter holder for M67 macro ports
STANDARD/ZOOM	Canon EF-M 15-45mm f/3.5-6.3 IS STM	 <b>36195</b> CM1545-Z			 <b>36135</b> Macro port 45	 <b>83201</b> Wet Wide Lens 1 (WWL-1)
	Canon EF-M 18-55mm f/3.5-5.6 IS STM	 <b>36191</b> CM1855-Z			 <b>36181</b> 4" semi-dome port	
	Canon EF-M 22mm f/2 STM				 <b>36131</b> 3.5" wide angle port  <b>36126</b> E16 pancake port	 <b>83201</b> Wet Wide Lens 1 (WWL-1)
WIDE/ZOOM	Canon EF-M 11-22mm f/4-5.6 IS STM	 <b>36194</b> CM1122-Z			 <b>36129</b> 7" acrylic dome port  <b>36133</b> 6" wide angle port  <b>36181</b> 4" semi-dome port  <b>36204</b> N85 to N120 60mm port adaptor  <b>18809 (*1)</b> 180mm optical glass wide angle port	
	EF-EOS M adaptor with Canon EF 8-15mm f/4L Fisheye USM	 <b>36193</b> CMEF815-Z  <b>19537</b> C815-Z	 <b>36184*</b> N85 to N120 41.5mm port adaptor with zoom/focus knob <i>*Compatible with NA-EOSM5 only</i>	 <b>21130</b> Extension ring 30 with lock	 <b>36183</b> 4.33" dome port for CMEF815  <b>18811 (*1)</b> N120 140mm optical glass fisheye port with removable shade	
F mount Lenses	Canon EF mount lenses with Canon EF-EOS M adaptor <i>*See Canon N120 Port System for available lenses</i>	See Canon N120 Port System	 <b>36184*</b> N85 to N120 41.5mm port adaptor with zoom/focus knob <i>*Compatible with NA-EOSM5 only</i>	See Canon N120 Port System	See Canon N120 Port System	



















































## N85 Port System for Fujifilm X-mount System
















































# N120 Port System for BMCC & Red™ System (Canon mount)

	LENS	ZOOM GEAR	FOCUS GEAR	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
MACRO	Canon EF-S 60mm f/2.8 Macro USM		 <b>19521</b> C60-F		 <b>18704</b> Macro port 41	 <b>25101</b> M67 Flip diopter holder for M67 macro ports
	Canon EF 100mm f/2.8L Macro IS USM		 <b>19523</b> C100IS-F		 <b>18703</b> Macro port 94	 <b>25101</b> M67 Flip diopter holder for M67 macro ports
STANDARD/ZOOM	Canon EF 24-70mm f/2.8L II USM	 <b>16313</b> RC2470II-Z	 <b>16314</b> RC2470II-F	 <b>21170</b> Extension ring 70 with lock	 <b>18802</b> 8.5" acrylic dome port	
					 <b>18812 (*1)</b> 230mm optical glass fisheye port II	
STANDARD/ZOOM	Sigma 18-35mm f1.8 DC HSM   A	 <b>16326</b> RSC1835f.18-Z	 <b>16326</b> RSC1835f.18-F	 <b>21180</b> Extension ring 80 with lock	 <b>18802</b> 8.5" acrylic dome port	
				 <b>21150+21150</b> Extension ring 100 with lock	 <b>18815</b> 250mm optical glass wide angle port II	
WIDE/ZOOM	Canon EF-S 10-22mm f/3.5-4.5 USM	 <b>16303</b> RC1022-Z	 <b>16304</b> RC1022-F	 <b>21180</b> Extension ring 80 with lock	 <b>18812</b> 230mm optical glass fisheye port II	
				 <b>21180</b> Extension ring 80 with lock	 <b>18809 (*1)</b> 180mm optical glass wide angle port	
WIDE/ZOOM	Canon EF-S 10-22mm f/3.5-4.5 USM	 <b>16303</b> RC1022-Z	 <b>16304</b> RC1022-F	 <b>21160</b> Extension ring 60 with lock	 <b>18802</b> 8.5" acrylic dome port	
				 <b>21120</b> Extension ring 20 with lock	 <b>23211</b> 8.5" white balance acrylic dome port	
WIDE/ZOOM	Canon EF 11-24mm f/4L USM	 <b>16315</b> RC1124-Z	 <b>16316</b> RC1124-F	 <b>21160</b> Extension ring 60 with lock	 <b>18807</b> 250mm optical glass wide angle port	
				 <b>21160</b> Extension ring 60 with lock	 <b>18812 (*1)</b> 230mm optical glass fisheye port II	
WIDE/ZOOM	Canon EF 11-24mm f/4L USM	 <b>16315</b> RC1124-Z	 <b>16316</b> RC1124-F	 <b>21150</b> Extension ring 50 with lock <i>*Compatible from SN:A213191 onwards</i>	 <b>18815 (*1)</b> 250mm optical glass wide angle port II	
				 <b>21170</b> Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	 <b>18812</b> 230mm optical glass fisheye port II	
WIDE/ZOOM	Canon EF 11-24mm f/4L USM	 <b>16315</b> RC1124-Z	 <b>16316</b> RC1124-F	 <b>21271</b> Extension ring 70 with focus knob for Canon EF 11-24mm f4L USM	 <b>18812</b> 230mm optical glass fisheye port	
				 <b>21170</b> Extension ring 70 with lock	 <b>18802</b> 8.5" acrylic dome port	
WIDE/ZOOM	Canon EF 16-35mm f/2.8L II USM	 <b>16311</b> RC1635II-Z	 <b>16312</b> RC1635II-F	 <b>21180</b> Extension ring 80 with lock	 <b>18807</b> 250mm optical glass wide angle port	
				 <b>21180</b> Extension ring 80 with lock	 <b>18812 (*1)</b> 230mm optical glass fisheye port II	
WIDE/ZOOM	Canon EF 16-35mm f/2.8L II USM	 <b>16311</b> RC1635II-Z	 <b>16312</b> RC1635II-F	 <b>21170</b> Extension ring 70 with lock	 <b>18809</b> 180mm optical glass wide angle port	

# N120 Port System for BMCC & Red™ System (Canon mount)


























LENS	ZOOM GEAR	FOCUS GEAR	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES	
WIDE/ZOOM	Canon EF 16-35mm f/4L IS USM	 <b>16317</b> RC1635f4-Z	 <b>16318</b> RC1635f4-F	 <b>21170</b> Extension ring 70 with lock  <b>21180</b> Extension ring 80 with lock  <b>21180</b> Extension ring 80 with lock  <b>21170</b> Extension ring 70 with lock	 <b>18802</b> 8.5" acrylic dome port  <b>18807</b> 250mm optical glass wide angle port  <b>18812 (*1)</b> 230mm optical glass fisheye port II  <b>18809</b> 180mm optical glass wide angle port	
	Canon EF 16-35mm f/2.8L III USM	 <b>16325</b> RC1635III-Z	 <b>16325</b> RC1635III-F	 <b>21190</b> Extension ring 90 with lock  <b>21190</b> Extension ring 90 with lock  <b>21190</b> Extension ring 90 with lock  <b>21180</b> Extension ring 80 with lock  <b>21155*</b> Extension ring 55 with lock <i>*Compatible from SN:A055053 onwards</i>	 <b>18802</b> 8.5" acrylic dome port  <b>18815</b> 250mm optical glass wide angle port II  <b>18812 (*1)</b> 230mm optical glass fisheye port II  <b>18809</b> 180mm optical glass wide angle port  <b>18812</b> 230mm optical glass fisheye port II	
	Zeiss Distagon T* 2,8/15 ZE		 <b>16319</b> ZC15-F		 <b>18812</b> 230mm optical glass fisheye port II	
	Sigma 8-16mm F4.5-5.6 DC HSM	 <b>16305</b> RSC816-Z	 <b>16306</b> RSC816-F	 <b>21150</b> Extension ring 50 with lock  <b>21150</b> Extension ring 50 with lock  <b>21150</b> Extension ring 50 with lock  <b>21140</b> Extension ring 40 with lock	 <b>18802</b> 8.5" acrylic dome port  <b>18807</b> 250mm optical glass wide angle port  <b>18812 (*1)</b> 230mm optical glass fisheye port II  <b>18809</b> 180mm optical glass wide angle port	
	Sigma 12-24mm F4 DG HSM   Art	 <b>16327</b> RSC1224A-Z	 <b>16327</b> RSC1224A-F	 <b>21160</b> Extension ring 60 with lock <i>*Compatible from SN:A143566 onwards</i>  <b>21150</b> Extension ring 50 with lock <i>*Compatible from SN:A213191 onwards</i>	 <b>18812 (*1)</b> 230mm optical glass fisheye port II  <b>18815</b> 250mm optical glass wide angle port II	
	Tokina AT-X 116 PRO DX AF 11-16mm f/2.8	 <b>16309</b> RTC1116-Z	 <b>16310</b> RTC1116-F	 <b>21160</b> Extension ring 60 with lock  <b>21160</b> Extension ring 60 with lock  <b>21160</b> Extension ring 60 with lock  <b>21160</b> Extension ring 60 with lock	 <b>18802</b> 8.5" acrylic dome port  <b>18807</b> 250mm optical glass wide angle port  <b>18812 (*1)</b> 230mm optical glass fisheye port II  <b>18809</b> 180mm optical glass wide angle port	


## N120 Port System for BMCC & Red™ System (Canon mount)

	LENS	ZOOM GEAR	FOCUS GEAR	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
WIDE/ZOOM	Tokina AT-X 11-20 F2.8 PRO DX AF 11-20mm F2.8	 <b>16328</b> RTC1120-Z	 <b>16328</b> RTC1120-F	 <b>21160</b> Extension ring 60 with lock  <b>21160</b> Extension ring 60 with lock  <b>21160</b> Extension ring 60 with lock  <b>21160</b> Extension ring 60 with lock	 <b>18802</b> 8.5" acrylic dome port  <b>18807</b> 250mm optical glass wide angle port  <b>18812 (*1)</b> 230mm optical glass fisheye port II  <b>18809</b> 180mm optical glass wide angle port	
	Canon EF 8-15mm f/4L Fisheye USM	 <b>16301</b> RC815-Z	 <b>16302</b> RC815-F	 <b>21130</b> Extension ring 30 with lock  <b>21130</b> Extension ring 30 with lock  <b>21130</b> Extension ring 30 with lock	 <b>18802</b> 8.5" acrylic dome port  <b>18812</b> 230mm optical glass fisheye port II  <b>18810 (*1)</b> N120 140mm optical glass fisheye port	
	Canon EF 8-15mm f/4L Fisheye USM with Kenko 1.4x Teleplus Pro 300 DGX	 <b>16322</b> RC815-Z+1.4	 <b>16323</b> RC815-F+1.4	 <b>21150</b> Extension ring 50 with lock  <b>21150</b> Extension ring 50 with lock  <b>21150</b> Extension ring 50 with lock	 <b>18802</b> 8.5" acrylic dome port  <b>18812</b> 230mm optical glass fisheye port II  <b>18810 (*1)</b> N120 140mm optical glass fisheye port	
FISHEYE/ZOOM	Tokina AT-X 107 AF DX Fisheye AF 10-17mm f/3.5-4.5	 <b>16307</b> RTC1017-Z	 <b>16308</b> RTC1017-F	 <b>21120</b> Extension ring 20 with lock  <b>21120</b> Extension ring 20 with lock  <b>21110</b> Extension ring 10 with screws	 <b>18804</b> 4.33" acrylic dome port For Tokina 10-17 Lens  <b>18802</b> 8.5" acrylic dome port  <b>18812</b> 230mm optical glass fisheye port II  <b>18810 (*1)</b> N120 140mm optical glass fisheye port	
	Tokina AT-X 107 AF DX Fisheye with Kenko 1.4x Teleplus Pro 300 DGX	 <b>16320</b> RTC1017-Z+1.4	 <b>16321</b> RTC1017-F+1.4	 <b>21120</b> Extension ring 20 with lock  <b>21140</b> Extension ring 40 with lock  <b>21140</b> Extension ring 40 with lock  <b>21130</b> Extension ring 30 with lock	 <b>18804</b> 4.33" acrylic dome port For Tokina 10-17 Lens  <b>18802</b> 8.5" acrylic dome port  <b>18812</b> 230mm optical glass fisheye port II  <b>18810 (*1)</b> N120 140mm optical glass fisheye port	




## N100 0.36x Wide Angle Conversion Port (For Full Frame 28mm Lenses)











	LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
NIKON	Nikon AF-S Nikkor 28mm f/1.8 G		 <b>85222</b> N120 to N100 40mm Port Adaptor	 <b>21120</b> Extension ring 20 with lock	 <b>85201</b> N100 0.36x Wide Angle Conversion Port	
	Nikon AF Nikkor 28mm f/2.8D		 <b>85221</b> N120 to N100 35mm Port Adaptor		 <b>85201</b> N100 0.36x Wide Angle Conversion Port	
	Nikon AF Nikkor 28-70mm f/3.5-4.5D	 <b>19148</b> N287of3.5D-Z	 <b>85222</b> N120 to N100 40mm Port Adaptor	 <b>21130</b> Extension ring 30 with lock	 <b>85201</b> N100 0.36x Wide Angle Conversion Port	
CANON	Canon EF 28mm f/1.8 USM		 <b>85222</b> N120 to N100 40mm Port Adaptor		 <b>85201</b> N100 0.36x Wide Angle Conversion Port	
	Canon EF 28mm f/2.8 IS USM		 <b>85221</b> N120 to N100 35mm Port Adaptor		 <b>85201</b> N100 0.36x Wide Angle Conversion Port	
	Canon EF 28-70mm f/3.5-4.5 II	 <b>19557</b> C287of3.5II-Z	 <b>85222</b> N120 to N100 40mm Port Adaptor	 <b>21120</b> Extension ring 20 with lock	 <b>85201</b> N100 0.36x Wide Angle Conversion Port	
	Canon EF 28-80mm f/3.5-5.6 II	 <b>19558</b> C288of3.5II-Z	 <b>85221</b> N120 to N100 35mm Port Adaptor	 <b>21130</b> Extension ring 30 with lock	 <b>85201</b> N100 0.36x Wide Angle Conversion Port	
	Canon EF 28-80mm f/3.5-5.6 V USM	 <b>19559</b> C288of3.5V-Z	 <b>85222</b> N120 to N100 40mm Port Adaptor	 <b>21120</b> Extension ring 20 with lock	 <b>85201</b> N100 0.36x Wide Angle Conversion Port	



## N120 Port System for PhaseOne System



# N120 Port System for Hasselblad System

LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
Hasselblad HC Macro 4/120 mm-II		 <b>18211</b> Compact port base	 <b>18550+18550</b> Compact port ext. 50+50	 <b>18302</b> Compact port 50	
Hasselblad HC 2,8/80 mm		 <b>18211</b> Compact port base		 <b>18303</b> Compact port 15	
Hasselblad HC 3,5/50 mm-II			 <b>21140+21140</b> Ext. ring 40+40 with lock	 <b>18801</b> 6" acrylic wide angle port	
Hasselblad HC 3,5/35 mm				 <b>18806</b> 8.5" acrylic dome port for Hasselblad HCD 4/28 mm	
Hasselblad HCD 4/28 mm				 <b>18806</b> 8.5" acrylic dome port for Hasselblad HCD 4/28 mm	
Hasselblad HCD 4.8/24mm				 <b>18806</b> 8.5" acrylic dome port for Hasselblad HCD 4/28 mm	

# N120 Port System for Sony PXW-Z100 & FDR-AX1 Camcorder

LENS

GEAR

PORT BASE

EXTENSIONS

LENS PORT

OPTIONAL ACCESSORIES

Sony PXW-Z100 & FDR-AX1 Camcorder



**16441**  
Flat port with M95 thread for NA-Z100



**21110**  
Extension ring 10 with screws



**18809**  
180mm optical glass wide angle port