

OUR SAFETY DATA SHEET FOR

Heavy Duty Toilet Cleaner & Limescale Remover

1. Identification of the substance/mixture & of the company/undertaking

1.1 Product Identify

Product Name: Heavy Duty Toilet Cleaner & Limescale Remover
Product Code: LSR010 (ready-to-use)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture: Descaler and cleaner.
Recommended restrictions on use: We do not have information on restrictions. They will be included when available.

1.3 Details of the supplier of the safety data sheet

Company: Delphis Eco, c/o Sustainable County Hall, 3rd Floor, Riverside Building
County Hall, Westminster Bridge Road, London SE1 7PB

1.4 Emergency telephone number

Emergency phone number: t. 0203 397 0096 (office hours only) e: sales@delphiseco.com

2. Hazards Identification

2.1 Classification of the substance or mixture

Classification under CLP: Skin Corr. 1B: H314
Most important adverse effects: Causes severe skin burns and eye damage.

2.2 Label elements

Label elements under CLP:
Hazard statements: H314: Causes severe skin burns and eye damage.



Signal words: Danger
Hazard pictograms: GHS05: Corrosion
Precautionary statements: P280: Wear hand protection.
P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+361+353: IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water/shower.
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310: Immediately call a doctor.

2.3 Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

3. Composition/Information on Ingredients

3.2 Mixtures

Ingredient Name	EINECS	CAS	CLP Classification	Percent
SULPHAMIC ACID (REACH registered number(s): 01-2119488633-28)	226-218-8	5329-14-6	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Aquatic Chronic 3: H412	5-10%
METHANE SULPHONIC ACID (REACH registered number(s): 01-2119491166-34)	200-898-6	75-75-2	Met. Corr. 1: H290; Skin Corr. 1B: H314	1-5%

4. First Aid Measures

4.1 Description of first aid measures

Eye contact: Avoid contact with eyes, if product gets into eyes, rinse with water.
Skin contact: Avoid contact with skin, if product gets onto skin wash with water and remove contaminated clothing.
Ingestion: Do not drink, if swallowed drinking water may be beneficial, do not induce vomiting.
Inhalation: Avoid inhaling product, move to fresh air if in discomfort.

OUR SAFETY DATA SHEET FOR

Product name: Heavy Duty Toilet Cleaner & Limescale Remover
Product code: LSR010
Page: 2 of 5



DELPHIS
eco
PROFESSIONAL CLEANING

4.2 Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact. Severe burns may occur.
Eye contact: Corneal burns may occur. May cause permanent damage.
Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.
There may be vomiting and diarrhoea.
Inhalation: Exposure may cause coughing or wheezing.
Delayed effects: Immediate effects can be expected after short-term exposure..

4.3 Indication of immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

5. Fire Fighting Measures

5.1 Extinguishing Media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2 Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3 Advice for fire fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2 Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3 Methods and materials for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4 Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

7. Handling and Storage

7.1 Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

7.3 Specific end use

Specific end use(s): No data available.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Workplace exposure limits: No data available.
DNEL / PNEC Values: No data available.

8.2 Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.
Respiratory protection: Not normally required. However, inhalation of vapour or spray should be avoided.
Hand protection: Wear protective gloves.
Eye protection: Wear safety glasses with side-shields. Ensure eye bath is to hand.
Skin protection: Wear protective clothing.

OUR SAFETY DATA SHEET FOR

Product name: Heavy Duty Toilet Cleaner & Limescale Remover
Product code: LSR010
Page: 3 of 5

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

State: Liquid
Colour: Pale yellow
Odour: Pleasant
Evaporation rate: Slow
Solubility in water: Soluble
Viscosity: Viscous
Boiling point/range°C: 100
Relative density: 1.080 typical
Melting point/range°C: 0
pH: 2.0

9.2 Other Information

Other information: No data available.

10. Stability and Reactivity

10.1 Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2 Chemical Stability

Chemical stability: Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

10.4 Conditions to Avoid

Conditions to avoid: Heat. Hot surfaces.

10.5 Incompatible materials

Materials to avoid: Strong oxidising agents. Strong bases.

10.6 Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

11. Toxicological Information

11.1 Information on toxicological effects

Hazardous ingredients:

SULPHAMIC ACID			
DERMAL	RBT	LD50	>2000 mg/kg
ORAL	RAT	LDLO	316 mg/kg

METHANE SULPHONIC ACID			
ORL	RAT	LD50	200 mg/kg
SKN	GPG	LD50	>2 gm/kg

Relevant hazards for substance:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Skin contact: There may be irritation and redness at the site of contact. Severe burns may occur.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.
There may be vomiting and diarrhoea.

Inhalation: Exposure may cause coughing or wheezing.

Delayed effects: Immediate effects can be expected after short-term exposure.

OUR SAFETY DATA SHEET FOR

Product name: Heavy Duty Toilet Cleaner & Limescale Remover
Product code: LSR010
Page: 4 of 5

12. Ecological Information

12.1 Toxicity

Hazardous ingredients:

SULPHAMIC ACID		
DAPHNIA	48H EC50	71.6 mg/l
METHANE SULPHONIC ACID		
Daphnia magna	48H EC50	10-100 mg/l
GREEN ALGA (Selenastrum capricornutum)	72H ErC50	10-100 mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	10-100 mg/l
SHEEPSHEAD MINNOWS (Cyprintodon variegat)	96H LC50	>10000 mg/l

12.2 Persistence and Degradability

Persistence and degradability: Biodegradable. The surfactant(s) contained in this preparation complies (comply) with the Biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents, (or are undergoing testing to obtain a derogation within the terms of the directive). Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3 Bio-accumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4 Mobility in soil

Mobility: Readily absorbed into soil.

12.5 Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6 Other adverse effects

Other adverse effects: Negligible ecotoxicity.

13. Disposal Recommendations

13.1 Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.
NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. Transport Information

14.1. UN Number

UN number: UN3265

14.2. UN proper shipping name

Corrosive Liquid, Acidic, Organic, N.O.S. (Methane Sulphonic Acid)

14.3. Transport Hazard Class(es)

Transport Class: 8

14.4. Packing Group

Packing group: III

14.5. Environmental Hazards

Environmentally hazardous: No
Marine pollutant: No

14.6. Special precautions for user

Special precautions: Limited quantity - 2 ltr /kg
Tunnel Code: E
Transport Category: 3

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific or the substance or mixture

Labelling in accordance with the Detergents Directive EC 648/2004:
Less than 5% anionic surfactants

OUR SAFETY DATA SHEET FOR

Product name: Heavy Duty Toilet Cleaner & Limescale Remover
Product code: LSR010
Page: 5 of 5



DELPHIS
eco
PROFESSIONAL CLEANING

16. Other Information

This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010. * indicates text in the SDS which has changed since the last revision. Phrases used in s.2 and s.3:

- H290: May be corrosive to metals
- H314: Causes severe skin burns and eye damage
- H315: Causes skin irritation
- H318: Causes serious eye damage
- H319: Causes serious eye irritation
- H412: Harmful to aquatic life with long lasting effects

Training Advice: Normal use of this product shall imply use in accordance with the instructions on the packaging. Users should be trained in good industrial hygiene practise. This data sheet does not constitute an assessment of the workplace risks as required under the provisions of the Health & Safety at Work act and the Control of Substances Hazardous to Health (COSHH). Do not mix with other chemicals.

Date: 18.10.22

Legal Disclaimer: The information supplied above is based upon the present state of our knowledge of the product at the time of publication. It is given in good faith and no warranty is implied with respect to the specification or quality of the product. The user must satisfy himself that the product is entirely suitable for his purpose.

Revision Number: 9.0