



CERTIFICATE OF ANALYSIS

Sample Description: Natural CBD Relief Stick 1.5oz	Quote/PO Reference: N/A
	Customer: Dr Kerklaan
Batch/Lot: 15021113	Date of Receipt: 06/21/2021
SKU/Identification Number: 1002-RL3-150	Date of Testing: 06/21/2021
Accession Number: 21-21523	Date of Report: 06/26/2021

Test Name	Method	Results
CBD Assay	AOAC 2018.11/JAOAC Vol 98 Issue 6 (modified)	4.41 mg/g
THC	AOAC SMPR 2017.001 & 2017.002 or AHP or equivalent, modified	<0.1%
Total Aerobic Microbial Count (TAMC/APC)	USP61 (modified)	<10 cfu/g or mL
Total Combined Yeasts and Molds Count (TYMC)	USP61 (modified)	<10 cfu/g or mL
E.coli	USP62 (modified)	Absent /g or mL
Pseudomonas aeruginosa	USP62 (modified)	Absent /g or mL
Staphylococcus aureus	USP62 (modified)	Absent /g or mL

Test procedures and methods used for testing are per method referenced above. Modification of test method may be done suitability to sample matrix.

Comments (if any): CBD, 180mg/44mL THC, < 0.1%

06/26/2021

Laboratory In-charge/Director
Prashant Ingle

Date



Results relate only to the items tested on this report. This report is only for sample(s) submitted by customer to Progressive GMP™ Labs (PGL). Customer assumes all liabilities and responsibility regarding interpretation of test results reported on this certificate of analysis (COA). Customer waives all claims and liabilities against PGL or any of its employees or affiliates. Information, results, and content of this COA shall not be reproduced partly or fully without written permission from PGL Lab In-charge/Director.

ISO certificate number: 0088370