



CERTIFICATE OF ANALYSIS

| | |
|---|---|
| Sample Description: DR. Kerklaan Natural CBD Skin Cream 60 mg CBD 1 fl oz 29 mL (B)(M)(E)(FG) | Quote/PO Reference: |
| | Customer: Cosmetic Development Labs (CDL) |
| Batch/Lot: Y1A11A | Date of Receipt: 01/13/2021 |
| SKU/Identification Number: FN-P-2952B | Date of Testing: 01/13/2021 |
| Accession Number: 21-16292 | Date of Report: 01/14/2021 |

| Test Name | Method | Results |
|-----------|--|------------|
| CBD Assay | AOAC SMPR 2017.001 & 2017.002 or AHP or equivalent, modified | 2.29 mg/g |
| THC | AOAC SMPR 2017.001 & 2017.002 or AHP or equivalent, modified | <0.01 mg/g |

Test procedures and methods used for testing are per method referenced above. Modification of test method may be done suitability to sample matrix.

Comments (if any): Composite Test. RUSH TEST

01/14/2021

Laboratory In-charge/Director
Prashant Ingle

Date



This report is only for sample(s) submitted by customer to Progressive GMP™ Labs (PGL). Customer assumes all liabilities and responsibility regarding interpretation of test results reported on this certificate of analysis (COA). Customer waives all claims and liabilities against PGL or any of its employees or affiliates. Information, results, and content of this COA shall not be reproduced partly or fully without written permission from PGL Lab In-charge/Director.

ISO certificate number: 0088370