

ANONIMO

USER GUIDE

EPURATO

EPURATO

Ref. AM-4000



- A Hour hand treated with Super-LumiNova®
- B Minute hand treated with Super-LumiNova®
- C Central second hand
- D Water-resistant crown
- E Date display

Position 1: The watch water resistance is guaranteed. In this position, the watch can be wound manually (see “Getting started”).

Position 2: Date setting.

Position 3: Time setting.

WARNING: Always push the crown after setting the watch to ensure water resistant.

NOTE: When the watch has not been worn or wound for more than 35 hours, it is recommended to rewind it in order to ensure sufficient power reserve and accurate operation (see “Getting started”).

GETTING STARTED

When the watch is used for the first time or when it stops, it must be wound manually as follow:

1. Turn the crown clockwise for 15 -20 rotations to fully wind the movement.

NOTE: When the watch has not been worn or wound for more than 35 hours, it is recommended to rewind it in order to ensure sufficient power reserve and accurate operation (see “Getting started”).

DATE SETTING

1. Setting the date: pull out the crown to the first click (position 2). Rotate the crown clockwise to set the date.

WARNING: *In this position water resistance is not guaranteed and the crown is not protected by the crown guard of the case.*

2. Ensure the crown is correctly set back to its initial position (position 1). In this position, the watch is water-resistant to 5 ATM.

WARNING: *Always push the crown after setting the watch to ensure water resistant.*

TIME SETTING

1. Setting the time: pull out the crown completely to the second click (position 3). Rotate the crown counterclockwise to set the time.

WARNING: *In this position water resistance is not guaranteed and the crown is not protected by the crown guard of the case.*

2. Ensure the crown is correctly set back to its initial position (position 1). In this position, the watch is water-resistant to 5 ATM.

WARNING: Always push the crown after setting the watch to ensure water resistant.

TECHNICAL FEATURES

Case

Bronze, steel 316L or steel 316L treated DLC depending on the models, diameter 42 mm, height 11.60 mm, cushion shape, sapphire crystal with anti-reflective coating, open case-back.

Dial

Various colours and finishing with applied indexes.

Movement

Sellita SW200-1 self-winding mechanical calibre – 11 ½ ””, date display at 6 o'clock, 26 jewels, 28'800 A/h (4 Hz), power reserve 38 hours minimum, customised ANONIMO oscillating weight.

Water Resistance

5 ATM.

Strap / Buckle

Depending on the models: various colours of calf leather, various colours of kudu leather or dark green felt, all handmade in Italy – bronze, steel or DLC treated steel pin buckle.