SAFETY DATA SHEET



INSTASTRIP

APPLIED PRODUCTS AUSTRALIA PTYLTD

Catalogue number: AP400 Version No: 1.4

Issue date: 13/01/2017

Safety Data Sheet according to WHS and ADG requirements

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier	
Product name	INSTASTRIP
Synonyms	AP400
Proper shipping name	CORROSIVE LIQUID, N.O.S.
Other means of identification	Not Available
Relevant identified uses of	the substance or mixture and uses advised against
Relevant identified uses	Floor coatings and wax remover
Details of the manufacturer	/importer
Registered company name	APPLIED PRODUCTS AUSTRALIA PTY LTD
Address	11 Gamma Close, Beresfield 2322 NSW Australia
Telephone	(02) 4966 5516
Fax	(02) 4966 5510
Website	www.actichem.com.au
Email	info@actichem.com.au
Emergency telephone numl	ber
Association / Organisation	Poisons Information Centre
Emergency telephone numbers	13 11 26
Other emergency telephone numbers	Not Available

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

HAZARDOUS CHEMICAL. DANGEROUS GOODS. According to the Model WHS Regulations and the ADG Code

Poisons Schedule	7			
GHS Classification ^[1]	Serious Eye Damage Category 1, Skin Corrosion/Irritation Category 1B, Acute Toxicity (Oral) Category 4, Metal Corrosion Category 1,			
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HSIS; 3. Classification drawn from EC Directive 1272/2008 - Annex VI			
elements				
GHS label elements				
SIGNAL WORD	DANGER			
I statement(s)				
H318	Causes serious eye damage			
H318 H314	Causes serious eye damage Causes severe skin burns and eye damage			
H314	Causes severe skin burns and eye damage			
H314 H302	Causes severe skin burns and eye damage Harmful if swallowed May be corrosive to metals			
H314 H302 H290	Causes severe skin burns and eye damage Harmful if swallowed May be corrosive to metals			
H314 H302 H290 Itionary statement(s)	Causes severe skin burns and eye damage Harmful if swallowed May be corrosive to metals Prevention			
H314 H302 H290 Itionary statement(s) P260	Causes severe skin burns and eye damage Harmful if swallowed May be corrosive to metals Prevention Do not breathe fumes / vapours / spray.			

Precautionary statement(s) Response

P301+P310+P330+P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting.				
P303+P310+P363+P361+P353	F ON SKIN (or hair): Immediately call a POISON CENTER or doctor. Take off immediately all contaminated clothing and wash before reuse. Rinse skin with rater/shower.				
P305+P310+P351+P338	IF IN EYES: Immediately call a POISON CENTER or doctor. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.				
P304+P310+P340	IF INHALED: Immediately call a POISON CENTER or doctor. Remove person to fresh air and keep in a position comfortable for breathing.				
P390	Absorb spillage to prevent material damage.				
Precautionary statement(s)	Storage				
P403+P405+P233	33 Store locked up, in a well-ventilated place. Keep container tightly closed.				
Precautionary statement(s) Disposal					
P501	Dispose of contents/container in accordance with local regulations.				

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
1310-73-2	<10	sodium hydroxide
141-43-5	<10	monoethanolamine
111-76-2	<10	ethylene glycol monobutyl ether
9016-45-9	<10	nonylphenol, ethoxylated

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4 FIRST AID MEASURES

Description of first aid measures

Eye Contact	If this product comes in contact with the eyes: Obtain medical advice / attention without delay. Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. If instructed to do so, transport to hospital or doctor without delay.
Skin Contact	If skin or hair contact occurs: Obtain medical advice / attention without delay. Quickly remove all contaminated clothing, including footwear Immediately flush body and clothes with large amounts of water, using safety shower if available. Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre. Transport to hospital, or doctor.if required
Inhalation	If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor, if patient is unwell.
Ingestion	For advice, contact a Poisons Information Centre or a doctor at once. Urgent hospital treatment is likely to be needed. If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Transport to hospital or doctor without delay.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically. INGESTION: Milk and water are the preferred diluents No more than 2 glasses of water should be given to an adult. Neutralising agents should never be given since exothermic heat reaction may compound injury. Catharsis and emesis are absolutely contra-indicated. Activated charcoal does not absorb alkali. Gastric lavage should never be used. SKIN AND EYE: Injury should be irrigated for 20-30 minutes. Eye injuries require saline

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

Special hazards arising from the substrate or mixture

Fire incompatibility	None known
Advice for firefighters	
Fire Fighting	Alert Fire Brigade and tell them location and nature of hazard. Wear full body protective clothing with breathing apparatus. Prevent, by any means available, spillage from entering drains or water course. Use firefighting procedures suitable for surrounding area. Do not approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
Fire/Explosion Hazard	Non-combustible. Not considered to be a significant fire risk. Heating may cause expansion or decomposition leading to violent rupture of containers. Decomposes on heating and produces toxic fumes of: carbon monoxide (CO). carbon dioxide (CO2), nitrogen oxides (NOx), other pyrolysis products typical of burning organic material May emit acrid smoke.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Major Spills	Wear full body protective clothing with breathing apparatus. Prevent, by any means available, spillage from entering drains or water course. Absorb on sand, dirt, verniculite or similar absorbent material. Place into labelled drums and dispose of according to local government regulations. Immediately notify emergency services (Police or Fire Brigade) if the spill is too large for you to safely and effectively handle.
Minor Spills	Check regularly for spills and leaks. Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling				
Safe handling	Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. WARNINS: To avoid violent reaction, ALWAYS add material to water and NEVER water to material. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling.			
Other information	Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS.			

Conditions for safe storage, including any incompatibilities

Suitable container	Keep only in original container.
Storage incompatibility	Do not store near acids or oxidising agents. Corrosive to all metals.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA		STEL		Peak	Notes
Australia Exposure Standards	sodium hydroxide	sodium hydroxide	2.5 mg/m3		Not Available		Not Available	Not Available
Australia Exposure Standards	monoethanolamine	ethanolamine	7.5 mg/m3 / 3 p	pm	15 mg/m3 / 6 p	pm	Not Available	Not Available
Australia Exposure Standards	ethylene glycol monobutyl ether	2-Butoxyethanol	96.9 mg/m3 / 20) ppm	242 mg/m3 / 50 ppm		Not Available	Sk
EMERGENCY LIMITS								
Ingredient	Material name			TEEL-1		TEEL-2	2	TEEL-3
sodium hydroxide	sodium hydroxide			Not Ava	Not Available		ailable	Not Available
monoethanolamine	ethanolamine			6 ppm 6 j		6 ppm		1,000 ppm
ethylene glycol monobutyl ether	2-Butoxyethanol			20 ppm 20 pp		20 ppm		700 mg/m3
nonylphenol, ethoxylated	Glycols, polyethylene, mono(p-nonylphenol) ether;		9.9 mg/m3		110 mg	/m3	300 mg/m3	
Ingredient	Original IDLH			Revised IDLH				
sodium hydroxide	250 mg/m3			10 mg/m3				
monoethanolamine	1,000 ppm			30 ppm				
ethylene glycol monobutyl ether	700 ppm			700 [Unch] ppm				
nonylphenol, ethoxylated	Not Available			Not	Not Available			

Exposure controls

Appropriate engineering controls	Maintain adequate ventilation at all times. In most circumstances natural ventilation systems are adequate. If ventilation is poor, then the use of a local exhaust ventilation system is recommended.
Personal protection	
Eye and face protection	Safety glasses with unperforated side shields, OR Chemical goggles. Whenever there is a danger of the material coming in contact with the eyes; goggles must be properly fitted. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. Lens should be removed at the first signs of eye redness or irritation. Lens should be removed in a clean environment only after workers have washed hands thoroughly.
Skin protection	See Hand protection below
Hands/feet protection	Elbow length gloves. Butyl or neoprene are recommended for this application. When handling corrosive liquids, wear trousers or overalls outside of boots, to avoid spills entering boots.
Body protection	See Other protection below
Other protection	Overalls. PVC Apron. Eyewash unit. Ensure there is ready access to a safety shower.
Thermal hazards	Not Available

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Clear yellow liquid		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Molecular weight (g/mol)	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	13 - 14	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Partition coefficient n- octanol / water	Not Available
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not flammable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Viscosity (cSt)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	Contact with alkaline material liberates heat Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. Corrosive acids can cause irritation of the respiratory tract, with coughing, choking and mucous membrane damage. Monoethanolamine vapours, mists and liquid are corrosive to the mouth and throat.
Ingestion	Accidental ingestion of the material may be harmful; Ingestion of acidic corrosives may produce burns around and in the mouth, the throat and oesophagus. Immediate pain and difficulties in swallowing and speaking may also be evident. Severe acute exposure to ethylene glycol monobutyl ether, by ingestion, may cause kidney damage, haemoglobinuria, (blood in urine) and is potentially fatal.
Skin Contact	Skin contact with acidic corrosives may result in pain and burns; these may be deep with distinct edges and may heal slowly with the formation of scar tissue. Ethylene glycol monobutyl ether penetrates the skin easily and will cause more harm on skin contact than through inhalation Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
Eye	If applied to the eyes, this material causes severe eye damage. Direct eye contact with corrosive bases can cause pain and burns. There may be swelling, epithelium destruction, clouding of the comea and inflammation of the iris. Mild cases often resolve; severe cases can be prolonged with complications such as persistent swelling, scarring, permanent cloudiness, bulging of the eye, cataracts, eyelids glued to the eyeball and blindness. Ethylene glycol monobutyl ether may cause pain, redness and damage to the eyes.
Chronic	Repeated or prolonged exposure to corrosives may result in the erosion of teeth, inflammatory and ulcerative changes in the mouth and necrosis (rarely) of the jaw. Bronchial irritation, with cough, and frequent attacks of bronchial pneumonia may ensue. Long-term exposure to respiratory irritants may result in disease of the airways involving difficult breathing and related systemic problems.

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

Not considered to be ecotoxic.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
sodium hydroxide	LOW	LOW
monoethanolamine	LOW	LOW
ethylene glycol monobutyl ether	LOW (Half-life = 56 days)	LOW (Half-life = 1.37 days)
nonylphenol, ethoxylated	LOW	LOW

Bio accumulative potential

Ingredient	Bioaccumulation
sodium hydroxide	LOW (LogKOW = -3.8796)
monoethanolamine	LOW (LogKOW = -1.31)
ethylene glycol monobutyl ether	LOW (BCF = 2.51)
nonylphenol, ethoxylated	LOW (BCF = 16)

Mobility in soil

Ingredient		Mobility
sodium hydroxide		LOW (KOC = 14.3)
monoethanolamine		HIGH (KOC = 1)
ethylene glycol mono	obutyl ether	HIGH (KOC = 1)
nonylphenol, ethoxy	ylated	LOW (KOC = 940)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / packaging disposal

SECTION 14 TRANSPORT INFORMATION

Labels Required		
	CORRESPONDENCE 1	
Marine Pollutant	NO	
HAZCHEM	2X	
Land transport (ADG)		
UN number	1760	
Packing group	П	
UN proper shipping name	CORROSIVE LIQUID, N.O.S.	
Environmental hazard	No relevant data	
Transport hazard class)	Class8Sub riskNot applicable	
Special precautions for user	Special provisions274Limited quantity1 L	

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

SODIUM HYDROXIDE (1310-73-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Exposure Standards Australia Inventory of Chemical Substances (AICS) Australia Hazardous Substances Information System - Consolidated Lists

MONOETHANOLAMINE (141-43-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Exposure Standards Australia Inventory of Chemical Substances (AICS) Australia Hazardous Substances Information System - Consolidated Lists

ETHYLENE GLYCOL MONOBUTYL ETHER (111-76-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Exposure Standards Australia Hazardous Substances Information System - Consolidated Lists Australia Inventory of Chemical Substances (AICS) International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

NONYLPHENOL, ETHOXYLATED (9016-45-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

SECTION 16 OTHER INFORMATION

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chernwatch Classification committee using available literature references. A list of reference resources used to assist the committee may be found at: www.chernwatch.ne the Chernwatch Classification committee using available literature references. A list of reference resources used to assist the committee may be found at: www.chernwatch.ne the Chernwatch Classification committee using available literature references. A list of reference resources used to assist the committee may be found at: www.chernwatch.ne the Chernwatch Classification committee using available literature references. A list of reference resources used to assist the committee may be found at: www.chernwatch.ne the Chernwatch Classification committee using available literature references. A list of reference resources used to assist the committee may be found at: www.chernwatch.ne the Chernwatch Classification committee using available literature references. A list of reference resources used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings.

Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA;	Permissible Concentration-Time Weighted Average
PC-STEL:	Permissible Concentration-Short Term Exposure Limit
IARC:	International Agency for Research on Cancer
ACGIH:	American Conference of Government Industrial Hygienists
STEL:	Short Term Exposure Limit
TEEL:	Temporary Emergency Exposure Limit
IDLH:	Immediate Danger to Life or Health Concentrations
OSF:	Odour Safety Factor
NOAEL:	No Observed Effects Level
TLV:	Threshold Limit Value
LOD:	Limit Of Detection
OTV:	Odour Threshold Value
BCF:	Bio Concentration Factors
BEI:	Biological Exposure Index

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.

