# **SAFETY DATA SHEET**



# **BIOSAN II**

# **APPLIED PRODUCTS AUSTRALIA PTYLTD**

Catalogue number: AP439
Version No: EP3.3
Issue date: 01/05/2017
Safety Data Sheet according to WHS and ADG requirements

# SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

#### **Product Identifier**

Product name	BIOSAN II
Synonyms	AP439
Other means of identification	Not Available

#### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Decontaminant biocide and cleaner
--------------------------	-----------------------------------

#### Details of the manufacturer/importer

Registered company name	APPLIED PRODUCTS AUSTRALIA PTY LTD
Address	11 Gamma Close, Beresfield 2322 NSW Australia
Telephone	(02) 4966 5516
Fax	(02) 4966 5510
Website	www.actichem.com.au
Email	info@actichem.com.au

#### **Emergency telephone number**

Association / Organisation	Poisons Information Centre
Emergency telephone numbers	13 11 26
Other emergency telephone numbers	Not Available

# **SECTION 2 HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the Model WHS Regulations and the ADG Code.

Poisons Schedule Not Applicable	
GHS Classification [1]	Skin Corrosion/Irritation Category 2, Serious Eye Damage Category 1
Legend:	1. Classified by Chernwatch; 2. Classification drawn from HSIS; 3. Classification drawn from EC Directive 1272/2008 - Annex VI

#### Label elements

GHS label elements



SIGNAL WORD

DANGER

#### Hazard statement(s)

H315	Causes skin irritation
H318	Causes serious eye damage

# Precautionary statement(s) Prevention

P280	Wear gloves and eye protection

Issue Date: 01/05/2017

Print Date: 01/05/2017

Product Code: AP439
Version No: EP3.3

#### Precautionary statement(s) Response

P305+P310+P351+P338	IF IN EYES: Immediately call a POISON CENTER or doctor. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302+P362+P352+P332+P313	IF ON SKIN: Take off contaminated clothing. Wash with plenty of water and soap. If skin irritation occurs, get medical advice / attention.

#### Precautionary statement(s) Storage

P405 Store locked up

This SDS and the hazard classifications contained herein only apply to the product in its concentrated form as supplied. When diluted as recommended and ready-to-use, they no longer apply. However, good hygiene and housekeeping practices should be adhered to.

# **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

#### Substances

See section below for composition of Mixtures

#### Mixtures

CAS No	%[weight]	Name
Trade secret	<10	Benzylkonium chloride
64-02-8	<10	EDTA tetrasodium salt
67-63-0	<10	isopropanol

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

#### **SECTION 4 FIRST AID MEASURES**

#### Description of first aid measures

Eye Contact	If this product comes in contact with eyes: Seek medical advice / attention. Wash out immediately with water. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. If irritation continues, seek medical attention.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice.

# Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5 FIREFIGHTING MEASURES**

	Extin	guis	hing	media
--	-------	------	------	-------

#### Special hazards arising from the substrate or mixture

Fire incompatibility	None known
Advice for firefighters	
Fire Fighting	Alert Fire Brigade and tell them location and nature of hazard.  Wear breathing apparatus plus protective gloves in the event of a fire  Use firefighting procedures suitable for surrounding area.  DO NOT approach containers suspected to be hot.  Cool fire exposed containers with water spray from a protected location.  If safe to do so, remove containers from path of fire.
Fire/Explosion Hazard	Non-combustible.  Not considered a significant fire risk, however containers may burn.  Heat may cause expansion or decomposition with violent rupture of containers.  Decomposes on heating and produces toxic fumes of: carbon dioxide (CO2), carbon monoxide (CO), other pyrolysis products typical of burning

Product Code: AP439 BIOSAN II Issue Date: 01/05/2017 Version No: EP3.3 Print Date: 01/05/2017

# SECTION 6 ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Minor Spills	Rinse away with copious amounts of water.	
Major Spills	Absorb on sand, dirt, vermiculite or similar absorbent material. Place into labelled drums and dispose of according to local government regulations.  Immediately notify emergency services (Police or Fire Brigade) if the spill is too large for you to safely and effectively handle.	
	Personal protective equipment advice is contained in Section 8 of this SDS	

# **SECTION 7 HANDLING AND STORAGE**

# Precautions for safe handling

Safe handling	DO NOT allow clothing wet with material to stay in contact with skin Avoid all personal contact.  Wear protective clothing when risk of exposure occurs.  Avoid contact with incompatible materials.  When handling, DO NOT eat, drink or smoke.  Keep containers securely sealed when not in use.  Avoid physical damage to containers.
Other information	

#### Conditions for safe storage, including any incompatibilities

Suitable container	Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	None known

# SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

# **Control parameters**

#### OCCUPATIONAL EXPOSURE LIMITS (OEL)

# INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	isopropanol	Isopropyl alcohol	983 mg/m3 / 400 ppm	1,230 mg/m3 / 500 ppm	Not available	Not available

#### EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
Benzylkonium chloride	Benzylkonium chloride	Not Available	Not Available	Not Available
EDTA tetrasodium salt	Ethylenediaminetetraacetic acid, tetrasodium salt, dihydrate	30 mg/m3	330 mg/m3	2,000 mg/m3
isopropanol	Isopropyl alcohol	400 ppm	400 ppm	12,000 pm

Ingredient	Original IDLH	Revised IDLH
Benzylkonium chloride	Not Available	Not Available
EDTA tetrasodium salt	Not Available	Not Available
isopropanol	12,000 ppm	2,000 [LEL] ppm

### **Exposure controls**

Appropriate engineering controls	Maintain adequate ventilation at all times. In most circumstances natural ventilation systems are adequate. If ventilation is poor, then the use of a local exhaust ventilation system is recommended.
Personal protection	
Eye and face protection	Safety glasses with side shields OR chemical goggles.  Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. Lens should be removed at the first signs of eye redness or irritation. Lens should be removed in a clean environment only after workers have washed hands thoroughly
Skin protection	See Hand protection below
Hands/feet protection	Wear chemical protective gloves, e.g. Neoprene.
Body protection	See Other protection below
Other protection	Barrier cream. Eye wash unit.
Thermal hazards	Not Available

**BIOSAN II** Issue Date: 01/05/2017 Product Code: AP439 Print Date: 01/05/2017 Version No: EP3.3

# **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

# Information on basic physical and chemical properties

Appearance	Clear light tan liquid		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Lemon	Molecular weight (g/mol)	Not Available
Odour threshold	Not Available	Auto-ignition temperature(°C)	Not Applicable
Melting point / freezing point (°C)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
pH (as supplied)	11.4	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Partition coefficient n- octanol / water	Not Available
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Decomposition temperature	Not Available
Lower Explosive Limit(%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available

Not Available

VOC g/L

# **SECTION 10 STABILITY AND REACTIVITY**

Not Available

Vapour density (Air = 1)

Reactivity	See section 7
Chemical stability	Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

#### **SECTION 11 TOXICOLOGICAL INFORMATION**

# Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC directives using animal models.)  Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting
Ingestion	Accidental ingestion of the material may be damaging to the health of the individual.
Skin Contact	Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected  This material can cause inflammation of the skin on contact in some persons. The material may accentuate any pre-existing dermatitis condition.
Eye	If applied to the eyes, this material causes severe eye damage. Isopropanol vapour may cause mild eye irritation at 400 ppm. Splashes may cause severe eye irritation, possible comeal burns and eye damage. Eye contact may cause tearing or blurring of vision.
Chronic	There is no relevant data listed.

# **SECTION 12 ECOLOGICAL INFORMATION**

# Toxicity

Not considered be ecotoxic.

# Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
isopropanol	LOW (Half-life = 14 days)	LOW (Half-life = 3 days)

# Bio accumulative potential

Ingredient	Bioaccumulation
isopropanol	LOW (LogKOW = 0.05)

# Mobility in soil

-	
Ingredient	Mobility
isopropanol	HIGH (KOC =1.06)

Issue Date: 01/05/2017 Product Code: AP439 Version No: EP3.3 Print Date: 01/05/2017

#### **SECTION 13 DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Recycle containers whenever possible Product / packaging disposal

Product residues and containers should be disposed of in accordance with local government regulations.

#### **SECTION 14 TRANSPORT INFORMATION**

#### **Labels Required**

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (Not Applicable): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

#### **SECTION 15 REGULATORY INFORMATION**

#### Safety, health and environmental regulations / legislation specific for the substance or mixture

#### BENZYLKONIUM CHLORIDE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Substances Information System - Consolidated Lists

Australia Inventory of Chemical Substances (AICS)

#### EDTA TETRASODIUM SALT (64-02-8) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Substances Information System - Consolidated Lists Australia Inventory of Chemical Substances (AICS)

#### ISOPROPANOL (67-63-0) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Substances Information System - Consolidated Lists

Australia Inventory of Chemical Substances (AICS)

Australia Exposure Standards

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

#### **SECTION 16 OTHER INFORMATION**

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references. A list of reference resources used to assist the committee may be found at: www.chemwatch.net

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

#### **Definitions and abbreviations**

PC-TWA; Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer

ACGIH: American Conference of Government Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit

IDLH: Immediate Danger to Life or Health Concentrations

OSF. Odour Safety Factor NOAEL: No Observed Effects Level TLV: Threshold Limit Value LOD: Limit Of Detection OTV Odour Threshold Value BCF: **Bio Concentration Factors** BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700

**End of SDS**