SAFETY DATA SHEET



COLLOIDAL BOOST

APPLIED PRODUCTS AUSTRALIA PTY LTD

Catalogue number: **AP475** Version No: **2.2** Issue date: **17/01/2017**

Safety Data Sheet according to WHS and ADG requirements

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	COLLOIDAL BOOST
Synonyms	AP475
Other means of identification	Not Available

Relevant identified uses of the substance or mixture and uses advised against

Details of the supplier of the safety data sheet

Registered company name	APPLIED PRODUCTS AUSTRALIA PTY LTD
Address	11 Gamma Close, Beresfield 2322 NSW Australia
Telephone	(02) 4966 5516
Fax	(02) 4966 5510
Website	www.actichem.com.au
Email	info@actichem.com.au

Emergency telephone number

	Association / Organisation	Poisons Information Centre
	Emergency telephone numbers	13 1126
C	Other emergency telephone numbers	Not Available

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Poisons Schedule	Not Applicable	
GHS Classification [1]	Skin Corrosion/Irritation Category 2, Serious Eye Damage Category 1, Acute Toxicity (Dermal) Category 4	
Legend:	1. Classified by Chernwatch; 2. Classification drawn from HSIS; 3. Classification drawn from EC Directive 1272/2008 - Annex VI	

Label elements

GHS label elements





SIGNAL WORD

DANGE

Hazard statement(s)

H315	Causes skin irritation
H318	Causes serious eye damage
H312	Harmful in contact with skin.

Precautionary statement(s) Prevention

P280	Wear protective gloves and eye protection.
P264	Wash hands and exposed body parts thoroughly after handling.

Issue Date: 17/01/2017

Print Date: 17/01/2017

Product Code: AP475 Version No: 2.2

Precautionary statement(s) Response

IF IN EYES: Immediately call a POISON CENTER or doctor. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to P305+P310+P351+P338 do. Continue rinsing P302+P362+P352+P332+P313 IF ON SKIN: Take off contaminated clothing and wash before reuse. Wash with plenty of soap and water. If skin irritation occurs, get medical advice / attention.

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P501

Dispose of contents/container in accordance with local regulations.

This SDS and the hazard classifications contained herein only apply to the product in its concentrated form as supplied. When diluted as recommended and ready-to-use, they no longer apply. However, good hygiene and housekeeping practices should be adhered to.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
2809-21-4	<10	hydroxyethanediphosphonic acid
141-43-5	<10	<u>monoethanolamine</u>
Trade secret	10 - <30	proprietary

SECTION 4 FIRST AID MEASURES

Description of first aid measures

Eye Contact	If this product comes in contact with eyes: Obtain medical advice / attention without delay Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. If necessary, transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice.

Indication of any immediate medical attention and special treatment needed

Not applicable

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

HAZCHEM

Extin	guisł	ning	media

Extinguishing media	The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used.
	Choice of extinguishing media should take into account surrounding areas.

Special hazards arising from the substrate or mixture		
Fire incompatibility	None known	
Advice for firefighters		
Fire fighting	Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses Use firefighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use	
Fire/Explosion Hazard	Non-combustible. Not considered to be a significant fire risk. Expansion or decomposition on heating may lead to violent rupture of containers. Decomposes on heating and may produce toxic fumes of carbon monoxide (CO), carbon dioxide (CO2), Phosphorus oxides (POx) and other pyrolysis products typical of burning organic material May emit corrosive fumes.	

COLLOIDAL BOOST Product Code: AP475 Issue Date: 17/01/2017 Version No: 2.2 Print Date: 17/01/2017

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Environmental hazard - contain spillage Clean up all spills immediately Avoid contact with skin and eyes.

Minor Spills

Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite.

Place in a suitable, labelled container for waste disposal

Control personal contact with the substance, by using protective equipment as required.

Major Spills Prevent spillage from entering drains or water ways

Environmental hazard - contain spillage.

Absorb on sand, dirt, vermiculite or similar absorbent material. Place into labelled drums and dispose of according to local government regulations.

Immediately notify emergency services (Police or Fire Brigade) if the spill is too large for you to safely and effectively handle.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT allow material to contact humans, exposed food or food utensils. Safe handling Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke Keep containers securely sealed when not in use. Avoid physical damage to containers DO NOT allow clothing wet with material to stay in contact with skin Store in original containers. Observe manufacturer's storage and handling recommendations contained within this SDS. Other information

Conditions for safe storage, including any incompatibilities

Suitable container	Store only in original containers
Storage incompatibility	None known

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

Thermal hazards

Not Available

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	monoethanolamine	ethanolamine	7.5 mg/m3 / 3 ppm	15 mg/m3 / 6 ppm	Not Available	Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
hydroxyethanediphosphonic acid	etidronic acid	7.2 mg/m3	79 mg/m3	480 mg/m3
monoethanolamine	ethanolamine	6 ppm	6 ppm	1000 ppm

Ingredient	Original IDLH	Revised IDLH
hydroxyethanediphosphonic acid	Not Available	Not Available
monoethanolamine	1,000 ppm	30 ppm
proprietary	Not Available	Not Available

Exposure controls

Exposure controls	
Appropriate engineering controls	Maintain adequate ventilation at all times. In most circumstances natural ventilation systems are adequate. If ventilation is poor, then the use of a local exhaust ventilation system is recommended.
Personal protection	
Eye and face protection	Safety glasses with side shields OR Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. Lens should be removed at the first signs of eye redness or irritation Lens should be removed in a clean environment only after workers have washed hands thoroughly.
Skin protection	See Hand protection below
Hands/feet protection	Wear chemical protective gloves, Butyl or Neoprene are recommended for this application
Body protection	See Other protection below
Other protection	Overalls. P.V.C. apron. Barrier cream. Eye wash unit.

Issue Date: 17/01/2017

Print Date: 17/01/2017

COLLOIDAL BOOST Product Code: AP475 Version No: 2.2

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information	on	basic	ph	vsical	and	chemical	properties

Appearance	Clear yellow liquid		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	8.6 – 8.9	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit(%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	The material is not thought to produce either adverse health effects or irritation of the respiratory tract following inhalation (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.
Ingestion	Accidental ingestion of the material may be damaging to the health of the individual.
Skin Contact	Skin contact with the material may be harmful; systemic effects may result following absorption This material can cause inflammation of the skin on contact in some persons The material may accentuate any pre-existing dermatitis condition Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
Eye	If applied to the eyes, this material causes severe eye damage
Chronic	Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course.

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

On the basis of available evidence concerning either toxicity, persistence, potential to accumulate and or observed environmental fate and behaviour, the material may present a danger, immediate or long-term and /or delayed, to the structure and/ or functioning of natural ecosystems.

Issue Date: 17/01/2017

Print Date: 17/01/2017

Product Code: AP475 Version No: 2.2

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
hydroxyethanediphosphonic acid	HIGH	HIGH
monoethanolamine	LOW	LOW

Bio accumulative potential

Ingredient	Bioaccumulation
hydroxyethanediphosphonic acid	LOW (BCF = 71)
monoethanolamine	LOW (LogKOW = -1.31)

Mobility in soil

Ingredient	Mobility
hydroxyethanediphosphonic acid	LOW (KOC = 20.81)
monoethanolamine	HIGH (KOC = 1)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / packaging disposal	Recycle containers whenever possible. Product residues and containers should be disposed of in accordance with local government regulations
------------------------------	--

SECTION 14 TRANSPORT INFORMATION

Labels Required

Mar	rine Pollutant	NO
	HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

SECTION 15 REGULATORY INFORMATION

Safety, health AND ENVIRONMENTAL REGULATIONS / LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

HYDROXYETHANEDIPHOSPHONIC ACID (2809-21-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Substances Information System - Consolidated Lists

Australia Inventory of Chemical Substances (AICS)

MONOETHANOLAMINE (141-43-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Exposure Standards Australia Hazardous Substances Information System - Consolidated Lists Australia Inventory of Chemical Substances (AICS)

SECTION 16 OTHER INFORMATION

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references. A list of reference resources used to assist the committee may be found at: www.chemwatch.net

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA; Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit International Agency for Research on Cancer ACGIH: American Conference of Government Industrial Hygienists Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit IDLH: Immediate Danger to Life or Health Concentrations Odour Safety Factor No Observed Effects Level NOAEL: TLV: Threshold Limit Value Limit Of Detection OTV Odour Threshold Value Bio Concentration Factors

Biological Exposure Index

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.