

Change the way you think about cleaning



















PORTFOLIO

contents

i-team ANZ Catalogue	02	Air Purification	48
About us	04	i-air	50
Partner network	05	i-sense	51
Made Blue	06	i-fogger 3.5	52
Sector specific cleaning solutions	07		
Commercial		Cleaning Equipment	
Floor Cleaning	08	& Accessories	54
i-mop lite	10	i-land S	56
i-mop xl & xxl	12	i-land L Pro	57
i-scrub 30EM Pro	16	i-land L Pro Drive	58
i-scrub 21B	18	i-land XL Pro	59
i-remove	20	i-power	60
i-drive	22	i-stack & i-charge	61
		i-matt	52
		i-dose	63
Commercial		i-suit	64
Vacuum Cleaning	24	i-store / i-wall / i-stand	65
		i-know	66
vac 5	26		
vac 5B	28		
vac 6	30		
vac 9B	32		
vac 30	34		
co-botic 1700	36		
i-move 2.5B	37		
Surface Cleaning	38		
i-spraywash	40		
i-fibre	42		
i-cover 1.0	44		
i-scrub 26H	46		



about us

Led by Innovation

Our revolutionary product range helps to transform cleaning times and results, guided by our core values:



INQUIRE

To revolutionise the industry, we speak to users, tailoring our products to meet specific demands.



INNOVATE

Designed with innovation as the primary goal, our class-leading products offer a true four-dimensional clean.



INSPIRE

Our job isn't done until we see how products are transforming businesses and inspiring clients first-hand.

These values are underpinned by our belief that all products should be faster, cleaner, greener, better, and safer than traditional cleaning equipment.














partner network

Global Reach - Local Experts

i-team is a global family of distribution partners in over 60 countries. The i-team community is all about sharing; we believe sharing knowledge is critical for creating sustainable solutions.





made blue ()

At i-team, we believe that we have a responsibility to improve our environmental outcomes.

Cleaning is a water-intensive activity, which is why we've designed our products with water-efficient technologies, and formed a partnership with non-profit, Made Blue.

Alongside Made Blue, every drop of water saved by an i-mop is mirrored with a donation of clean drinking water in water-vulnerable communities.

This equates to around

18-litres of water

per individual i-mop, each day around the globe.

So far, this has delivered over

1 billion litres of water

with no signs of slowing down.





cleaning solutions for different industries

No one industry has the same set of cleaning requirements.

Variations to cleaning tools, solutions and processes are required to suit the dynamics of each environment. Your environment may operate 24/7, require morning or night-time cleaning, or may have varying levels of hygiene standards in different areas of the same facility.

i-team is focussed on providing solutions to meet these varied cleaning & hygiene requirements. Our unique 4D cleaning concept approaches cleaning in a different way, ensuring that all 4 dimensions of cleaning are taken care of in a way that is appropriate, no matter the industry.

commercial floor cleaning

i-mop lite

i-mop xl

i-mop xxl

i-scrub 30EM Pro

i-scrub 21B

i-remove

i-drive



i-mop lite

Compact scrubber dryer

The most compact device in the i-mop family, the i-mop lite excels at home or work, providing effortless cleaning of small to medium spaces.

Extreme mobility

Patented design, ideal for cleaning floors in areas where you cannot normally use a scrubber.



Exceptional power

High-speed 500rpm brushes for an intense clean.



Array of brushes and pads available to suit stone, tiles, concrete and wood floors.





Easy to use

Simple, easy to understand push button controls.

Eco-mode

Activate eco-mode to save additional water, or on moisture sensitive floors.

Light & portable

14kg design fits in the back of a standard car.



Battery operated

Utilises portable lithium-ion batteries, eliminating trip hazards from power leads.

Technical Specifications

Theoretical performance	1400 m ² per hour
Clean water tank	3 L
Recovery clean tank	5 L
Brush speed	500 RPM
Scrub width	37 cm
Brush pressure	13.2 kg
Battery	i-power 12
Runtime	45 min
Charge time	6 hours



Scan for more inf

Why i-mop lite?

- > Extremely manoeuvrable, user-friendly design
- Dirt removal rating of 97% compared to traditional mopping methods of only 30-40%
- > 3-4 times faster than mopping
- No more dirty edges scrubs right to the edge
- > No trip hazards runs on portable lithium batteries
- Powerful cleaning on all hard floor surfaces

i-mop lite accessories

8.27	CODE	PRODUCT	DESCRIPTION
1	IMOPLT.FCT.X	i-mop lite	i-mop includes charger, battery & soft blue brushes
	S.115.0142.0	i-charge for i-mop lite	i-mop lite battery charger
	S.115.0143.0	i-power for i-mop lite	i-mop lite battery
	S.107.0001.2	i-store	Heavy duty free standing steel cabinet to store an i-mop and accessories
0	S.115.1054.70	Soft blue brush (set 2)	Light duty cleaning for timber and delicate floors
0	S.115.1054.797	Med blue brush (set 2)	Everyday cleaning and scrubbing
0	S.115.1054.1	Hard red brush (set 2)	Deep cleaning including grout lines
	S.115.1054.592	Natural hair brush (set 2)	For timber sports halls and cork floors
Ö	S.115.1056.797	Pad drivers (set 2)	Suits all color cleaning pads
5	115.1057.2	White cleaning pads (set 2)	Light buffing & polishing
*	115.1057.1	Red cleaning pads (set 2)	Regular buffing & cleaning pad
*	115.1057.79	Blue med/hd cleaning pads (set 2)	Heavy cleaning pad, dull or unsealed floors
#	115.1057.64	Green hd cleaning pads (set 2)	Aggressive scrubbing pad & unsealed floors
000000	115.1057.0	Black stripping pads (set 2)	Very aggressive scrubbing & stripping
0	115.1058.1 115.1058.67 115.1058.797 115.1058.8	Red brush locker (set 2) Green brush locker (set 2) Blue brush locker (set 2) Yellow brush locker (set 2)	HACCP color coded allows for segregation of brushes & tanks for different areas.
	115.0065.2C 115.0066.2C	Linatex squeegee rubber (front) Linatex squeegee rubber (rear)	High quality standard squeegee rubber - durable & chemical resistant
20102	115.0065.0	Primothane squeegee rubber (front)	High performance squeegee rubber - best for oily floors
	115.0066.0	Primothane squeegee rubber (rear)	riigii perioriilarice squeegee rubber - best for olly floofs
	115.0075.357	Castor wheels (1)	Replacement castor wheels
40	S.115.0089.0	Recovery tank	Replacement recovery water tank
	S.115.0079.0	Clean tank	Replacement clean water tank

i-mop XL & XXL

Flexible, effective and fast!

The i-mop is a revolutionary floor cleaning machine that has changed cleaning standards and redefined the concept of a floor scrubber. Available in XL (46 cm) & XXL (62 cm).



i-dose cleaning efficiency

Save time and stop wastage by using the i-dose chemical system.



Battery operated

Runs on Lithium batteries like the i-power 9 or 14 batteries that is easily exchangeable when recharging.

Extreme mobility

Low profile deck to clean underneath objects and 360 degrees of flexibility.



	Basic	Plus	Pro
Floating ball system	✓	/	/
Battery safety guard	✓	/	/
Control Panel	✓	/	/
Splash guards	✓	✓	/
Electronic switch		/	/
Timer display		/	/
Coating			/



Click on / click off

Easy to fill, clean & empty and use different tanks for different chemicals.



Extreme cleaning power

With 350 rpm brushes and 22kg of scrubbing pressure the i-mop xl has 96% more cleaning power than a 50cm walk behind floor scrubber.

Easy transport

It comes with wheels for transport, folds up for storage and is compact enough to store in a cupboard anywhere.

Technical Specifications

Theoretical performance	1800 m2 per hour	2300 m² per hour
Clean water tank	4 L	5 L
Recovery clean tank	6 L	8 L
Brush speed	350 RPM	350 RPM
Scrub width	46 cm	62 cm
Brush pressure	22.5 kg	32 kg
Batteries	2 x i-power 9 or 14	2 x i-power 9 or 14
	60-70 min with i-power 9 90-100 min with i-power 14 140 min with i-power 20	50-60 min with i-power 9 60-70 min with i-power 14 130 min with i-power 20
Charge time: i-charge 2	5-6 hours for i-power 9 7-8 hours for i-power 14 7-8 hours for i-power 20	5-6 hours for i-power 9 7-8 hours for i-power 14 7-8 hours for i-power 20
Charge time: i-charge 9	60-70 min for i-power 9 90-100 min for i-power 14 120 min for i-power 20	60-70 min for i-power 9 90-100 min for i-power 14 120 min for i-power 20



Why i-mop XL & XXL?


- > Extremely manoeuvrable scrubber dryer.
- Dirt removal rating of 97% compared to traditional mopping methods of only 30-40%.
- > 30mins with a mop & bucket will take 5mins with an i-mop.
- > No more tide marks cleans right to the edge.
- No trip hazards runs on portable Lithium batteries
- > 80% lighter than a comparable walk behind scrubber.
- > Applications include timber, vinyl, tiles, natural stone, concrete and more.



Because you save the planet

Water used to clean 300 m²






If you feel like dancing, take me for a spin around the floor.



Because you save time

Time needed to clean 300 m²





i-mop xl & xxl accessories

	i-mop xl	i-mop xxl	Name	Description
	K.1.IMOPXLN. FCT.X	-	i-mop xl basic	i-mop xl basic with blue brushes (No batteries or charger included)
=	K.1.IMOPXLP. FCT.X	-	i-mop xl plus	i-mop xl plus with blue brushes (No batteries or charger included)
3	K.1.IMOPXLU. FCT.X	-	i-mop xl pro	i-mop xl pro with blue brushes (No batteries or charger included)
	-	K.1.IMOPXXLN. FCT.X	i-mop xxl basic	i-mop xxl basic with blue brushes (No batteries or charger included)
	-	K.1.IMOPXXLP. FCT.X	i-mop xxl plus	i-mop xxl plus with blue brushes (No batteries or charger included)
	-	K.1.IMOPXXLU. FCT.X	i-mop xxl pro	i-mop xxl pro with blue brushes (No batteries or charger included)
	S.72.	0074.2	i-power 9 (left)	8.8ah li-ion batteries Run Time: 60-70 min in i-mop xl
1	S.72.	0079.2	i-power 9 (right)	& 50-60 min in i-mop xxl
	S.72.0	074.357	i-power 14 (left)	14ah li-ion batteries
7	S.72.0	079.357	i-power 14 (right)	Run Time: 90-100 min in i-mop xl & 60-70 min in i-mop xxl
100	S.72.0	074.797	i-power 20 (left)	20ah li-ion batteries Run Time: 140 min in i-mop xl
	S.72.0079.797 i-power 20 (right)		i-power 20 (right)	& 130 min in i-mop xxl
1 1	S.72.	0299.9	i-charge 2 Standard charger	Charge time: 5-6 hours for i-power 9 & 7-8 hours for i-power 14 and 20
	S.72.	0344.0	i-charge 9 Fast charger	Charge time: 60-70 min for i-power 9, 90-100 min for i-power 14 & 120 min for i-power 20
0	S.72.0092.70	S.72.1092.70	Soft light blue bristle brush (set 2)	Light cleaning on timber & delicate floors
0	S.72.0092.797	S.72.1092.797	Medium blue bristle brush (set 2)	Everyday scrubbing & cleaning
	S.72.0092.1	S.72.1092.1	Hard red bristle brush (set 2)	Heavy cleaning & unpolished floors
	S.72.0342.797	S.72.1342.797	Natural hair bristle brush (set 2)	Rubber floors, cork floors and timber sports halls
	S.72.0214.797	S.72.1214.797	Pad drives (set 2)	For use with i-mop floor pads
	72.0213.2	72.1213.2	White pads (set 2)	Light buffing & polishing
**	72.0213.1	72.1213.1	Red pads (set 2)	Regular buffing & cleaning
	72.0213.79	72.1213.79	Blue pads (set 2)	Heavy cleaning of dull or unsealed floors
13	72.0345.0	72.1345.0	Melamine pads (set 2)	Cleaning Melamine floors
**	72.0213.64	72.1213.64	Green pads (set 2)	Aggressive scrubbing & cleaning unseald floors
	72.0213.0	72.1213.0	Black pads (set 2)	Very aggressive scrubbing & stripping
*	72.0216.64	72.1216.64	Green twister pads (set 2)	Daily cleaning on stone, concrete, ceramic, vinyl, timber & rubber floors
*	72.0216.4	72.1216.4	Orange twister pads (set 2)	Cleaning non-homogenous ceramic tiles & renovation of terrazzo, stone & concrete floors

	i-mop xl	i-mop xxl	Name	Description
	S.107.	0001.2	i-store	Heavy duty freestanding steel cabinet to store i-mop & accessories
	IS.I-V.0000A		i-wall	Wall mount bracket to keep i-mop in place
1	IS.I-V.0000B		i-stand	Heavy duty freestanding holder to keep i-mop in place
0	72.00	93.797	Blue brush locker (set 2)	
0	72.0	093.1	Red brush locker (set 2)	For colour coding, Attaches to i man
0	72.00	93.67	Green brush locker (set 2)	For colour coding. Attaches to i-mop brushes or pad drives.
	72.0	093.8	Yellow brush locker (set 2)	
6	S.72.02	251.797	Blue cap for clean tank	
6	S.72.0	0251.1	Red cap for clean tank	Haccp color coded caps replace the standard clean water tank caps
	S.72.0	251.67	Green cap for clean tank	
2	S.72.0251.8		Yellow cap for clean tank	
and the	72.0099.2	72.1099.2	Linatex squeegee rubber (front)	High quality standard squeegee rubber
: - ::-	72.0100.2	72.1100.2	Linatex squeegee rubber (rear)	- durable & chemical resistant
	72.0099.3	72.1099.3	Primothane squeegee rubber (front)	Ultimate high performance squeegee
(-) - (-)-	72.0100.3	72.1100.3	Primothane squeegee rubber (rear)	rubber - best for oily floors
3	S.72.0401.3	S.72.1401.3	Splash guards (left and right)	Splash guard assembly
	S.72.0371.0	S.72.1371.0	Scrub bracket	Lift kit for squeegee for deep wet scrubbing & stripping
(3)	72.0238.32		Standard castor wheels	Regular castor wheels for smooth floors
	72.0238.2S		Stainless steel castor wheels	Heavy duty stainless steel wheels for longer life on very rough floors
) h	S.72.0088.2F	S.72.1088.0F	Recovery tank	Replacement recovery water tank
1	S.72.0081.797FH	S.72.1081.797FH	Clean tank (not compatible with i-dose)	Replacement clean water tank

Use i-mop XL & XXL with i-dose. See page 63 for more information.				
	i-mop >	d & xxl	Name	Description
	S.72.0081.2	S.72.1081.2	i-dose tank for xl & xxl	Compatible with the i-mop XL & XXL
	K.120.72.0444.111		Pink i-dose pods (120pcs)	E33 Daily floor cleaner (10ml)
	K.120.72.0444.6		Green i-dose pods (120pcs)	E73 Degreasing floor cleaner (10ml)
	K.120.72.0444.7		Blue i-dose pods (120pcs)	E52 Daily floor cleaner (10ml)

i-scrub 30EM Pro

Powerful orbital scrubber

The i-scrub 30EM Pro is a single disc scrubbing machine offering extreme cleaning power on both carpet and hard floors, thanks to its innovative scrubbing technology.

Solution tank

Apply solution as you scrub for additional cleaning power.

Lightweight

Easy single-person lift; say goodbye to heavy 30kg traditional scrubbers.

Edge protection

Soft rubber edge allows cleaning close to furniture without risk of damage.

Multi-surface cleaning

Includes soft & hard brushes and microfibre pads for carpet & hard surface scrubbing.



Soft handles for superb control and excellent user ergonomics.

Onboard cable holder

For easy storage of the power cable.

Revolutionary cleaning power

Unique orbital action scrubs the floor with 1650 cleaning passes per minute.



Easy transport

Folding wheels make it easy to take the i-scrub 30EM Pro with you everywhere you go. When the wheels are hindering your work, simply fold them away.

Technical Specifications

Weight	12.6 kg
Size (l x w x h)	27 x 23 x 120 cm
Power	650 W
Brush speed (Oribital)	1650 RPM
Scrub width	30 cm
Cable length	10 m
Tank capacity	1.7 L



Why i-scrub 30EM Pro?

- Versatile strip, clean, scrub& buff floors
- > Clean hard floors and carpet
- > Safer no side swing like swing scrubbers
- > Easy to lift & transport
- > 1650 rpm; up to 8 times the effective cleaning power of traditional single disc machines

i-scrub 30EM Pro accessories

	CODE	PRODUCT	DESCRIPTION
	EM3P.I-V.1110C	i-scrub 30	Includes soft & medium brushes, pad drive + white & microfibre pads
0	S.28.0010.0	Soft carpet brush black	Used for light agitation
0	S.28.0010.704	Medium brush blue	Used for general scrubbing
0	S.28.0010.3	Hard brush grey	Used for heavy scrubbing
	24.0035.0	Pad holder	Replacement pad drive
	24.0036.0	Polishing pad white	White soft pad for light buffing and polishing
	24.0037.0	Microfibre bonnet pad	Absorbent microfibre pad with polypropylene strips for encapsulation cleaning of carpets and rugs



i-scrub 21B

Battery powered micro-scrubber

Compact, multi-purpose scrubber with maximum cleaning power and operator ergonomics.



Easy to use

Lightweight, ergonomic and easily controlled from the handle grip.

Long run time

Scrub for up to 2.5 hours at a time.

Onboard tank

Dispense cleaning solution right where you need it for accurate cleaning results.

Multi-surface cleaning

Includes soft & hard brushes, pad drives and microfibre pads for upholstery cleaning.

Dual brush head

Twin 400rpm brush heads provide higher mechanical power and effective cleaning for narrow gaps in tight areas.



Hand or pole mount

Complete with pole-mount for floors, or handheld version for walls and elevated areas.



Flexible head

The 360-degree adjustable head offers access to hard-to-reach areas; horizontal and vertical.

Technical Specifications

Weight	3.2 kg
Runtime	150 minutes
Charge time	210 minutes
Brush speed	400 RPM
Scrub width	21 cm
Minimal clearance area	95 mm



Why i-scrub 21B?

- > Clean hard to reach, dirty areas
- Takes the hard work out of cleaning
- > Extreme cleaning power dual 400rpm brush heads
- > Cleans almost any surface type
- Adjustable telescopic handle and 360-degree swivel head to adapt to any application

i-scrub 21B accessories

	CODE	PRODUCT	DESCRIPTION
1	ES2.I-V.1410C	i-scrub 21b	Mini battery scrubber including battery, charger & accessories
	S.97.2023.0	Battery	14.4 V, 6.6 Ah rechargeable lithion battery
	S.97.2024.4	Charger	Battery charger
	S.97.0702.3/0	Soft brush black (set 2)	Light agitation of hard and soft surfaces
	S.97.0702.3/704	Medium brush blue (set 2)	General scrubbing
	S.97.0702.3/33	Hard brush grey (set 2)	Heavy scrubbing
	S.97.0704.3/0	Pad drives (set 2)	Replacment pad holders
	K.10.97.0703.2	White scrub pad (10 pcs)	Light buffing & polishing
	K.10.97.0703.1	Red scrub pad (10 pcs)	Regular buffing & cleaning
	K.10.97.0703.79	Blue scrub pad (10 pcs)	Medium cleaning pad
	K.10.97.0703.64	Green scrub pad (10 pcs)	Heavy scrubbing pad
Ŏ	K.10.97.0703.0	Black scrub pad (10 pcs)	Very aggressive scrubbing and stripping
	K.10.97.0703.9	Mixed scrub pad (10 pcs)	Combination of all the scrub pads 2 ea
	S.97.0705.7	Microfibre pad (set 2)	Absorbent microfibre pads ideal for upholstery cleaning

i-remove

Gum & graffiti remover

With i-remove, six-seconds is all it takes to safely dissolve pesky gum and graffiti marks, transforming dirty surfaces before your eyes with precision.

Easy to use

Controls located in the head of the machine.

Safe to use

Works in different environments; no dangerous fumes or heat present.

No waste-water

Low volumes of water, unlike a pressure-cleaner means there is no need to restrict areas to pedestrians, and reduces environmental impact.

6 seconds is all it takes

Eliminate any unwanted sticky materials (chewing gum, stickers, lining glue) in just six-seconds.





Highly portable

Includes trolley handle and integrated backpack harness.

Cord-free operation

Interchangeable lithium-ion batteries eliminates trip hazards.

No residue

i-remove solution dissolves gum, leaving no sticky residue on surfaces.

Suitable for all surfaces

Remove gum & graffiti on hardwood, soft floors, tarmac, doors, cabinets, plywood, concrete and steel.

Technical Specifications

Weight	9.4 kg	
Tank capacity	2.5 L	
Consumption	2 L per hour	
Batteries	1 or 2 i-power 9 or 14 batteries	
Run time (2 batteries)	80 min with i-power 9 & 100 min with i-power 14	Odkett-O
Charge time: i-charge 2	5-6 hours for i-power 9 & 7-8 hours for i-power 14	. 0
Charge time: i-charge 9	60-70 min for i-power 9 & 90- 100 min for i-power 14	Scan for more info

Why i-remove?

- > Fast & effective
- Stops gum build-up deal with gum removal as part of regular cleaning routines
- No trip-hazards runs on portable lithium batteries
- > Effective on all surfaces
- > Easy to use with low operating weight

i-remove accessories

	CODE	PRODUCT	DESCRIPTION
	IGM.I-V.0000B	i-remove	i-remove without battery & charger
	S.72.0074.2	i-power 9 (left)	8.8ah li-ion batteries Run time 1 x battery: 40 min
0	S.72.0079.2	i-power 9 (right)	Run time 2 x batteries: 80 min
	S.72.0074.357	i-power 14 (left)	14ah li-ion batteries Run time 1 x battery: 50 min
-	S.72.0079.357	i-power 14 (right)	Run time 2 x batteries: 100 min
	S.72.0299.9	i-charge 2 Standard charger	Charge time: 5-6 hours for i-power 9 & 7-8 hours for i-power 14
	S.72.0344.0	i-charge 9 Fast charger	Charge time: 60-70 min for i-power 9 & 90-100 min for i-power 14
	106.3014.797	Steel brush	Hard brush for concrete, pavers & bitumen
*	106.3013.797	Nylon brush	Soft brushes for carpet & matting
A	S.I-GUM.1LCB	Concentrate solution	1l eco-solvent aids in gum breakdown and ensures no residue. 1:9 Dilution



i-drive

The smarter ride-on floor scrubber

A groundbreaking world-first that combines the i-mop lite onboard with a ride-on scrubber, allowing operators to stop and clean small spaces as part of their cleaning routine.



Adjustable pedal

The pedal is easily positioned to meet the driver's exact requirements.



Interchangeable Batteries

Holds 6 x i-power 14 or 20 batteries. With 2 sets of batteries, you can operate it 24/7.

i-stack 3

Recharge our batteries with the included wall mounted charging system.





Easy operation

No PhD required to operate the i-drive; we have done all the programming for you. Self-explanatory icons and a clear control panel make this one user-friendly ride.

Small space cleaning

Stop and clean small spaces such as washrooms with the on-board i-mop lite.



Refill on-the-go

Fill, refill and empty the i-mop Lite easily. You're no longer bound to filling stations; simply get fresh water from the i-drive, or empty the recovery tank into the i-drive.

Ramp

Safe and ergonomic loading and unloading of the i-mop lite.

Technical Specifications

Technical Specification		
Theoretical performance	2745 m² per hour	● 外班 基金●
Practical performance	1400 m² per hour	Jan 19775
Pad pressure	25 kg	
Pad speed	175 RPM	当 第 第 第 第 第 第 第 第 第 第 第 第 第
Typical operational weight	208 kg	O PAYE BACT
Gross vehicle weight	349 kg	Scan for more info
Driving speed	5.5 km/h	
Solution tank	58 L	
Recovery tank	55 L	
Detergent tank	5.5 L	
Battery	6 x i-power 14 or 20	
Runtime	80 min with i-power 14 & 120 min w	ith i-power 20
Charge time: i-charge 9	90-100 min for i-power 14 & 120 min	n for i-power 20
Turning circle diameter	166 cm	
Dimensions	146 cm x 60 cm	

Why i-drive?

- > Class-leading cleaning for both large and small spaces
- > 24/7 cleaning maximises machine productivity potential
- Improves cleaning route efficiency; reduces operator walking and manual mopping time
- > Highly-manoeuvrable cleaning combination
- Optimised operator ergonomics and comfort

i-drive accessories

	CODE	PRODUCT	DESCRIPTION
	I-DRIVE/AU	i-drive	i-drive including i-mop lite, 6 x i-power 14 batteries, i-stack 3 & 3 x i-charge 9
6	118.0070.0	Medium brush blue (set 2)	Regular scrubbing brush
	118.0071.0	Soft brush white (set 2)	Light cleaning on timber & delicate floors
	118.0106.0	Medium brush light brown (set 2)	For textured and rough floors
	118.0107.0	Tynex brush (set 2)	Heavy duty aggressive scrubbing brush
	118.0072.0	Pad drives (set 2)	For use with 30cm cleaning pads
	S.72.0074.357	i-power 14 (left)	14ah li-ion batteries
	S.72.0079.357	i-power 14 (right)	Run time: 80 min
(20)	S.72.0074.797	i-power 20 (left)	20ah li-ion batteries
100	S.72.0079.797	i-power 20 (right)	Run time: 120 min
3	S.72.0344.0	i-charge 9 fast charger	Charge time: 60-70 min for i-power 9, 90-100 min for i-power 14 & 120 min for i-power 20

Get in the cloud Link your inventory

i-link®

i-link is the new cloud based platform for all your tools, machines and compliances. New i-team products will have a small module located inside of them, already integrated with the i-link cloud. This module will send usage information, battery levels, and even the location of the machines to the platform every day.



GOOD TO KNOW

You can also add other machines to your asset management. Connect them with a QR code and have total asset management.



commercial vacuum cleaning

vac 5

vac 5B

vac 6

vac 9B

vac 30

co-botic 1700

i-move 2.5B



vac 5

Compact electric vacuum cleaner

Meet the leading compact vacuum that sacrifices no reliability, power or performance. The vac 5 is designed for years of trouble-free, user-friendly vacuuming performance.



No compromises on strength with double reinforcement at both ends for ultra-long life.

Durable

No plastic here. Genuine stainless steel 3-piece wand; use 2 or 3 sections for different height operations.

Compact design

Ideal for working in smaller areas and close-to-body carrying.

Illuminated switch

Helps troubleshooting in case of power failures or other technical difficulties.





Stop dust leakage when changing bags.

5 liter bag with lock

Integrated cord wrap

Sturdy, ergonomic main handle doubles as a cord wrap.

Tangle-free cable

Internally glued cable strands to eliminate cable twisting and extend cable life.



Integrated tool holders

Hose & wand plus array of accessories can be stored on the machine

Technical Specifications

Tool size	32 mm (standard)
Weight	4.8 kg
Capacity	5 L
Sound level	62 dBA
Air flow	50 L/sec
Cable Length	8 m



Scan for more info

Why vac 5?

- > Compact & reliable
- > Premium European engineering
- > Ultra-durable construction
- > Low maintenance means lower total cost of ownership
- > Onboard tool holders

vac 5 accessories

	CODE	PRODUCT
	C05.I-V.1415C	vac 5 electric vacuum
	22.0094.830	Paper bag (pk 10)
	22.0094.831	Microfibre bag (pk 10)
0	105.0013.0	Replacement filter (pk 1)
	22.0034.46	3 Piece wand
Ó	K.1.03.0039.17	8m cable
_	S.02.0029.74	Bent elbow piece
	S.220107.2048	1.8m replacement hose
	70.0017.1	Hose connector

CODE	PRODUCT
PAR.22.9045.610	Floor tool ergo
02.0031.5	Upholstery tool
02.0032.9	Crevice tool
S.02.0040.5	Dusting brush
	PAR.22.9045.610 02.0031.5 02.0032.9



vac 5B

Compact battery vacuum

We believe a battery vacuum shouldn't sacrifice its performance. The vac 5B reaches up to 80% of the suction power of a comparable electric vacuum, offering exceptional results with added portability.



Stop dust leakage when changing bags.

5 liter bag with lock

Durable

No plastic here. Genuine stainless steel 3-piece wand; use 2 or 3 sections for different height operations.



Battery operated

Choose from i-power 9 or 14 batteries. Operate continuously with easily interchangeable batteries. Compatible with either left or right batteries.

Integrated tool holders

Hose & wand plus all accessories can be stored on the machine.

Dual-reinforced hose

No compromises thanks to a double reinforced construction at both ends for ultra-long life.

Powerful suction

Powerful motor reaches 80% (indication) of the suction of cable operated vacuums.

Compact design

Ideal for working in smaller areas and closeto-body carrying.

Illuminated switch

Helps troubleshooting in case of power failures or other technical difficulties.

Technical Specifications


rechnical Specification	IS	
Tool size	32 mm (standard)	
Weight	5.2 kg	
Capacity	5 L	45-41-64
Sound level	62 dBA	(1)
Air flow	40 L/sec	Scan for more info
Batteries	1 x i-power 9 or 14	Scan for more into
Battery spec i-power 9	24 V 8.8 Ah	
Run time	40 min with i-power 9 & 50 min with i-	power 14
Charge time: i-charge 2	5-6 hours for i-power 9 & 7-8 hours for	i-power 14
Charge time: i-charge 9	60-70 min for i-power 9 & 90-100 min	for i-power 14

Why vac 5B?

- > Compact & reliable
- > Premium European engineering
- > Choice of batteries & chargers
- Ultra-durable design means lower total cost of ownership
- > Onboard tool holders

vac 5B accessories

	CODE	PRODUCT
	C5B.I-V.0000B	vac 5b battery vacuum
0	22.0094.830	Paper bag (pk 10)
	22.0094.831	Microfibre bag (pk 10)
	105.0013.0	Replacement filter
	S.72.0074.2	i-power 9 (left)
0	S.72.0079.2	i-power 9 (right)
	S.72.0299.9	i-charge 2
	S.72.0079.357	i-power 14 (left)
-	S.72.0074.357	i-power 14 (right)
- 3	S.72.0344.0	i-charge 9





vac 6

Powerful electric commercial vacuum

The vac 6 is a powerful and practical high quality vacuum cleaner, packed with features. This vacuum is built to be indestructible while retaining classleading suction and high-tech features.

Quiet mode

Choose high-power (62 dBA) or low-power (58 dBA) settings for daytime cleaning.

Resilient body

Virtually indestructible body. All components assembled with screws, instead of rivets.

Dual-reinforced hose

No compromises - double reinforced at both ends for ultra-long life.



Whizzo

Patented Whizzo indicator makes a loud high tone when bag is full, or the vacuum is clogged, preventing motor damage and costly repairs.

Durable

Heavy duty stainless steel extendible wand to suit varying height operators.



Ultra fine, double filtration

Choose from Standard, medicalgrade HEPA 14 or even ULPA filtration. Dual filter design - both pre & post-motor- enable the highest possible levels of air quality.

Tangle-free cable

Internally glued cable strands to eliminate cable twisting and extend cable life.



Fragrance cassette

Inbuilt fragrance cassette leaves a pleasant aroma after vacuuming.

Durable wheels

Long-life wheels made of shock absorbing materials.

Technical Specifications

Tool size	32 mm (standard)
Weight	6.8 kg
Cable length	15 m
Capacity	6 L
Air flow	43 L/sec



Why vac 6?

- > Robust European engineering
- > High quality tools & accessories
- > Ultra-high filtration performance
- > Patented Whizzo technology prevents motor damage
- > Optional fragrance cassette
- > Offers 3 levels of filtration: Standard, HEPA H14 or ULPA

vac 6 accessories

	CODE	PRODUCT
	C06.I-V.1415S	vac 6 electric vacuum - standard filters
	C06.I-V.1415S.HEPA	vac 6 electric vacuum - hepa filters
	C06.I-V.1415S.ULPA	vac 6 electric vacuum - ulpa filters
0	22.0094.830	Paper bag (10 bags)
P	22.0094.831	Microfibre bag (pack 10)
	S.02.0029.74	Bent elbow piece
	70.0017.1	Hose connector dupro
O	03.0039.15	15m cable
	S.02.1000.797	Telescopic wand
	22.0034.41	2-Piece wand
	S.220107.2045	Hose 2.5m

	CODE	PRODUCT
	77.0012.0	Standard cassette filter black
	77.0012.1	HEPA 14 cassette filter red
	77.0012.701	ULPA cassette filter blue
	70.0168.0	Standard cartridge filter black
	70.0168.1	HEPA 14 cartridge filter red
	70.0168.701	ULPA cartridge filter blue
1	115.0065.0	Floor tool ergo
	115.0065.0 115.0066.0	Floor tool ergo Crevice tool
1		•
1	115.0066.0	Crevice tool
\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	115.0066.0 115.0075.357 S.115.0079.0	Crevice tool Upholstery tool Dusting brush
1	115.0066.0 115.0075.357	Crevice tool Upholstery tool



vac 9B

High-performance battery vacuum

Say goodbye to power cords and wall sockets and say hello to vacuuming productivity with the vac 9B. The ultra-high performance commercial battery vac.

Dual-reinforced hose

No compromises - double reinforced at both ends for ultra-long life.

Durable

Heavy duty stainless steel extendible wand to suit varying height operators.

Integrated tool holders

Hose & wand plus all accessories can be stored on the machine.



Optional i-brush

Agitates carpet to loosen dirt and dust and improve cleaning performance.

Ultra fine, double filtration

Chose from Standard, medical grade HEPA 14 or even ULPA filtration. Dual filters (both pre & post-motor) enable the highest possible levels of air quality.

Quiet mode

Choose between high-power (62 dBA) or low-power (58 dBA) settings.




Battery operated

Choose to run off 1 or 2 i-power 9 or 14 batteries. Operate continuously with easily interchangeable batteries.

Resilient body

Virtually indestructible body. All components assembled with screws, instead of rivets.



Why vac 9B?

- > Premium battery powered vacuuming performance
- > Choice of batteries & chargers
- > Ultra durable = lower total cost of ownership
- > On-board tool holders
- > Ultra-high filtration performance
- Up to 80min run-time with dual i-power 14 batteries

vac 9B accessories

	CODE	PRODUCT
	C9B.I-V.0000B	vac 9b - standard filters
	C9B.I-V.0000B.HEPA	vac 9b - hepa filters
	C9B.I-V.0000B.ULPA	vac 9b - ulpa filters
0	22.0094.80	Paper bags (pack 10)
0	22.0096.0	Reuseable cloth bag
	S.02.0029.74	Bent elbow piece
200	S.02.1000.797	Telescopic wand
	S.220107.2045	2.5m hose
-	PAR.22.9045.610	Floor tool ergo
-	IBH.I-V.0000C	i-brush powerhead
>	02.0034.5	Upholstery tool
	02.0032.5	Crevice tool
3	02.0040.5	Dusting brush

	CODE	PRODUCT
	77.0012.0	Standard cassette filter black
	77.0012.1	HEPA 14 cassette filter red
	77.0012.701	ULPA cassette filter blue
	74.0168.0	Standard cartridge filter black
	74.0168.1	HEPA 14 cartridge filter red
	74.0168.701	ULPA cartridge filter blue
	S.72.0074.2	i-power 9 (left)
0	S.72.0079.2	i-power 9 (right)
7.15	S.72.0299.9	i-charge 2 Standard charger
	S.72.0079.357	i-power 14 (left)
	S.72.0074.357	i-power 14 (right)
	S.72.0344.0	i-charge 9 Fast charger



vac 30

Powerful upright vacuum

For the ultimate in vacuuming productivity and dirt removal, look no further than the vac 30.



Reach high places

Removable wand to easily reach high areas and accurate detailled cleaning.



Whizzo

Patented Whizzo indicator makes a loud, high tone when bag is full or the vacuum is clogged- preventing motor damage and costly repairs.



Onboard tools

Integrated crevice tool and upholstery tool.



Lie-flat operation

Operates completely flat, for cleaning under furniture, desks, or any other obstacles.



Easy repair & replacement

Quick disconnect body from deck for easy repairs with detachable power cord means no technical support is needed.

Ultra fine filtration

Choose from Standard, medical-grade HEPA 14 or even ULPA filtration.

Technical Specifications



Scan for more info

Why vac 30?

- > Robust European engineering
- > Superior dirt removal
- > Ultra-high filtration performance
- > Patented Whizzo prevents motor damage
- > Perfect for long & short-pile carpets

vac 30 accessories

	CODE	PRODUCT
à	SM.I-V.1110C	vac 30 upright vacuum - standard filter
	SM.I-V.1110C.HEPA	vac 30 upright vacuum - hepa filter
	SM.I-V.1110C.ULPA	vac 30 upright vacuum - ulpa filter
	88.2003.0	Paper bag (pk 10)
Q	03.0039.15	15m cable
Ω	88.2001.1	Replacement hose
1	88.1001.0	Telescopic wand

CC	DDE	PRODUCT
*** 85	.0013.0	Replacement brush roll
02	.0031.5	Crevice tool
02	.0040.5	Upholstery tool
02	.0032.5	Dusting brush
87	.2002.0	Standard cassette filter black
87	.2002.1	HEPA 14 cassette filter red
87	.2002.701	ULPA cassette filter blue
02 02 02 02 87	.0031.5 .0040.5 .0032.5	Dusting brush Standard cassette filter black HEPA 14 cassette filter red ULPA cassette filter



co-botic 1700

Commercial robotic vacuum cleaner

The co-botic 1700 is a smart, programmable vacuum robot that allows you to simply sit back and watch the cleaning magic happen before your eyes.

Optional Docking station

The co-botic 1700 automatically finds the route to the docking station, empties itself and recharges while docked.

Using the App

Create cleaning plans, exclusion zones and assign it to a schedule for automatic cleaning - all from the i-team professional App.





Sophisticated live mapping

Fitted with 25 advanced sensors to ensure an optimal and efficient cleaning outcome.



Remote controlled

Use the remote to directly start autonomously cleaning a room, instead of using the app.



COBOTIC 1700



Dustbin inside

The removable dust collector is fitted with a HEPA filter to ensure clean exhaust air.

Technical Specifications

Power rate	50 W
Voltage	14.4 V
Runtime	270 minutes
Charge time	240 minutes
Sound level	65-73 dB
Speed	0.3 m/s
Dust bin volume	400 ml
Dimensions (I x w x h)	350x350x98 mm
Docking station capacity	4.2 L

Codes

co-botic 1700 COB17N.FCT.0220A

Docking station COB17.FCT.0220B



Scan for more info

Why co-botic 1700?

- Unleash the efficiency of automated vacuuming
- > Free up staff to focus on other tasks
- Automatic emptying into docking station
- Eliminate the strain on operators from Manual vacuuming
- > Program the co-botic 1700 with the app - or allow it to program itself

i-move 2.5B

Cordless backpack vacuum cleaner

Say hello to next generation backpack vacuuming. The i-move 2.5b combines lightweight and ergonomic design with serious vacuuming power and productivity.



Easy to operate

Turn the machine on and off with a remote-control power switch.



Long run time

2 x i-power 8.7 batteries give up to 52 mins of runtime

Dual-purpose nozzle

The nozzle can be used on both hard and soft floors.





Smarter materials

Extendable hose and handle.

360° Swivel hose

The 360° swivel hose keeps the hose untangled while you clean.

Ergonomic design

The light weight of only 5.28kg (including batteries) makes the i-move 2.5B easy to work with.

Filtration options

Choose between a standard or HEPA 14 filter.

Smells clean, is clean

Optional i-scent fragrance cartridge leaves a pleasant smell in the room after cleaning.

Why i-move 2.5B?

- > Next generation backpack design
- > Premium European engineering
- > High quality tools & accessories
- > Battery operated means no trip hazards
- i-scent leaves a pleasant smell after cleaning

Technical Specifications

Carry Weight 5.28kg (incl 2 batteries)

Body size 22.4 x 21.4x 47.6 cm

Capacity 2.5 L

Sound level 64 dBA

Sealing suction 14 Kpa

Airflow 30L/sec

Batteries 2 x i-power 8.7

Runtime 52 min

4.3 hours with 2A charger & 1.7 hours with 5A charger



Scan for more info

Codes

i-move 2.5B with 2 batteries & i-charge 5 charger IME25.I-V.1115C

i-power 8.7 battery S.119.001.3 i-charge 5 (4 port charger) K1.S.119.0100.9 Single charger K1.S.119.0012.4

Paper bags (10) K.100.119.0049.0 Reusable cloth bag (1) 119.0049.1

Standard cassette filter K.1.119.0044.0

HEPA 14 cassette filter **K.1.119.0044.1**Air outlet filter **K.1.S.119.0062.357**

Telescopic wand (530mm) K.1.S.119.0081.0

Stretch hose 0.5 m K.1.S.02.0024.1/000

Bend 32mm w/t holder K.1.S.119.0080.0

Upholstery tool **S.02.0031.5**

Dusting brush S.02.0040.5

Crevice tool **02.0032.9**

32mm Gulper Floor Tool PAR.22.9045.610

32mm Combo Floor Too PAR.22.9045.266

Fragrance pods (3pcs)
K.3.I-SCENT

surface cleaning

- i-spraywash
- i-fibre
- i-scrub 26H
- i-cover 1.0



i-spraywash

Fast foam cleaning system

i-spraywash is a user-friendly, plug & play foam gun with integrated chemical dosing. It uses unique chemical tablets alongside a specialised nozzle that creates an active foam to improve cleaning results and your productivity.

Easy to use

- 1. Choose your tab
- 2. Apply foam
- 3. Let the foam work its magic
- 4. Rinse



Technical Specifications Weight 0.8 kg Size 34 x 19 cm Water pressure 2-4.5 bar Max. using temperature 45' Min. using temperature 5' Scan for more info

Why i-spraywash?

- > Speeds up cleaning processes 1sqm per second
- > Lightweight & easy to use
- > Eliminates chemical wastage
- > Superior cleaning & disinfection
- > Reduces water & chemical usage

i-spraywash accessories

	CODE	PRODUCT	DESCRIPTION
-	SPW.SYSTEM.C	Starter kit gardena	Suits standard garden hose fittings
301	SPW.SYSTEM.N	Starter kit nito	Nito fittings - common in food industry
	SPW.STARTPACK.C	Starter pack w/tablets gardena	i-spraywash gun with 12 mixed boxes of tablets
	SPW.WATERPACK.C	Waterpack starter kit gardena	i-spraywash gun with 10m hd hose & water connections
	SPW.TAB18.1P	Tablet 1 perfumed (pk 18)	Acidic cleaner for periodic cleaning. Effective against limescale and good for periodical or regular bathroom cleaning
The state of the s	SPW.TAB18.9P	Tablet 9 perfumed (pk 18)	For daily cleaning of all washable surfaces. Effective against fats, oils and general soiling.
	SPW.TAB18.12P	Tablet 12 perfumed (pk 18)	Heavy duty cleaning & degreasing tablet for very dirty conditions. Effective against body fat, oils, grease and heavy dirt
The same	SPW.TAB18.CH	Chlortab tablet (pk 18)	Most popular disinfection tablet. Active chlorine base
- Ta	SPW.TAB18.DE	Destab tablet (pk 18)	Active oxygen based disinfection tablet. Use where chlortab is offensive due to the chlorine odour.
-			
100	SPW.TABKIT.3	Blue tablet holder kit	
1	SPW.TABKIT.4	Red tablet holder kit	
1	SPW.TABKIT.5	White tablet holder kit	Colour-coded tablet holders to store leftover tablets
1	SPW.TABKIT.6	Yellow tablet holder kit	
1	SPW.TABKIT.7	Black tablet holder kit	
Market .	SPW.PART.5	Disinfection nozzle	Replacement disinfection nozzle
Ā	SPW.WATER.5	Flexible connector adaptor kit	Flexible connector adaptor kit (1/2, 3/4, 1 inch)
	SPW.WATER.6	Indoor adapter for water tap	For connecting garden hoses to threaded indoor vanity taps
	SPW.WATER.8	Water thief	For connecting garden hoses to non threaded taps

i-fibre

Trio-split microfibre technology

Up to 3 times the cleaning power of conventional microfibre, plus ultralong 700 wash lifecycles for lower cost of ownership and improved environmental outcomes.

Why i-fibre?

- > Unique trio-split technology reduces germs by up to 99%
- > Specialised tools for effective cleaning on all surfaces
- Scan for more info

- > Fully colour-coded for easy identification
- > i-fibre offers cleaning up to 50% faster than other microfibre systems.
- > Eliminates dust mopping as small particles are captured in the dirt channels

40cm Floor Cleaning System



ePOCKET mop frame

- o Easy to use ergonomic and lightweight mopping system.
- o Quick-release system in the frame of the mop offers a complete hands-free cleaning operation.



- o Double-stitched and guaranteed for a minimum of 700 washes.
- o Unique trio-split technology reduces germs by up to 99%.
- Mesh backing for quick pre-treatment saturation time.





Ewave Mop 40 cm Blue **EWAVE18PB**

Ewave Mop 40 cm Green **EWAVE18PG**

Ewave Mop 40 cm Red EWAVE18PR

Ewave Mop 40 cm Yellow **EWAVE18PY**

ePOCKET 40 cm Mop Frame IFF.I-V.0000C



30cm Surface Cleaning System



i-scrub 26 H

- o Replaces hand cloths and exposes hidden soiling with the inbuilt UV light.
- o Soft-edge technology contours to curved surfaces such as coving, baths & showers.




- o Has a 360° swivel plate that converts into a wall and baseboard cleaner.
- Use with eHANDLE handles.



eWAVE pads

- o Double-stitched and guaranteed for a minimum of 700 washes.
- o Unique trio-split technology reduces germs by up to 99%.
- o Mesh backing for quick pre-treatment saturation time.





Codes Ewave Mop 30 cm Blue ETROWELPADB

Ewave Mop 30 cm Green ETROWELPADG

Ewave Mop 30 cm Red **ETROWELPADR**

Ewave Mop 30 cm Yellow **ETROWELPADY**

i-scrub 26H W/Uv Light K.1ETL.I-V.1430C

eWALL Cleaning Tool (30 cm) ETF.I-V.0000C

Pre-Treatment System



Pre-treatment system

- o Use either the 13 or 20 L charge bucket as part of your pre-treatment cleaning solution.
- o Includes hermetically sealed lid.
- o Designed for use with i-fibre cloths, 30cm or 40cm cleaning systems.





Codes

13L Charge Bucket **S.92.0018.390**

20L Charge Bucket **S.92.0015.390**

Handles



eHANDLES

o Multi-purpose Aluminum telescopic handles that can be used with the ePOCKET mopping system and the eWALL.



Colored eHANDLE grips

 Optional set of 4 colored grips for colour coding applications.



Codes

eHANDLE (183 cm)

Colored eHANDLE Grips (Set 4) K.4.IFP.GRIPS

Cloths



Microfibre cloths

- o Consists of TRIO-Split Microfibre Technology, retaining three-times the dirt.
- o It's also double-stitched ensuring the cloth keep its shape.



eDOUBLE Microfibre cloths

- o 2-in-1 Microfibre cloth with a glass cloth on the one side and a standard cloth on the other.
- o Polytape edge binding and double hexstich construction keeps cloths flat while cleaning.



Microfibre glass cloth

o Highly absorbent microfibre cloth leaves glass clean and without streak marks.



Codes

300 gm Microfibre Blue Cloth **MCLOTH300B**

300 gm Microfibre Green Cloth **MCLOTH300G**

300 gm Microfibre Red Cloth MCLOTH300R

300 gm Microfibre Yellow Cloth **MCLOTH300Y**

Microfibre Glass Cloth MGLASS

Edouble Microfibre Cloth Blue **EDOUBLEB**

Edouble Microfibre Cloth Green **EDOUBLEG**

Edouble Microfibre Cloth Red EDOUBLER

Edouble Microfibre Cloth Yellow **EDOUBLEY**

Dusting



Flexible dusting wand

- o The flexible microfibre dusting wand reach into those forgotten and hard-to-reach places.
- o Compatible with eHANDLE for high reach dusting.



o Low pile cover for low moisture light dusting and cleaning.



MWAVE

o Shaggy dusting cover for high volume dry dusting.



Codes

Flexible Duster Dusting Wand MFLEXWAVE

Sleeve To Suit Flexible

Duster MSLEEVE

Mwave To Suit Flexible **Duster MWAVE**

i-cover 1.0

Disinfectant spray machine

Market-leading cold mist generator that offers powerful disinfecting technology in a convenient, ergonomic hand-held package for rapid, superior results.



Excellent ergonomics

Carry it in your hand, over your shoulder or convert it into an optional backpack.

Battery operated

Runs on interchangeable batteries. (Compatible with either left or right batteries. Battery & charger not included).

All day cleaning

Runs for up to 11 hours on 1 x i-power 9, 18 hours on 1 x i-power 14 & 26 hours on 1 x 1-power 20.

Corrosion resistant

All internal rubber components are chemical and corrosion resistant.



Stainless steel nozzles

4 nozzles options for different environments and coverage (comes with 1 set of nozzles).



Removable tank

Packaged with a second tank, enabling continuous cleaning (comes with 2 tanks).

Technical Specifications

Total weight	7.5 kg
Working reach	150 m²
Dimensions (I x w x h)	30x23x27 cm
Tank volume	1L
Battery	1 x left or right i-power 9, 14 & 20 battery
Runtime	11 hours with i-power 9 18 hours with i-power 14 26 hours with i-power 20
Charge time: i-charge 2	5-6 hours for i-power 9 7-8 hours for i-power 14 7-8 hours for i-power 20
Charge time: i-charge 9	60-70 min for i-power 9 90-100 min for i-power 14 120 min for i-power 20



Why i-cover 1.0?

- > Powerful surface & touchpoint disinfection technology
- Disinfects hard-to-reach surfaces
- Up to 18 hours of continuous use
- > Eliminates Repetitive Strains from conventional trigger sprayers

i-cover 1.0 accessories

	CODE	PRODUCT	DESCRIPTION
Cas	IM10.FCT.0000B	i-cover 1.0	i-cover 1.0 24V (no batteries or charger included)
	K1.S.106.1317.0	Back pack	Kit assy back pack for i-cover 1.0
0	S.106.1259.1	Clean tank	Kit assy clean tank i-cover 1.0 *Blue*
****	S.106.1296.0	Spray nozzles	Kit assy spray nozzles i-cover 1.0/2.5 [1set]
	S.72.0074.2	i-power 9 (left)	
1	S.72.0079.2	i-power 9 (right)	Run time: 11 hours
	S.72.0079.357	i-power 14 (right)	Run time: 18 hours
	S.72.0074.357	i-power 14 (left)	Null time. 10 hours
	S.72.0299.9	i-charge 2 Standard charger	Charge time: 5-6 hours for i-power 9 & 7-8 hours for i-power 14
	S.72.0344.0	i-charge 9 Fast charger	Charge time: 60-70 min for i-power 9 & 90-100 min for i-power 14



i-scrub 26H

Superior surface cleaning tool

The i-scrub 26h replaces hand cloths and exposes hidden soiling with the inbuilt UV light. Enabling a completely new level of surface wiping productivity and effectiveness.



700 wash guarantee
i-fibre is designed for serious
commercial use, lowering the

Rubber grip

Comfortable, ergonomic hand grip for extended cleaning periods. Optional set of 4 grips for colour coding applications.



Integrated UV light

Expose stains and residual bacteria invisible to the naked eye.

Inbuilt scraper

Remove tough soil with the inbuilt scraping edge.







Trio-split microfiber pads

Fully colour coded with triple the dirt removal capacity of traditional microfibre.



Soft-edge technology

Dust and clean rounded areas such as sinks and cornices.

Superior cleaning

Clean faster, offers even surface pressure compared to traditional microfibre hand cloths.

Codes

i-scrub 26H UV light **K.1ETL.I-V.1430C**

Coloured e-handle grips (set 4) **K.4.IFP.GRIPS**

Blue ewave mop 30 cm ETROWELPADB

Green ewave mop 30 cm
ETROWELPADG

Red ewave mop 30 cm ETROWELPADR

Yellow ewave mop 30 cm ETROWELPADY

Technical Specifications Battery on-board 3.8 V 2.2 Ah rechargeable Charger type External 110-230-240

Size (l x w x h) **260 x 100 x 90 mm**

Material machine ABS797 + PVC

Weight of product 0.32kg

Runtime 8 hours

Power 1 W

Radiant flux 700 mn

View angle 120 degree

365 nm



Scan for more inf

Why i-scrub 26H?

- > Expose & remove hidden dirt
- > Unique Trio-split technology reduces germs by up to 99%
- Superior, higher-productivity cleaning
- > Effectively clean rounded areas like sinks and cornices.
- Empower staff to uphold higher cleaning standards



configurator

Customise our products to get the exact look you're after – it's easy.

With the i-team configurator, it's possible to customise your machines to instantly create consistency with your brand. Adding a colour scheme unique to your organisation helps inspire key stakeholders, while the addition of your logo can help to further advertise your brand.

air purification

i-air

i-sense

i-fogger 3.5



i-air Pro

Commercial air purifier

Ultra-low maintenance, high-capacity air purifier utilising medical grade HEPA H14 filters, UV technology and photo-catalytic oxidisation to remove >99.999% of airborne viruses, bacteria and particulates.

LAN connected

Connect multiple i-airs and control from a PC.

Medical grade filtration

Highest H14 HEPA filtration with large surface area removes 99.999% of particulates at PM1.0 size.





Quiet, powerful fan

Four choices of fan speeds for blowing cleaned air.

Ultra low maintenance

Up to 24-month lifespan for main H14 filter & up to 12-months for carbon pre-filter.

UV kill chamber

Dual UVC & UVA lamps destroy VOCs, microbes and viruses. * i-air Pro has been found to kill 99 999% of viruses when independently tested on Coronavirus, influenza, and Staphylococcus,

Carbon Pre-filter

Air passes through the active carbon pre-filter, removing large particles, odours and VOCs.

Technical Specifications

Dimensions	127x68x33 cm
Weight	72 kg
Control panel	20 character, 4-line LCD display
Noise level (4 fan speeds)	32 - 61 dB
Main HEPA 14 filter life	Average up to 24 months, with 24/7 operation
PM particle filtration at ≥0,3µ (H14)	≥99,999%
VOC reduction (TVOC)	≥95-97%
Microbiological contamination reduction level	≥99,9%
Recommended room size	50-500 m², depending on air contamination level
Control via local LAN	Yes, dedicated website

Codes

i-air **i-air EU** i-sense Plus ISNP.I-V.1400C

HEPA 14 filter I-AIR.HEPAH14



Why i-air Pro?

- > Specialised combination of UVC + photocatalytic oxidation + HEPA H14 filtration + Carbon pre-filter for superior results
- > Main filter offers up to 24-months lifespan with 24/7 use
- > Self-cleaning kill chamber extends filter life and eliminates bacterial build-ups
- > Removes all 3 contaminants: particulates, bacteria and VOCs
- > Combine with i-sense for a complete IAQ monitoring solution

i-sense

Air quality meter

The i-sense is a portable, easy to use Air quality meter that allows you to accurately monitor the quality of the air inside your surroundings to optimise the air that you're breathing.

Simple interface

Easy to understand icons and controls.

Comprehensive monitoring

Monitors 3 common contaminants: CO2 , PM2.5 Particulate Matter, and VOC's, as well as temperature & humidity.



Portable

Choice of optional battery or electrically powered units.

2 models to choose from **PLUS** | **PRO**

	Plus	Pro
LCD Touchscreen	/	/
LED indicator lighting	/	/
VOC Measurment	/	/
PM2.5 Measurement	/	/
CO ₂ Measurement	/	/
Temperature	/	~
Humidity	/	/
Historical Graphs (5 days)	✓	/
Wall power	/	/
Battery Power	✓	/
Analog Clock	/	/
i-link built-in 24/7 room monitoring location services custom alerts		/

Connected Devices

Easily monitor air quality in multiple locations with the I-link platform.



Practical

Monitor air quality from your smartphone.

Why i-sense?

- > Make the invisible visible
- Combine with i-air air purifiers for a comprehensive air quality strategy
- > Be alerted when air quality requires attention
- Improve patient, staff and visitor wellbeing
- > Choice of models to suit your requirements

Codes i-sense Plus ISNP.I-V.1400C

Technical Specific	ations	
Model	Plus	Pro
Body size (L x W x H) mm	145x130x145	145x130x145
Weight (excl. battery)	0.81 kg	0.91 kg
Weight (incl. battery)	1.51 kg	1.61 kg
Power source (battery not included):	i-power 8.7 battery or 5V USB-C wall power	i-power 8.7 battery or 5V USB-C wall power
VOC measurement range / accuracy (ppb)	0-1000 ± 75	0-1000 ± 75
PM measurement range / accuracy (ppm)	400-5000 ± 100	400-5000 ± 100
CO₂ measurement range / accuracy (µg/m³)	0-600 ± 10%	0-600 ± 10%
Temperature measurement range / accuracy (°C)	-45 - 125 ± 5	-45 - 125 ± 5
Humidity measurement range / accuracy (%)	10-100 ± 1	10-100 ± 1

i-fogger 3.5

High volume backpack fogger

The i-fogger is a practical tool to have during and after the COVID-19 pandemic. It disinfects surfaces and entire spaces quickly. The mobile unit creates and disperses a disinfectant aerosol (mist) that help reduce the number of airborne micro-organisms and viruses.



Excellent ergonomics

The user wears a backpack, allowing complete freedom of movement.









Interchangeable nozzles can regulate the mist from 20-150 microns droplet size as needed.





Easily fill, clean & empty the 3 L tank at a sink.



Self-reset switch

This prevents the machine from automatically or unintentionally restarting.

High-volume disinfection

Easily and effectively disinfect locations with heavy-foot-traffic like cinemas, airplanes, trains, busses, shopping malls and more.



Battery operated

Only needs 1 x i-power 9 or 14 battery for 50mins of use.

Technical Specifications

Weight	7.9 kg
Dimensions	20x60x23 cm
Tank capacity	3 L
Battery	1 x i-power 9 or 14
Run time	40 min with i-power 9 & 50 min with i-power 14
Charge time: i-charge 2	5-6 hours for i-power 9 & 7-8 hours for i-power 14
Charge time: i-charge 9	60-70 min for i-power 9 & 90-100 min for i-power 14
Speed of spray	175-100ml/minute
Hose length	1.2 m
Droplet size	20-150 um
Machine power	450W
Spray distance	5-6 m

Codes

i-fogger 3.5 (w/o battery) IFG.FCT.0000B

S.121.0060.0

Tool (1 set) **S.121.0077.357**

i-power 9 (left) **S.72.0074.2**

i-power 9 (right) **S.72.0079.2**

i-power 14 (left) **S.72.0074.357**

i-power 14 (right) **S.72.0079.357**

i-charge 2 **S.72.0299.9**

Why i-fogger 3.5?

- > High dispersion rate for high-volume disinfection
- > Interchangeable nozzles for different applications
- > Disinfect even those hard-to-reach places
- > Battery-power allows for freedom of movement



#1D Floors

every dimension counts

4D cleaning the **REAL** clean

Our 4D 4 Dimensional approach to cleaning ensures that no area of cleaning is left out, including the areas that may not have been thought of yet.











cleaning equipment & accessories

i-land S

i-land L Pro

i-land L Pro Drive

i-land XL Pro

i-power

i-stack

i-charge

i-matt

i-dose

i-suit

i-store

i-wall

i-stand

i-know



i-land S Pro

The compact cleaning trolley

Transport all your cleaning products & i-mop on one cart, enabling you to service multiple areas without having to go back and refill, in a convenient, compact and versatile design.



Onboard charger

Charge your i-power batteries on the go with the onboard charger.

Storage basket

Store spray bottles or additional small cleaning accessories.

Dusting tool holder

Attach your dusting tool or i-fibre mop to your cleaning trolley for easy accessibility.

Multiple cleaning tasks

Load up your i-mop, microfibre cloths and mops, chemicals, tanks and batteries on this i-land S.

Air tyres

The versatile air-tyred version can be used outside or on uneven surfaces, whilst remaining perfectly suitable for indoor environments.



Reduce travel time

By consolidating all your cleaning tools into the i-land you reduce traveling time back to the storage.

Large Deck

Easily load your i-mop, lock it in position and safely transport it on the large deck space.

Technical Specifications

Weight	32 kg
Size	59 x 54 x 113 cm
Tyre size	25 cm
Туре	Air tyres
Equipment slots	9

Codes

i-land s air tyres ICSP.FCT.0000A



Why i-land S Pro?

- > Compact & versatile
- > Secure storage for your i-mop, tools and accessories
- Large pneumatic-tyres for easy transport over rough surfaces, or up stairs
- Eliminates productivity lost returning to the cleaner's storeroom
- Carries additional tanks to support colour coded cleaning routines

i-land L Pro

Fully equipped cleaning trolley

When it comes to cleaning large buildings and on-site projects, you need an effective workstation that holds all your cleaning equipment. The i-land L Pro is an outstanding all-in-one solution.



Equipment slots

16 large holders accommodate all your tools and accessories.

Charge on the go

Integrated power board and charger holders for charging additional i-power batteries while cleaning.



Fully enclosed lockable drawers with heavy duty runners for long life.



i-fibre compatible

Designed for use with the i-fibre 4D microfibre cleaning system.



Tablet bracket (optional)

The trolley can be fitted with a bracket to hold your iPad or tablet.

Tank storage

Store additional i-mop xl/xxl tanks on board for extended cleaning time.

i-mop storage

Onboard ramp for easy mobilisation of the i-mop floor scrubber.

Why i-land L Pro?

- > Store an array of cleaning equipment and accessories on a single mobile cleaning island
- Colour-coded tank lids and onboard cleaning buckets enable colour-coded cleaning routines, preventing cross-contamination
- > Eliminate productivity lost from returning to the cleaner's storeroom whilst cleaning
- > Ultra heavy duty rotomoulded construction for long life in commercial environments

Technical Specifications Weight 52.8 kg Size (I x w x h) 140 x 68 x 110 cm Storage capacity Top & bottom drawer: 51 x 22 x 32 cm Cable length 10 m Caster size 5" (rubber) Equipment slots 16

i-land L Pro Drive

Fully equipped, battery-powered cleaning trolley

Part of the innovative i-land range of cleaning workstations, the i-land L Pro Drive is fitted with an electric motor that takes ease-of-cleaning to a whole new level.



Powered cleaning trolley

Easily controlled from the handle. Integrated safety brake stops trolley as soon as hand is removed form the handle.

Lockable drawers

Fully enclosed lockable drawers with heavy duty runners for long life.

i-fibre compatible

Designed for use with the i-fibre 4D microfibre cleaning system.





Equipment slots

16 large holders accommodate all your tools and accessories.



Tablet bracket (optional)

The trolley can be fitted with a bracket to hold your iPad or tablet.

i-mop storage

Onboard ramp for easy mobilisation of the i-mop floor scrubber.

Tank storage

Store additional i-mop xl/xxl tanks on board for extended cleaning time.

Technical Specifications

Weight	84 kg
Size (l x w x h)	140 x 68 x 110 cm
Storage capacity	Top & bottom drawer: 51 x 22 x 32 cm
Cable length	10 m
Caster size	5" (rubber)
Equipment slots	16
Max incline	10°
Speed	low: 2.5 km/h, medium: 3.5 km/h high: 4.5 km/h

Codes

i-land L Pro Drive ICLD.FCT.1100

Grey compartment bags (2) 103.0025.0



Why i-land L Pro Drive?

- Store an array of cleaning equipment and accessories on one battery-powered cleaning island
- Colour-coded tank lids and on-board cleaning buckets enable colour-coded cleaning routines, preventing cross-contamination
- Eliminate productivity lost returning to the cleaner's storeroom whilst cleaning
- > Ultra heavy duty rotomoulded construction for long life in commercial environments


i-land XL Pro

The ultimate cleaning trolley

When it comes to cleaning large buildings and on-site projects, you need an effective workstation that holds all your cleaning equipment. That's why we've created the i-land XL Pro, an all-in-one solution.

Equipment slots

18 large holders accommodate all your tools and accessories.



Tablet bracket (optional)

The trolley can be fitted with a bracket to hold your iPad or tablet.

Tank storage

Store additional i-mop xl/xxl tanks on board for extended cleaning time.

i-mop storage

Onboard ramp for easy mobilisation of your i-mop.

Charge on the go

Integrated power board and charger holders for charging additional i-power batteries while cleaning.

Lockable drawers

Fully enclosed lockable drawers with heavy duty runners for long life.





i-fibre compatible

Designed for use with the i-fibre 4D microfibre cleaning system.

Why i-land XL Pro?

- > Store an array of cleaning equipment and accessories on a single mobile cleaning island.
- > Colour-coded tank lids and onboard cleaning buckets enable colour-coded cleaning routines, preventing cross-contamination.
- > Eliminate productivity lost from returning to the cleaner's storeroom whilst cleaning.
- > Heavy duty construction for ultra-long life





i-power

Plug-and-play battery system

Our quick exchange i-power battery system means that our battery powered machines provide an effective and relentless cleaning workforce.



i-power 7 batteries

14.4V – 6.6Ah rechargeable Lithium batteries.



i-power 8.7 batteries

1.44V – 8.7Ah rechargeable Lithium batteries.



i-power 9 batteries

25.2V – 8.8 Ah rechargeable Lithium batteries.



i-power 12 batteries

18V – 12Ah rechargeable Lithium batteries.



i-power 14 batteries

25.2V – 14 Ah rechargeable Lithium batteries.



i-power 20 batteries

25.2V - 20Ah rechargeable Lithium batteries (white batteries).

Technical Specifications

	Battery	Run Time	Charge Time					
Machine			i-Charge 2	i-Charge 9	MBZ Charger	ES2 Charger	i-charge 5	Configuration
i-mop lite	i-power 12	45min	-		6 hours			1 x battery
	i-power 9	60-70 min	5-6 hours	60-70 min				1 x pair of batteries
i-mop xl	i-power 14	90-100 min	7-8 hours	90-100 min				1 x pair of batteries
	i-power 20	140 min	7-8 hours	120 min				1 x pair of batteries
	i-power 9	50-60 min	5-6 hours	60-70 min				1 x pair of batteries
i-mop xxl	i-power 14	60-70min	7-8 hours	90-100 min				1 x pair of batteries
	i-power 20	130 min	7-8 hours	120 min				1 x pair of batteries
	i-power 9	80 min	5-6 hours	60-70 min				1 x pair of batteries
	i-power 14	100 min	7-8 hours	90-100 min				1 x pair of batteries
	i-power 9	40 min	5-6 hours	60-70 min				1 x battery
vac 5B	i-power 14	50 min	7-8 hours	90-100 min				1 x battery
	i-power 20	70 min	7-8 hours	120 min				1 x battery
	i-power 9	80 min	5-6 hours	60-70 min				1 x pair of batteries
vac 9B	i-power 14	100 min	7-8 hours	90-100 min				1 x pair of batteries
	i-power 20	140 min	7-8 hours	120 min				1 x pair of batteries
	i-power 9	60 min	5-6 hours	60-70 min				3 x pair of batteries
	i-power 14	80 min	7-8 hours	90-100 min				3 x pair of batteries
	i-power 20	120 min		120 min				3 x pair of batteries
i-scrub 21B	i-power 7	150 min				210 min		1 x battery
	i-power 9	160 min	5-6 hours	60-70 min				1 x battery
i-land L drive	i-power 14	240 min	7-8 hours	100 min				1 x battery
	i-power 20	340 min		120 min				1 x battery
i-cover 1.0	i-power 9	11 hours	5-6 hours	60-70 min				1 x battery
	i-power 14	18 hours	7-8 hours	90-100 min				1 x battery
	i-power 20	26 hours	7-8 hours	120 min				1 x battery
: 625	i-power 9	40 min	5-6 hours	60-70 min				1 x battery
i-fogger 3.5	i-power 14	50 min	7-8 hours	90-100 min				1 x battery
i-sense	i-power 8.7	85 hours	-	-			120 min	1 x battery
i-move 2.5B	i-power 8.7	52 min	-				100 min	1 x pair of batteries

i-charge

i-power battery charging system

Our i-chargers are made to charge the i-power batteries in a short amount of time.



i-charge 2

Standard Charger for i-power 9. 14 & 20 batteries.



i-charge 9

Fast Charger for i-power 9, 14 & 20 batteries.



i-charge 5

4 port charger for the i-power 8.7 batteries.



ES2 charger

ES2 charger for the i-power 7 batteries.



i-stack 3 wall charger WR3.FCT.1400C

i-charge 2 **S.72.0299.9**

i-charge 9 **S.72.0344.0**

MBZ Charger **S.72.0299.9**

ES2 Charger **S.97.2024.4**

i-charge 5 K1.S.119.0100.9

MBZ charger

MBZ charger for the i-power 12 batteries.



Wall charging system

Charging the fleet, straight from the wall

i-stack (3/4/6)

Choose how many levels of chargers you need, and assemble them accordingly. (chargers not included).





Compatible Machines

i-power 7

i-scrub 21B

i-power 8.7

i-power 12

i-mop lite

i-power 9, 14 & 20

i-mop xxl

i-cover 1.0

Codes

i-power 7 **S.97.2023.0**

i-power 8.7 **S.119.001.3**

i-power 9 (left) **S.72.0074.2**

i-power 9 (right) **S.72.0079.2**

i-power 12 **S.115.0143.0**

i-power 14 (left) S.72.0074.357

i-power 14 (right) **S.72.0079.357**

i-power 20 (left) **S.72.0074.797**

i-power 20 (right) **S.72.0079.797**



Scan for more info



i-matt

Commercial floor mat

i-matt is a durable, clean-in-place, no-trip floor matting system that improves floor safety and ease of cleaning. Better still, the i-matt does not need to be removed before cleaning - it can be cleaned seamlessly with our innovative i-mop, as though it is part of the main floor.



Total 9m per roll

Comes in a 9m roll of 91.5cm wide x 3 precut sections; an ideal size for entrances and walkways.



Hi-Trac surface

Certified by NFSI to reduce slip and fall claims by up to 90%.

Hard wearing

Withstands daily cleaning, extreme foot and wheeled traffic; lasts up to 12 months.

Easy installation

Easily installed. Connect edges to suit all areas and around corners.

Adhesive Technology

Lays flat and stays put with no shifting; easily removed with no residue left behind.

Super Absorbent

Absorbs and spreads out water, so the i-matt dries fast; traps dirt to prevent it from being tracked around the cleaned area. Each 9m roll holds up to 30 litres of water.

Technical Specifications Size Roll of 3 precut sections, each 91.5 cm x 3 m Fluids Oils, Coolants, Solvents & Water Absorbed Surface temperatures from 13°C - 49°C Composition Absorbent - Polypropylene; Adhesive Backing - Proprietary Adhesive Material Codes i-matt 9m roll K.3.I-MATT

Why i-matt?

- Save 5 minutes every day; no removing and relaying matts before/after cleaning
- Saves money compared with cost of rental mats
- > Captures water and dirt at the door to keep floors cleaner
- Lowers environmental impact no harsh laundering chemicals
- > Safer stops trips, slips and accidents

i-dose

Chemical Dosing System

The i-dose system is designed specifically for the i-mop xl, combining ecologically-conscious cleaning detergents with a user-friendly pod design.

i-dose solution tank

Conveniently equipped with a side port for refilling water without needing to remove the injector. You can easily click-on and click-off the tank as you're used to.



Interchangeable tank

Replaces the existing tank on any i-mop xl model.

i-dose cleaning pods

Choose the perfect i-dose



E52 Daily Floor Cleaner

The i-dose E-52 Daily Floor Cleaner is an environmentally friendly, plant-based solution for effective everyday cleaning of any hard floor.



E33 Sanitary Floor Cleaner

The i-dose E-33 Sanitary Floor Cleaner is an environmentally friendly, plant-based and mildly acidic cleaning solution designed to cut through limescale and scum buildup in bathroom areas.



E73 Degreasing Floor Cleaner

The i-dose E-73 Degreasing Floor Cleaner is powerful degreasing floor cleaner designed for kitchen and foodservice environments, as well as industrial workshops



i-dose injector

The injector is inserted on the top port of the new i-dose solution tank. Place the pod here and close the cap. The injector pierces the cup with exactly the right pressure and the liquid disperses evenly in the solution tank.

i-dose cleaning pod holder

Holds up to 10 i-dose cleaning pod refills, enabling dispensing anywhere. The cleaning pod holder fits on the inside of the solution tank.

pod for your needs.

Why i-dose?

- > No more risky "glug-glug" manual diluting chemicals
- > Perfectly-measured doses eliminate over- or under-dosing
- > Specifically engineered to disperse through water tank without shaking
- > Entirely plant-based cradle-tocradle formulas
- > One pod accurately doses one i-mop xl tank



Codes

S.72.0081.2

i-mop XXL i-dose tank S.72.1081.2

Pink E33 10ml pod (120pcs) **K.120.72.0444.111**

Green E73 10ml pod (120pcs) K.120.72.0444.6

Blue E52 10ml pod (120pcs) **K.120.72.0444.7**

i-suit

One handed cleaning

With the integrated pulley taking the weight, cleaning with one hand is a reality.

High-reach window cleaning support

The i-suit eliminates neck strains and pains associated with high-mounted window cleaning, reducing operator effort whilst improving the productivity and efficacy of the cleaning process.



High-pressure washers

Attach your pressure washer high-reach wand to make cleaning vertical surfaces with a high-pressure water blaster a breeze.



i-suit glasses

Unique 90-degree glasses allow you to look straight ahead and see your actions vertically.



Multi-brand compatible

Compatible with all brands of high-reach poles.

Backpack & lance

All the weight of your high-reach window cleaning pole is centred and lifted from the middle- liberating the movement, and reducing neck and back strain while offering better visibility of the area being cleaned.

Codes

i-suit **i-suit.I-V** Suspension strip S.109.0017.0

Angle-view glasses **S.109.0021.2A**

Balancer heavy (blue) **S.109.0055.797**

Technical Specifications

Weight of product 3.9 kg

Size I x w x h 125 x 80 x 45 cm

Accessories

Glasses included



Scan for more info

Why i-suit?

- > Takes the strain out of window cleaning
- > Easy-to-use
- > Improves cleaning speed
- > Multi-brand compatible
- Demonstrates innovation to clients, and duty of care to staff


i-store & i-stand

3 Ways to store your i-mop

Easily pack away your i-mop and accessories with our storage options. Mount it against the wall, stand it upright or store it in a heavy-duty steel cabinet.

i-stand Wall

Wall mount bracket designed to hold your i-mop in place.



Stay organised

Adjustable shelves and hooks for brushes, pads and chargers makes it easy to find what you're looking for.



The steel storage closet is easy to build & set up.

i-store

Store your i-mop, wallchargers, pads, brushes and more in one convenient storage unit.




Built-in power outlet

Charge your i-power batteries straight out of the i-store.



Why i-store & i-stand?

- > All-in-one storage makes it the perfect utilities closet in your storage facility
- > Charge your i-mop batteries directly from the built-in power outlet
- > Makes all your i-mop accessories easily accessible
- > Secure the i-mop in your storeroom with a lockable key
- > Organise your storeroom with our storage options



i-know

Commercial cleaning measurement tools

Data-driven cleaning; the i-know allows you to prove the effectiveness of your cleaning processes, eliminating guesswork, improving accountability and inspiring confidence.

Why i-know?

- > Monitor cleanliness with accurate, real-world data
- > Demonstrate new levels of innovation & professionalism
- > Perform before and after tests to optimise processes
- > Reduce safety risks and improve OH&S outcomes
- > Empower staff to uphold cleaning standards

ATP tests

Use ATP tests to

check if surfaces meet expected

Slip-tester

slip accidents.



Present a professional image to clients by transporting all i-know testing tools in one sleek, sturdy case.

pH Tester

Test the pH of cleaning solutions, ensuring suitability for delicate surfaces.

Gloss meter

Monitor floor conditions and optimise floor cleaning & polishing processes with the gloss meter.



Technical specifications

ATP Meter	
Carry weight	approx 260 grams
Size body (l x w x h)	72 x 191 x 32 mm
Operating temp. range	5 ~ 40° C
Relative humidity range	20 ~ 85%, non condensing
Measurement range	0 to 9999 RLUs
Measurement time	15 sec
Measurement noise	+/- 5% or +/- 5RLUs
Programmable result threshold	100 programs
Result memory size	500 tests
Batteries size	AA LR6 or E91
Battery types	nom. 1.5V Alkaline (non rechargable) nom. 1.2V NiMH or NiCD (rechargable)
Charger type	Off-board
Battery capacity	min. 6 months (standby mode at 20° C) min. 500 test (continuous reading)

Gloss Meter

approx 350 grams 160 x 75 x 90 mm 0~40° C <85% relative humidity 0.5 sec 20%60%85° Measurement angle 20°: 10 x 10 mm 60°: 9 x 15mm 85°: 5 x 36 mm

i-alert

Weight slip alert	5 kg
Size body (l x w x h)	250 x 180 x 70 mm
Size ramp	900 x 190 x 250 mm

Codes

i-know kit: IKW.I-V.0000C





fundamentals

We believe that the traditional approach to cleaning just doesn't cut it in the modern age.

That's why our range of revolutionary products are built to tackle five most common challenges that every industry faces.

We call them our five fundamentals:







cleaner



greener



safer



bette

The i-team approach ensures that each of our products are built with our five fundamentals in mind, providing you with more effective tools that reduce cleaning times, improve cleaning outcomes - all while optimising safety and environmental considerations.

Seeing is believing

Schedule a demonstration today and discover how our product range can revolutionize your cleaning operation.

We promise you'll be amazed.



Phone 1800 861 030 | hello@i-teamanz.com | www.i-teamanz.com