

# Test Report

Report No.: A001R20160325001-10

Date: Apr.05, 2016

Page 1 of 14

Applicant: HANGZHOU HUANYU TOYS CO.,LTD

Address: #117JINGCHENG ROAD,XINDENG TOWN,FUYANG CITY,ZHEJIANG,CHINA

**Report on the submitted sample(s) said to be:**

Sample Name : Rocking animal-fox  
Item No. : 1520023  
Supplier : HANGZHOU HUANYU TOYS CO.,LTD  
Manufacturer : HANGZHOU HUANYU TOYS CO.,LTD  
Country of Origin : China  
Country of Destination : EU  
Labeled Age Grading : 0+  
Requested Age Grading : 0+  
Age Group Applied in Testing : 0+  
Sample Receiving Date : Mar.25, 2016  
Testing Period : Mar.25, 2016 to Apr.05, 2016  
**Test Requested** : Please refer to next page(s).  
**Test Method** : Please refer to next page(s).  
**Test Result** : Please refer to next page(s).

Reviewed by: Jessie.Liang

Liangdan, Jessie.Liang

Technical Supervisor

Approved by: Jay.Liu / Liulinwen, Lewis

Liujinliang, Jay.Liu / Liulinwen, Lewis

Laboratory Supervisor / Technical Director



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

**No.1501C**

# Test Report

Report No.: A001R20160325001-10

Date: Apr.05, 2016

Page 2 of 14

## Test Requested:

## Conclusion

1.(1) For compliance with the European Standard on Safety of Toys:

EN71-1: 2014 – Mechanical and Physical Properties

Pass

EN71-2:2011+A1:2014 – Flammability of Toys

Pass

EN71-3:2013+A1:2014 – Migration of Certain Elements

Pass

(2) Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to the Directive 2009/48/EC-Safety of toys

Pass

2. As specified by client, to determine Azocolourants and Azodyes in the submitted sample with reference to Entry 43, Annex XVII of the REACH Regulation(EC) No 1907/2006 and Amendment Regulation (EC) No 552/2009.

Pass

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

## No.1501C

# Test Report

Report No.: A001R20160325001-10

Date: Apr.05, 2016

Page 3 of 14

## Test Results:

### 1.(1)-1:EN71 Part 1: 2014 - Mechanical and Physical Properties

Clause	Description	Result
4	General Requirements	
4.1	Material cleanliness	Pass
4.7	Edges	Pass
4.8	Points and metallic wires	Pass
4.15	Toys intended to bear the mass of a child	
4.15.1	Toys propelled by the child or by other means	
4.15.1.3	Strength	Pass
4.15.1.4	Stability	Pass
4.15.3	Rocking horses and similar toys	Pass
5	Toys intended for Children under 36 months	
5.1	General Requirements	Pass
5.2	Filling materials	Pass
8	Test Methods	
8.3	Torque Test	Pass
8.4	Tension Test	Pass
8.6	Tip over Test	Pass
8.7	Impact Test	Pass
8.8	Compression Test	Pass

**NB:** Only applicable clauses were shown.

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

**No.1501C**

# Test Report

Report No.: A001R20160325001-10

Date: Apr.05, 2016

Page 4 of 14

**(1)-2:EN71 Part 2:2011+A1:2014 - Flammability of Toys**

Clause	Description	Result
4	Requirements	
4.1	General Requirements	Pass
4.5	Soft Filled Toys (animals and dolls, etc) with a piled or textile surface	Pass (See Note)

**Note:**

Clause 4.5

Sample

Burning Rate (mm/sec)

Rocking animal-fox

7.4

**(Requirement:** The rate of spread of flame on the surface shall not be more than 30 mm/s or the toy shall self-extinguish.)

**NB:** Only applicable clauses were shown.

-

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

**No.1501C**

# Test Report

**Report No.: A001R20160325001-10**

Date: Apr.05, 2016

Page 5 of 14

**(1)-3 EN 71-3:2013+A1:2014 - Migration of Certain Elements.**
**Category III: Scrapped - off toy material**
**Test method:** With reference to EN 71-3, Analysis was performed by ICP-AES, GC-MS and HPLC-ICP-MS.

Unit: mg/kg

Test Item(s)	Result(s)							MDL	Limit
	1	2	3	4	5	6	7		
Aluminium (Al) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	See Remark
Antimony (Sb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Arsenic (As) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	10	
Barium (Ba) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Boron (B) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Cadmium (Cd) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1	
Chromium III (Cr(III)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Chromium VI (Cr(VI)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	
Cobalt (Co) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	
Copper (Cu) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Lead (Pb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	3	
Manganese (Mn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Mercury (Hg) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Nickel (Ni) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	10	
Selenium (Se) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	
Strontium (Sr) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Tin (Sn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Organic Tin* (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	
Zinc (Zn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
<b>Conclusion</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	/	

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

## No.1501C

# Test Report

**Report No.: A001R20160325001-10**

Date: Apr.05, 2016

Page 6 of 14

Unit: mg/kg

Test Item(s)	Result(s)					MDL	Limit
	8	9	10	11	12		
Aluminium (Al) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	See Remark
Antimony (Sb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Arsenic (As) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	10	
Barium (Ba) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Boron (B) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Cadmium (Cd) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	1	
Chromium III (Cr(III)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Chromium VI (Cr(VI)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	
Cobalt (Co) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	
Copper (Cu) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Lead (Pb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	3	
Manganese (Mn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Mercury (Hg) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Nickel (Ni) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	10	
Selenium (Se) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	5	
Strontium (Sr) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Tin (Sn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Organic Tin* (M)	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	
Zinc (Zn) (M)	N.D.	N.D.	N.D.	422	N.D.	50	
<b>Conclusion</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	/	

- Note:**
- 1.N.D.= Not Detected (lower than MDL)
  - 2.MDL = Method Detection Limit
  - 3.mg/kg = milligram per kilogram
  - 4.M = Migration
  - 5.\* = Migration of organic tin is expressed as tributyl tin cation content in mg/kg.
  - 6.As specified by client, only test the designated sample.

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

## No.1501C

# Test Report

**Report No.: A001R20160325001-10**

Date: Apr.05, 2016

Page 7 of 14

## - Permissible Limit for Different Materials

Item	Category III In scraped-off toy material	Category II In liquid or sticky toy material	Category I In dry, brittle, powder-like or pliable toy material
Aluminium (Al) (M)	70000	1406	5625
Antimony (Sb) (M)	560	11.3	45
Arsenic (As) (M)	47	0.9	3.8
Barium (Ba) (M)	18750	375	1500
Boron (B) (M)	15000	300	1200
Cadmium (Cd) (M)	17	0.3	1.3
Chromium III(Cr(III)) (M)	460	9.4	37.5
Chromium VI (Cr(VI)) (M)	0.2	0.005	0.02
Cobalt (Co) (M)	130	2.6	10.5
Copper (Cu) (M)	7700	156	622.5
Lead (Pb) (M)	160	3.4	13.5
Manganese (Mn) (M)	15000	300	1200
Mercury (Hg) (M)	94	1.9	7.5
Nickel (Ni) (M)	930	18.8	75
Selenium (Se) (M)	460	9.4	37.5
Strontium (Sr) (M)	56000	1125	4500
Tin (Sn) (M)	180000	3750	15000
Organic Tin (M)	12	0.2	0.9
Zinc (Zn) (M)	46000	938	3750

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

## No.1501C

# Test Report

**Report No.: A001R20160325001-10**

Date: Apr.05, 2016

Page 8 of 14

**(2) Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to the Directive 2009/48/EC-Safety of toys**

Summary table:

	On product	On packaging
Washing/Cleaning instruction	Present	Absent
CE mark	Present	Present
Name & Address	Present	Present
Product ID	Present	Absent

**Remark:**

- 1: Washing/Cleaning label According to Directive 2009/48/EC the following safety requirements apply regarding cleaning and washing: A toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The toy must fulfill the safety requirements also after having been cleaned in accordance with this point and the manufacturer's instructions. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned.
- 2: Toys made available on the market must bear the CE marking. The CE marking must be subject to the general principles set out in Article 30 of Regulation (EC) No 765/2008. The CE marking must be affixed visibly, legibly and indelibly to the toy, to an affixed label or to the packaging. In the case of small toys and toys consisting of small parts, the CE marking may alternatively be affixed to a label or an accompanying leaflet. Where, in the case of toys sold in counter displays, that is not technically possible, and on condition that the counter display was originally used as packaging for the toy, the CE marking may be affixed to the counter display. Where the CE marking is not visible from outside the packaging, if any, it shall as a minimum be affixed to the packaging. Where specific legislation does not impose specific dimensions, the CE marking must be at least 5 mm high.
- 3: The manufacturer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy. This requirement applies also to the name and address etc. of any importer.
- 4: Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

## No.1501C



# Test Report

**Report No.: A001R20160325001-10**

Date: Apr.05, 2016

Page 9 of 14

**2. Test Results of AZO**

Unit: mg/kg

Test Item(s)	Test Method/ Equipment	MDL	Result(s)				Limit
			1	2	3	4	
4-Aminobiphenyl	Refer to EN14362-1:2012 EN14362-3:2012 GC-MS	5	N.D.	N.D.	N.D.	N.D.	30
Benzidine		5	N.D.	N.D.	N.D.	N.D.	30
4-Chloro-o-Toluidine		5	N.D.	N.D.	N.D.	N.D.	30
2-Naphthylamine		5	N.D.	N.D.	N.D.	N.D.	30
o-Aminoazotoluene		5	N.D.	N.D.	N.D.	N.D.	30
5-Nitro-o-toluidine		5	N.D.	N.D.	N.D.	N.D.	30
4-Chloroaniline		5	N.D.	N.D.	N.D.	N.D.	30
4-Methoxy-m-phenylenediamine		5	N.D.	N.D.	N.D.	N.D.	30
4,4'-Diaminodiphenylmethane		5	N.D.	N.D.	N.D.	N.D.	30
3,3'-Dichlorobenzidine		5	N.D.	N.D.	N.D.	N.D.	30
3,3'-Dimethoxybenzidine		5	N.D.	N.D.	N.D.	N.D.	30
3,3'-Dimethylbenzidine		5	N.D.	N.D.	N.D.	N.D.	30
4,4'-Methylenedi-o-toluidine		5	N.D.	N.D.	N.D.	N.D.	30
p-Cresidine		5	N.D.	N.D.	N.D.	N.D.	30
4,4'-Methylene-bis-(2-chloro-aniline)		5	N.D.	N.D.	N.D.	N.D.	30
4,4'-Oxydianiline		5	N.D.	N.D.	N.D.	N.D.	30
4,4'-Thiodianiline		5	N.D.	N.D.	N.D.	N.D.	30
o-Toluidine		5	N.D.	N.D.	N.D.	N.D.	30
4-Methyl-m-phenylenediamine		5	N.D.	N.D.	N.D.	N.D.	30
2,4,5-Trimethylaniline		5	N.D.	N.D.	N.D.	N.D.	30
o-Anisidine		5	N.D.	N.D.	N.D.	N.D.	30
4-Amino azobenzene		5	N.D.	N.D.	N.D.	N.D.	30
2,4-Xylidine		5	N.D.	N.D.	N.D.	N.D.	30
2,6-Xylidine		5	N.D.	N.D.	N.D.	N.D.	30
<b>Conclusion</b>			/	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

## No.1501C

# Test Report

**Report No.: A001R20160325001-10**

Date: Apr.05, 2016

Page 10 of 14

Unit: mg/kg

Test Item(s)	Test Method/ Equipment	MDL	Result(s)				Limit
			5	6	7	8	
4-Aminobiphenyl	Refer to EN14362-1:2012 EN14362-3:2012 GC-MS	5	N.D.	N.D.	N.D.	N.D.	30
Benzidine		5	N.D.	N.D.	N.D.	N.D.	30
4-Chloro-o-Toluidine		5	N.D.	N.D.	N.D.	N.D.	30
2-Naphthylamine		5	N.D.	N.D.	N.D.	N.D.	30
o-Aminoazotoluene		5	N.D.	N.D.	N.D.	N.D.	30
5-Nitro-o-toluidine		5	N.D.	N.D.	N.D.	N.D.	30
4-Chloroaniline		5	N.D.	N.D.	N.D.	N.D.	30
4-Methoxy-m-phenylenediamine		5	N.D.	N.D.	N.D.	N.D.	30
4,4'-Diaminodiphenylmethane		5	N.D.	N.D.	N.D.	N.D.	30
3,3'-Dichlorobenzidine		5	N.D.	N.D.	N.D.	N.D.	30
3,3'-Dimethoxybenzidine		5	N.D.	N.D.	N.D.	N.D.	30
3,3'-Dimethybenzidine		5	N.D.	N.D.	N.D.	N.D.	30
4,4'-Methylenedi-o-toluidine		5	N.D.	N.D.	N.D.	N.D.	30
p-Cresidine		5	N.D.	N.D.	N.D.	N.D.	30
4,4'-Methylene-bis-(2-chloro-aniline)		5	N.D.	N.D.	N.D.	N.D.	30
4,4'-Oxydianiline		5	N.D.	N.D.	N.D.	N.D.	30
4,4'-Thiodianiline		5	N.D.	N.D.	N.D.	N.D.	30
o-Toluidine		5	N.D.	N.D.	N.D.	N.D.	30
4-Methyl-m-phenylenediamine		5	N.D.	N.D.	N.D.	N.D.	30
2,4,5-Trimethylaniline		5	N.D.	N.D.	N.D.	N.D.	30
o-Anisidine		5	N.D.	N.D.	N.D.	N.D.	30
4-Amino azobenzene		5	N.D.	N.D.	N.D.	N.D.	30
2,4-Xylidine		5	N.D.	N.D.	N.D.	N.D.	30
2,6-Xylidine	5	N.D.	N.D.	N.D.	N.D.	30	
<b>Conclusion</b>		/	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	/

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

## No.1501C

# Test Report

**Report No.: A001R20160325001-10**

Date: Apr.05, 2016

Page 11 of 14

Unit: mg/kg

Test Item(s)	Test Method/ Equipment	MDL	Result(s)	Limit
			9	
4-Aminobiphenyl	Refer to EN14362-1:2012 EN14362-3:2012 GC-MS	5	N.D.	30
Benzidine		5	N.D.	30
4-Chloro-o-Toluidine		5	N.D.	30
2-Naphthylamine		5	N.D.	30
o-Aminoazotoluene		5	N.D.	30
5-Nitro-o-toluidine		5	N.D.	30
4-Chloroaniline		5	N.D.	30
4-Methoxy-m-phenylenediamine		5	N.D.	30
4,4'-Diaminodiphenylmethane		5	N.D.	30
3,3'-Dichlorobenzidine		5	N.D.	30
3,3'-Dimethoxybenzidine		5	N.D.	30
3,3'-Dimethybenzidine		5	N.D.	30
4,4'-Methylenedi-o-toluidine		5	N.D.	30
p-Cresidine		5	N.D.	30
4,4'-Methylene-bis-(2-chloro-aniline)		5	N.D.	30
4,4'-Oxydianiline		5	N.D.	30
4,4'-Thiodianiline		5	N.D.	30
o-Toluidine		5	N.D.	30
4-Methyl-m-phenylenediamine		5	N.D.	30
2,4,5-Trimethylaniline		5	N.D.	30
o-Anisidine		5	N.D.	30
4-Amino azobenzene		5	N.D.	30
2,4-Xylidine		5	N.D.	30
2,6-Xylidine	5	N.D.	30	
<b>Conclusion</b>		/	<b>Pass</b>	/

- Note:**
- 1.mg/kg=ppm= parts per million
  - 2.MDL=method detection limit
  - 3.N.D.=not detected (less than method detection limit)
  - 4.As specified by client, only test the designated sample
  5. The EN 14362-1:2012 methods will enable further cleavage of 4-aminoazobenzene to non-forbidden amines: aniline and 1,4-phenylenediamine, therefore, the test method of EN 14362-3:2012 was employed to verify the presence of 4-aminoazobenzene

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

## No.1501C

# Test Report

Report No.: A001R20160325001-10

Date: Apr.05, 2016


Page 12 of 14

## Sample Description


1	Orange soft cloth
2	White cloth(Cushion)
3	Brown line(eye)
4	Brown fur(nose)
5	Yellow soft cloth(face)
6	Yellow line(face)
7	White soft cloth(tail)
8	White line(tail)
9	White label
10	Orange red soft cloth(foot)
11	Wooden paint
12	wood

## Test Flow Chart

1.①Test Flow Chart for Migration of 17 Heavy Metals-Lead, Cadmium, Chromium, Mercury, Antimony, Barium, Arsenic, Selenium, Aluminum, Boron, Cobalt, Copper, Manganese, Nickel, Strontium, Zinc and Tin:



②Test Flow Chart for Migration of Chromium(III) and Chromium(VI):



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

**No.1501C**


# Test Report

Report No.: A001R20160325001-10


Date: Apr.05, 2016

Page 13 of 14

③ Test Flow Chart for Migration of Organic Tin Compounds:



2. Test Flow Chart for AZO



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

**No.1501C**

# Test Report

Report No.: A001R20160325001-10


Date: Apr.05, 2016

Page 14 of 14

## The photo of the sample



A001R20160325001-10(1)



A001R20160325001-10(2)

AGC authenticate the photo on original report only

\*\*\* End of Report\*\*\*

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

**No.1501C**