

Printing Date 11/09/2016

Revision Number 1

Revision Date 11/09/2016

Page 1/9

1 Identification

· Product identifier

- Trade name: <u>RP Series, SI Series, FS Series, HT Series, MG Series Adhesives</u> • Relevant identified uses of the substance or mixture. Adhesive
- · Details of the supplier of the safety data sheet
- Supplier: Evergreen Scale Models 65 East Bradrock Drive Des Plaines, IL 60018 Phone Number: 847-635-9066

 Information department: Environment protection department.
 Emergency telephone number: ChemTEL: 773-846-7300
 24 Hour Emergency: 1-800-255-3924

2 *Hazard*(*s*) *identification*

· Classification of the substance or mixture

*

Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.
STOT SE 3 H335 May cause respiratory irritation.

Flam. Liq. 4 H227 Combustible liquid.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



Signal word Warning
Hazard statements

Combustible liquid.
Causes skin irritation.
Causes serious eye irritation.
May cause an allergic skin reaction.
May cause respiratory irritation.

Precautionary statements

Keep away from flames and hot surfaces. – No smoking.
Avoid breathing dust/fume/gas/mist/vapors/spray

(Contd. on page 2)

Printing Date 11/09/2016

Revision Number 1

Revision Date 11/09/2016

Trade name: RP Series, SI Series, FS Series, HT Series, MG Series - Adhesives

(Contd. of page 1)
Wear protective gloves / eye protection / face protection. Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing must not be allowed out of the workplace.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Specific treatment (see on this label).
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
Wash contaminated clothing before reuse.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
In case of fire: Use for extinction: CO2, powder or water spray.
IF ON SKIN: Wash with plenty of water.
Take off contaminated clothing and wash it before reuse.
Store locked up. Store in a well vertilated place. Keep container tichtly closed
Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
$\begin{array}{c} 2 \\ 2 \\ 1 \end{array} \begin{array}{c} Health = 2 \\ Fire = 2 \\ Reactivity = 1 \end{array}$
· HMIS-ratings (scale 0 - 4)
HEALTH2Health = 2FIRE2Fire = 2PHYSICAL HAZARD 1Physical Hazard = 1
· Other hazards
· Results of PBT and vPvB assessment
• PBT: Not applicable.
• vPvB: Not applicable.
3 Composition/information on ingredients
• Chemical characterization: Mixtures • Description: Mixture
· Hazardous components:
7085-85-0 ethyl 2-cyanoacrylate 50-100%

*

· Description of first aid measures

• *After inhalation:* Overexposure, remove to fresh air and seek medical attention.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact:

4 First-aid measures

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: Seek medical treatment.

(Contd. on page 3)

Printing Date 11/09/2016

Revision Number 1

Revision Date 11/09/2016

Trade name: RP Series, SI Series, FS Series, HT Series, MG Series - Adhesives

(Contd. of page 2)

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

• Special hazards arising from the substance or mixture No further relevant information available.

· Advice for firefighters

Firefighters use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

• Protective equipment: Protective clothing and respiratory protective device.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation*
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste in accordance with federal state and local regulations. Ensure adequate ventilation.

- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling Open and handle receptacle with care. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Avoid contact with skin and eyes. Bonds skin and eyes in seconds.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location away from direct heat.
- Information about storage in one common storage facility: Store away from oxidizing agents.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

(Contd. on page 4)

US /

Printing Date 11/09/2016

Revision Number 1

Revision Date 11/09/2016

Trade name: RP Series, SI Series, FS Series, HT Series, MG Series - Adhesives

(Contd. of page 3)

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

7085-85-0 ethyl 2-cyanoacrylate

TLV Long-term value: 1 mg/m³, 0.2 ppm

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment (see listings below)
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.

· Breathing equipment:

Use approved respiratory protection equipment when airborne exposure is excessive. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- · Material of gloves
- Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses with side shields.



Tightly sealed goggles

Use full face shield over protective eye wear when there is a risk of a splash.

• Body protection:

Protective work clothing

Emergency showers and eye wash stations should be available.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:
- Form:

Liquid

(Contd. on page 5)

USA

Printing Date 11/09/2016

Revision Number 1

Revision Date 11/09/2016

Trade name: RP Series, SI Series, FS Series, HT Series, MG Series - Adhesives

		(Contd. of page
Color:	clear, opaque	
· Odor:	Characteristic	
· Odor threshold:	1ppm	
· pH-value:	Not determined.	
· Change in condition		
Melting point:	Undetermined.	
Boiling point:	149 °C (300 °F)	
· Flash point:	93 °C (199 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
• Auto igniting:	485C	
· Danger of explosion:	Not determined.	
· Flammable limits:		
Lower:	Not determined	
Upper:	Not determined	
· Vapor pressure:	<0.2 mm Hg	
· Specific gravity at 20 °C (68 °F):	1.07 g/cm ³ (8.929 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
\cdot Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wate	p r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
Solids content:	Not available	
• Other information	<20 grams/liter Per SCAQMD Method 316B.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid Moisture Exposure to high temperatures.
- *Incompatible materials: Reacts with water. Reacts with alcohols.*

(Contd. on page 6)

USA

Printing Date 11/09/2016

Revision Number 1

Revision Date 11/09/2016

Trade name: RP Series, SI Series, FS Series, HT Series, MG Series - Adhesives

(Contd. of page 5)

3

Reacts with amines. Reacts with alkali (lyes). • Hazardous decomposition products: Carbon monoxide and carbon dioxide Nitrogen oxides Trace amounts of the following may be formed: Hydrogen cyanide (prussic acid)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye:
- Irritating effect.
- Vapors may be irritating to the eyes.
- · Sensitization: Skin Contact May cause allergic skin reaction.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

9011-14-7 poly (methyl mmethacrlate)

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes: At present there are no ecotoxicological assessments.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must be specially treated adhering to official regulations.

(Contd. on page 7)

USA

Printing Date 11/09/2016

Revision Number 1

Revision Date 11/09/2016

Trade name: RP Series, SI Series, FS Series, HT Series, MG Series - Adhesives

(Contd. of page 6)

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

· UN-Number · DOT, ADN, IMDG · IATA	not regulated UN3334
· UN proper shipping name · DOT, ADN, IMDG · IATA	not regulated Aviation regulated liquid, n.o.s. (ethyl 2-cyanoacrylate)
 Transport hazard class(es) DOT, ADN, IMDG Class 	not regulated
· Class · Label	9 Miscellaneous dangerous substances and articles 9
 Packing group DOT, IMDG IATA 	not regulated III
	Not applicable.
· Environmental hazards:	
• Environmental hazards: • Special precautions for user	Not applicable.
-	Not applicable.
• Special precautions for user • Transport in bulk according to Annex	Not applicable.
• Special precautions for user • Transport in bulk according to Annex MARPOL73/78 and the IBC Code	Not applicable.

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

(Contd. on page 8)

USA

Printing Date 11/09/2016

Revision Number 1

Revision Date 11/09/2016

Trade name: RP Series, SI Series, FS Series, HT Series, MG Series - Adhesives

(Contd. of page
Proposition 65
· Chemicals known to cause cancer:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.
· Chemicals known to cause developmental toxicity:
None of the ingredients is listed.
• (DSL) Canada Dosmestic Substance List All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.
· New Jersey Right-to-Know List:
7085-85-0 ethyl 2-cyanoacrylate
· New Jersey Special Hazardous Substance List:
7085-85-0 ethyl 2-cyanoacrylate F2, R2
· Pennsylvania Right-to-Know List:
None of the ingredients is listed.
· Pennsylvania Special Hazardous Substance List:
None of the ingredients is listed.
· Cancerogenity categories
· EPA (Environmental Protection Agency)
None of the ingredients is listed.
· TLV (Threshold Limit Value established by ACGIH)
None of the ingredients listed.
· MAK (German Maximum Workplace Concentration)
None of the ingredients is listed.
· NIOSH-Ca (National Institute for Occupational Safety and Health)
None of the ingredients is listed.
· National regulations:

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

Water hazara class: water hazara class I (self-ussessment). Sugnity hazaraous for water

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

*

16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Evergreen Scale Models makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Evergreen Scale Models or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

• Department issuing SDS: Environment protection department.

· Creation Date: 11/09/2016

· Date of preparation / last revision 11/09/2016 / -

(Contd. on page 9)

USA

Printing Date 11/09/2016

Revision Number 1

Revision Date 11/09/2016

Trade name: RP Series, SI Series, FS Series, HT Series, MG Series - Adhesives

	(Contd. of page 8)
· Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flam. Liq. 4: Flammable liquids – Category 4	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	
Skin Sens. 1: Skin sensitisation – Category 1	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
	USA —