

July 12, 2021 ClearSonic Price Sheet, Version 1.2

PART #	DESCRIPTION	True Ship Wt. Lb.	LIST PRICE	Fctry Drct free ship 15% Off	PART #
<b>A1224x1</b>	12" wide x 24" high, 1-section Add-On CSP w/Hinge	5	51.10	43.44	<b>A1224x1</b>
<b>A1224x2</b>	24" wide x 24" high, 2-section Add-On CSP w/Hinge	8	102.20	86.87	<b>A1224x2</b>
<b>A1224x3</b>	36" wide x 24" high, 3-section CSP	11	153.32	130.32	<b>A1224x3</b>
<b>A1224x4</b>	48" wide x 24" high, 4-section CSP	14	199.66	169.71	<b>A1224x4</b>
<b>A1224x5</b>	60" wide x 24" high, 5-section CSP	16	255.50	217.18	<b>A1224x5</b>
<b>A1224x6</b>	72" wide x 24" high, 6-section CSP	18	306.60	260.61	<b>A1224x6</b>
<b>A1224x7</b>	84" wide x 24" high, 7-section CSP	21	357.70	304.05	<b>A1224x7</b>
<b>A1824x1</b>	18" wide x 24" high, 1-section Add-On CSP w/Hinge	8	74.78	63.56	<b>A1824x1</b>
<b>A1824x2</b>	36" wide x 24" high, 2-section Add-On CSP w/Hinge	10	149.56	127.13	<b>A1824x2</b>
<b>A1824x3</b>	54" wide x 24" high, 3-section CSP	15	224.34	190.69	<b>A1824x3</b>
<b>A1824x4</b>	72" wide x 24" high, 4-section CSP	20	299.12	254.25	<b>A1824x4</b>
<b>A1824x5</b>	90" wide x 24 high, 5-section CSP	25	373.90	317.82	<b>A1824x5</b>
<b>A1824x6</b>	108" wide x 24 high, 6-section CSP	29	448.66	381.36	<b>A1824x6</b>
<b>A1824x7</b>	126" wide x 24" high, 7-section CSP	35	523.44	444.92	<b>A1824x7</b>
<b>JB-4</b>	Joe Bonamassa Signature Model Amp Shield (A1834x4)	29	568.70	483.40	<b>JB-4</b>
<b>A2436x1</b>	24" wide x 36" high, 1-section Add-On w/Hinge	12	125.88	107.00	<b>A2436x1</b>
<b>A2436x2</b>	48" wide x 36" high, 2-section Add-On w/Hinge	18	251.74	213.98	<b>A2436x2</b>
<b>A2436x3</b>	72" wide x 36" high, 3-section CSP	31	369.06	313.70	<b>A2436x3</b>
<b>A2436x4</b>	96" wide x 36" high, 4-section CSP	40	503.52	427.99	<b>A2436x4</b>
<b>A2436x5</b>	120" wide x 36" high, 5-section CSP	45	629.40	534.99	<b>A2436x5</b>
<b>A2436x6</b>	144" wide x 36" high, 6-section CSP	54	755.26	641.97	<b>A2436x6</b>
<b>A2436x7</b>	168" wide x 36" high, 7-section CSP	63	881.14	748.97	<b>A2436x7</b>
<b>A2448x1</b>	24" wide x 48" high, 1-section Add-On w/Hinge	20	152.04	129.23	<b>A2448x1</b>
<b>A2448x2</b>	48" wide x 48" high, 2-section Add-On w/Hinge	31	304.10	258.49	<b>A2448x2</b>
<b>A2448x3</b>	72" wide x 48" high, 3-section CSP	43	456.14	387.72	<b>A2448x3</b>
<b>A2448x4</b>	96" wide x 48" high, 4-section CSP	53	595.32	506.02	<b>A2448x4</b>
<b>A2448x5</b>	120" wide x 48" high, 5-section CSP	64	744.16	632.54	<b>A2448x5</b>
<b>A2448x6</b>	144" wide x 48" high, 6-section CSP	74	912.30	775.46	<b>A2448x6</b>
<b>A2448x7</b>	168" wide x 48" high, 7-section CSP	84	1,064.34	904.69	<b>A2448x7</b>
<b>A2466x1</b>	24" wide x 66" high, 1-section Add-On w/Hinge	28	205.66	174.81	<b>A2466x1</b>
<b>A2466x2</b>	48" wide x 66" high, 2-section Add-On w/Hinge	42	411.30	349.61	<b>A2466x2</b>
<b>A2466x3</b>	72" wide x 66" high, 3-section CSP	57	616.92	524.38	<b>A2466x3</b>
<b>A2466x4</b>	96" wide x 66" high, 4-section CSP	71	822.56	699.18	<b>A2466x4</b>

PART #	DESCRIPTION	True Ship Wt. Lb.	LIST PRICE	Fctry Drct free ship 15% Off	PART #
<b>A2466x5</b>	120" wide x 66" high, 5-section CSP	87	1,004.30	853.66	<b>A2466x5</b>
<b>A2466x6</b>	144" wide x 66" high, 6-section CSP	102	1,205.16	1,024.39	<b>A2466x6</b>
<b>A2466x7</b>	168" wide x 66" high 7-section CSP	116	1,439.48	1,223.56	<b>A2466x7</b>
<b>LITE2466x5</b>	120" wide x 66" high x <b>0.177-inch thick</b> , 5-section LITE CSP	67	698.18	593.45	<b>LITE2466x5</b>
<b>AR2448x(?)</b>	<b>Scratch Resistant</b> CSP, 24" wide x 48" high, (?) -section \$ per section	12ea	418.66	355.86	<b>AR2448x(?)</b>
<b>AR2466x(?)</b>	<b>Scratch Resistant</b> CSP, 24" wide x 66" high, (?) -section \$ per section	16ea	575.36	489.06	<b>AR2466x(?)</b>
<b>ARX2412x(?)</b>	<b>Scratch Resistant</b> 24" wide x 12" high, (?) -section Height Extender with H-Channel, \$ per section	3ea	124.76	106.05	<b>ARX2412x(?)</b>
<b>ARX2418x(?)</b>	<b>Scratch Resistant</b> 24" wide x 18" high, (?) -section Height Extender with H-Channel, \$ per section	5ea	196.64	167.14	<b>ARX2418x(?)</b>
<b>AX2402</b>	24" wide x 2" high, Acrylic Height Extender with H-Channel, \$ per section	1ea	24.28	20.64	<b>AX2402</b>
<b>AX2412x1</b>	24" wide x 12" high, 1-section Add-On Height Extender with H-Channel	5	51.10	43.44	<b>AX2412x1</b>
<b>AX2412x2</b>	48" wide x 12" high, 2-section Add-On Height Extenders with H-Channel	8	102.20	86.87	<b>AX2412x2</b>
<b>AX2412x3</b>	72" wide x 12" high, 3-section CSP Height Extenders with H-Channel	11	153.32	130.32	<b>AX2412x3</b>
<b>AX2412x4</b>	96" wide x 12" high, 4-section CSP Height Extenders with H-Channel	14	204.40	173.74	<b>AX2412x4</b>
<b>AX2412x5</b>	120" wide x 12" high, 5-section CSP Height Extenders with H-Channel	16	255.50	217.18	<b>AX2412x5</b>
<b>AX2412x6</b>	144" wide x 12" high, 6-section CSP Height Extenders with H-Channel	18	306.60	260.61	<b>AX2412x6</b>
<b>AX2412x7</b>	168" wide x 12" high, 7-section CSP Height Extenders with H-Channel	21	357.70	304.05	<b>AX2412x7</b>
<b>AX2418x1</b>	24" wide x 18" high, 1-section Add-On Height Extender with H-Channel	8	74.78	63.56	<b>AX2418x1</b>
<b>AX2418x2</b>	48" wide x 18" high, 2-section Add-On Height Extenders with H-Channel	10	149.56	127.13	<b>AX2418x2</b>
<b>AX2418x3</b>	72" wide x 18" high, 3-section CSP Height Extenders with H-Channel	15	224.34	190.69	<b>AX2418x3</b>
<b>AX2418x4</b>	96" wide x 18" high, 4-section CSP Height Extenders with H-Channel	20	299.12	254.25	<b>AX2418x4</b>
<b>AX2418x5</b>	120" wide x 18" high, 5-section CSP Height Extenders with H-Channel	25	373.90	317.82	<b>AX2418x5</b>
<b>AX2418x6</b>	144" wide x 18" high, 6-section CSP Height Extenders with H-Channel	29	448.66	381.36	<b>AX2418x6</b>
<b>AX2418x7</b>	168" wide x 18" high, 7-section CSP Height Extenders with H-Channel	35	523.44	444.92	<b>AX2418x7</b>
<b>AS2466x1</b>	24" wide x 66" high 1-section CSP with (2) AS48	44	422.02	358.71	<b>AS2466x1</b>
<b>AS2466x2</b>	48" wide x 66" high 2-section CSP with (2) AS48	58	627.66	533.51	<b>AS2466x2</b>
<b>AS2466x3</b>	72" wide x 66" high 3-section CSP with (2) AS48	73	833.28	708.28	<b>AS2466x3</b>
<b>AS12</b>	8" x 4" x 12" high Acrylic Side Stabilizer for 1'- 2' high panels	3	49.62	42.18	<b>AS12</b>
<b>AS24</b>	8" x 4" x 24" high Acrylic Side Stabilizer for 2'- 4' High panels	4	69.52	59.09	<b>AS24</b>
<b>AS48</b>	12" x 6" x 48" high Acrylic Side Stabilizer for 5'+ high panels	8	108.18	91.95	<b>AS48</b>
<b>S2216</b>	SORBER 22" wide x 16" high x 1.6" thick w/Velcro	2	43.98	37.38	<b>S2216</b>
<b>S2224</b>	SORBER 22" wide x 24" high x 1.6" thick w/Velcro	3	61.90	52.62	<b>S2224</b>
<b>S2233</b>	SORBER 22" wide x 33" high x 1.6" thick w/Velcro	8	96.20	81.77	<b>S2233</b>
<b>S2444x2</b>	SORBER 2-section Fabric-Hinged Free-Standing 48" wide x 44" high x 1.6" thick	18	221.36	188.16	<b>S2444x2</b>
<b>S2466x2</b>	SORBER 2-section Fabric-Hinged Free-Standing 48" wide x 66" high x 1.6" thick	26	291.86	248.08	<b>S2466x2</b>

PART #	DESCRIPTION	True Ship Wt. Lb.	LIST PRICE	Fctry Drct free ship 15% Off	PART #
<b>SX2412x2</b>	SORBER 2-section Height Extender w/Velcro, 48" wide x 12" high x 1.6" thick	5	116.98	99.43	<b>SX2412x2</b>
<b>S1248</b>	SORBER 12" wide x 48" long x 1.6" thick Top Center Lid Section	6	118.10	100.39	<b>S1248</b>
<b>S2448</b>	SORBER 24" wide x 48" long x 1.6" thick Top Center Lid Section	12	134.68	114.48	<b>S2448</b>
<b>ST2448</b>	SORBER 24" wide x 48" long x 1.6" thick Trapezoid Top Side Lid Section	12	136.08	115.67	<b>ST2448</b>
<b>S1266</b>	SORBER 12" wide x 66" long x 1.6" thick Top Center Lid Section	14	123.68	105.13	<b>S1266</b>
<b>S2466</b>	SORBER 24" wide x 66" long x 1.6" thick Top Center Lid Section	17	140.26	119.22	<b>S2466</b>
<b>ST2466</b>	SORBER 24" wide x 66" long x 1.6" thick Trapezoid Top Side Lid Section	17	141.76	120.50	<b>ST2466</b>
<b>SL7248</b>	SORBER 3-section LidPac: 72" wide x 48" deep (1) S2448, (2) ST2448, (1) BAR	33	452.74	384.84	<b>SL7248</b>
<b>SL7266</b>	SORBER 3-section LidPac: 72" wide x 66" deep (1) S2466, (2) ST2466, (1) BAR	43	469.68	399.24	<b>SL7266</b>
<b>SL8466</b>	SORBER 4-section LidPac: 84" wide x 66" deep (1) STC2466, (1) S1266, (2) ST2466, (2) BAR	49	639.26	543.39	<b>SL8466</b>
<b>AL7266</b>	72" wide x 66" deep 3-section Hinged Acrylic Lid System, (2) BAR	56	974.20	828.07	<b>AL7266</b>
<b>MP</b>	MegaPac: (1)A2466x7,(1)A2466x5,(1)AX2418x7,(1)AX2418x5,(19)S2224,(12)S2216,(1)S2466,(1)S1266,(2)ST2466,(2) BAR,(1) FAN	412	5,729.02	4,869.75	<b>MP</b>
<b>MMP</b>	Mini-MegaPac:(1)A2466x6,(1)A2466x5,(1)AX2412x6,(1)AX2412x5,(1)S2466,(1)S1266,(2)ST2466,(25)S2224,(2) BAR,(1) FAN	362	5,003.10	4,252.79	<b>MMP</b>
<b>IPA</b>	IsoPac A: (1)A2466x7, AX2412x7, (3)S2466x2, (7)S2224, (1)S2466, (1)S1266, (2)ST2466, (2) BAR, (1) FAN	292	3,790.10	3,221.64	<b>IPA</b>
<b>IPB</b>	IsoPac B: (1) A2466x6, (1) AX2412x6, (3) S2466x2, (4) S2224, (1) S2466, (2) ST2466, (1) BAR, (1) FAN	256	3,149.40	2,677.02	<b>IPB</b>
<b>IPC</b>	IsoPac C: (1) A2466x5, (3) S2466x2, (5) S2224	182	2,189.38	1,861.00	<b>IPC</b>
<b>IPD</b>	IsoPac D: (1) A2448x5, (2) S2448x2, (5) S2224	101	1,496.38	1,271.96	<b>IPD</b>
<b>IPE</b>	IsoPac E: (1) A2466x6, (1) AX2412x6, (2) S2466x2, (12) S2224, (1) S2466, (2) ST2466, (1) BAR, (1) FAN	276	3,352.74	2,849.90	<b>IPE</b>
<b>IPF</b>	IsoPac F: (1) A2466x4, (1) AX2412x4, (2) S2466x2, (1) S2448, (2) ST2448, (1) BAR, (1) FAN	171	2,108.20	1,791.98	<b>IPF</b>
<b>IPG</b>	IsoPac G: (1) A2466x6, (1) AX2412x6, (6) S2224, (2) ST2448, (1) Bar-Short, (1) FAN	163	2,246.00	1,909.14	<b>IPG</b>
<b>IPH</b>	IsoPac H: (1) A2466x4, (2) S2466x2, (1) S2448, (2) ST2448, (1) BAR w/SORBER brackets, (1) FAN	153	1,903.80	1,618.24	<b>IPH</b>
<b>IPI</b>	IsoPac I: (1) A2466x6, (2) S2466x2, (1) S2466, (2)ST2466, (1) BAR, (1) FAN	199	2,303.34	1,957.85	<b>IPI</b>
<b>IPJ</b>	IsoPac J: (2) A2466x4, (2) AX2412x4, (8) S2233, (1) S1266, (2) ST2466, (1) BAR, (1) FAN	244	3,321.40	2,823.21	<b>IPJ</b>
<b>IPT</b>	IsoPac T: (1) A1834x1, (1) A2436x1, (1) A1834x1 (hinged together), (2) S2216, (1) S2224, (1) S2233	48	594.58	505.39	<b>IPT</b>
<b>SP10</b>	SORBER StudioPac 10: (12) S2224, (2) S2233 Cloud, (2) S1248, (2) S2448	87	1,440.76	1,224.72	<b>SP10</b>
<b>SP20</b>	SORBER StudioPac 20: (18) S2224, (2) S2233 Cloud, (4) S1248, (4) S2448	151	2,317.72	1,970.18	<b>SP20</b>
<b>SP30</b>	SORBER StudioPac 30: (24) S2224, (4) S2233 Cloud, (8) S2216, (4) S1248, (4) S2448	190	3,233.36	2,748.48	<b>SP30</b>
<b>SP40</b>	SORBER StudioPac 40: (36) S2224, (8) S2233 Cloud, (8) S2216, (4) S1266, (4) S2466	230	4,405.60	3,744.92	<b>SP40</b>
<b>SBT48</b>	SORBER 48" Bass Trap: (1) S1248, (1) S2448	16	252.78	214.87	<b>SBT48</b>
<b>SBT66</b>	SORBER 66" SORBER Bass Trap: (1) S1266, (1) S2466	22	263.94	224.35	<b>SBT66</b>
<b>SC2224</b>	SORBER 22" wide x 24" deep Ceiling Cloud: (1) S2224, (4) 1.5" x 3" Velcro	5	61.90	52.62	<b>SC2224</b>
<b>SC2233</b>	SORBER 22" wide x 33" deep Ceiling Cloud: (1) S2233, (4) 1.5" x 3" Velcro	7	96.20	81.77	<b>SC2233</b>
<b>SC2448</b>	SORBER 24" wide x 48" deep Ceiling Cloud: (1) S2448, (4) 1.5" x 3" Velcro	10	134.68	114.48	<b>SC2448</b>
<b>SKT</b>	SORBER 4-section Kick Tunnel: (3) S2233, (1) S2224, (3) 1.5" x 6" Velcro	23	350.50	297.93	<b>SKT</b>

<b>PART #</b>	<b>DESCRIPTION</b>	<b>True Ship Wt. Lb.</b>	<b>LIST PRICE</b>	<b>Fctry Drct free ship 15% Off</b>	<b>PART #</b>
<b>GP20</b>	GoboPac 20: (1) A1824x2, (2) S2216	18	237.52	201.89	<b>GP20</b>
<b>GP30</b>	GoboPac 30: (1) A2436x2, (2) S2233	31	444.14	377.52	<b>GP30</b>
<b>GP40</b>	GoboPac 40: (1) A2448x2, (2) S2233	44	496.50	422.03	<b>GP40</b>
<b>GP50</b>	GoboPac 50: (1) A2466x2, (2) S2233, (2) S2216	59	691.66	587.91	<b>GP50</b>
<b>GP70</b>	GoboPac 70: (1) A2466x2, (1) AX2418x2, (2) S2233, (2) S2224, (2) S2216	80	965.02	820.28	<b>GP70</b>
<b>AP10</b>	AmpPac 10: (1) A1224x4, (2) S2224	22	323.46	274.95	<b>AP10</b>
<b>AP11</b>	AmpPac 11: (1) A1224x4, (2) S2224, (1) S2233	30	419.66	356.72	<b>AP11</b>
<b>AP20</b>	AmpPac 20: (1) A1824x6, (6) S2216	47	712.54	605.64	<b>AP20</b>
<b>AP21</b>	AmpPac 21: (1) A1824x6, (6) S2216, (1) S2233	55	808.74	687.41	<b>AP21</b>
<b>AP30</b>	AmpPac 30: (1) A2436x3, (3) S2233	52	657.66	559.01	<b>AP30</b>
<b>AP31</b>	AmpPac 31: (1) A2436x6, (6) S2233, (1) S2448	105	1,467.14	1,247.07	<b>AP31</b>
<b>AP32</b>	AmpPac 32: (1) A1834, (1) A2436, (1) A1834 (Hinged Together)	28	348.52	296.24	<b>AP32</b>
<b>AP33</b>	AmpPac 33: (1) A1834, (1) A2436, (1) A1834 (Hinged Together), (2) S2216, (1) S2224	37	498.38	423.62	<b>AP33</b>
<b>AP40</b>	AmpPac 40: (1) A2448x3, (1) S2444x2	61	677.50	575.88	<b>AP40</b>
<b>AP41</b>	AmpPac 41: (1) A2448x6, (6) S2233	113	1,489.50	1,266.08	<b>AP41</b>
<b>LP1</b>	LesliePac 1 for Leslie Speaker Cab: (1) A2448x6, (4) S2233	100	1,297.10	1,102.54	<b>LP1</b>
<b>LP2</b>	LesliePac 2 for Leslie Speaker Cab: (1) A2448x6, (6) S2233, (1) S2448	125	1,624.18	1,380.56	<b>LP2</b>
<b>FSC2224</b>	Unpadded fabric case for up to (7) S2224 SORBER Baffles	3	127.00	107.95	<b>FSC2224</b>
<b>C1224</b>	Zippered & padded soft case for up to 7 panels of A1224 or AX2412 CSP	4	198.56	168.78	<b>C1224</b>
<b>C2448</b>	Zippered & padded soft case for up to 7 panels of A2448 CSP	7	237.82	202.15	<b>C2448</b>
<b>C2466</b>	Zippered & padded soft case for up to 7 panels of A2466 CSP	9	277.72	236.06	<b>C2466</b>
<b>CH2412</b>	Hard shell case for up to 7 panels of A1224 or AX2412 CSP	10	483.00	410.55	<b>CH2412</b>
<b>CH2418</b>	Hard shell case for up to 7 panels of A1824 or AX2418 CSP	12	603.76	513.20	<b>CH2418</b>
<b>CH2448</b>	Hard shell case for up to 7 panels of A2448 CSP	28	953.36	810.36	<b>CH2448</b>
<b>CH2466</b>	Hard shell case for up to 7 panels of A2466 CSP	35	1,364.48	1,159.81	<b>CH2466</b>
<b>H10.5</b>	10.5" Hinge for AX2412 CSP Height Extender	2	4.74	4.03	<b>H10.5</b>
<b>H16.5</b>	16.5" Hinge for AX2418 CSP Height Extender	2	7.10	6.04	<b>H16.5</b>
<b>H22.5</b>	22.5" Hinge for A1224 or A1824 CSP	2	9.48	8.06	<b>H22.5</b>
<b>H32</b>	32" Hinge for A1834 CSP	2	14.22	12.09	<b>H32</b>
<b>H34</b>	34.125" Hinge for A2436 CSP	2	14.22	12.09	<b>H34</b>
<b>H46</b>	46.125" Hinge for A2448 ClearSonic Panel	2	18.96	16.12	<b>H46</b>
<b>H64</b>	63.875" Hinge for A2466 ClearSonic Panel	2	26.06	22.15	<b>H64</b>
<b>HF48</b>	48" Friction Hinge for non-grooved 3/16" - 1/4" thick panels	2	33.76	28.70	<b>HF48</b>
<b>HF64</b>	64" Friction Hinge for non-grooved 3/16" - 1/4" thick Acrylic Panels	2	46.44	39.47	<b>HF64</b>

<b>PART #</b>	<b>DESCRIPTION</b>	<b>True Ship Wt. Lb.</b>	<b>LIST PRICE</b>	<b>Fctry Drct free ship 15% Off</b>	<b>PART #</b>
<b>BASE</b>	21.5" Base Channel Section	2	9.48	8.06	<b>BASE</b>
<b>HCNL</b>	23.75" H-Channel Section to connect AX Height Extenders to CSP	2	9.48	8.06	<b>HCNL</b>
<b>TBASE</b>	21.5" x 1.75" T-Base Panel Stabilizer for 3/16" - 1/4" thick panels (adhesive-backed)	2	27.02	22.97	<b>TBASE</b>
<b>CP</b>	Cleaner Pac Includes: (1) Ammonia-free Acrylic Cleaner, (1) Microfiber Towel, (1 pr) Gloves	5	24.74	21.03	<b>CP</b>
<b>CLEANER</b>	Ammonia-free Acrylic Plastic Cleaner, 19 oz. Aerosol Can	1	13.40	11.39	<b>CLEANER</b>
<b>TOWEL</b>	12" x 16" Microfiber cleaning towel	1	8.24	7.00	<b>TOWEL</b>
<b>GLOVES</b>	Large Brown Jersey Gloves	1	3.10	2.64	<b>GLOVES</b>
<b>FAN</b>	6" 2-speed clip-on Fan 110v (Clips on to SORBER or Acrylic)	2	44.78	38.06	<b>FAN</b>
<b>FLECTOR12GN</b>	12" Reflector Disc, reflects sound back to musician, used with GN6 Goose Neck	2	26.08	22.17	<b>FLECTOR12GN</b>
<b>FLECTOR12MM</b>	12" Reflector Disc, , reflects sound back to musician, 1.1875" inside diameter mounts on most mics	2	30.48	25.91	<b>FLECTOR12MM</b>
<b>FLECTOR24</b>	24" Reflector Disc, reflects sound back to musician, For use with mic or cymbal stand	4	80.72	68.61	<b>FLECTOR24</b>
<b>GN6</b>	6" Goose Neck for use with FLECTOR	1	15.90	13.52	<b>GN6</b>
<b>BAR-SHORT</b>	Short 2-section Aluminum Support Bar, 45" to 72"	3	45.90	39.02	<b>BAR-SHORT</b>
<b>BAR</b>	Standard 2-section Aluminum Support Bar, 60" to 96"	3	45.90	39.02	<b>BAR</b>
<b>BAR-LONG</b>	Long 3-section Aluminum Support Bar, 88" to 125"	4	59.80	50.83	<b>BAR-LONG</b>
<b>Velcro1.5</b>	Hook Velcro - 1.5" wide (per ft)	na	3.10	2.64	<b>Velcro1.5</b>
<b>SHIRT</b>	Black Unisex Poly-Cotton Short Sleeve Tee Shirt with ClearSonic logo in gold (Sizes S-XXL)	1	25.00	21.25	<b>SHIRT</b>
<b>A1834</b>	34" high 18" wide 1 Section CSP Add-On w/Hinge	12	111.32	94.62	<b>A1834</b>
<b>GS2424</b>	23.5" x 23.5" x .18" Acrylic Germ Shield, Includes (2) AS12	10	135.02	114.77	<b>GS2424</b>
<b>GS2424C</b>	23.5" x 23.5" x .18" Acrylic Germ Shield w/11" x 5" cut-out, Includes (2) AS12	10	135.12	114.85	<b>GS2424C</b>
<b>GS3624</b>	35.5"W x 23.5" x .18" Acrylic Germ Shield, Includes (2) AS12	17	164.54	139.86	<b>GS3624</b>
<b>GS3624C</b>	35.5"W x 23.5" x .18" Acrylic Germ Shield w/11" x 5" cut-out, Includes (2) AS12	17	164.64	139.94	<b>GS3624C</b>