



## AgSolutions Fender Extensions

### MOUNTING INSTRUCTIONS

#### PRODUCT DESCRIPTION

PRACTICAL AND EFFICIENT! THE AG SOLUTIONS REAR TRACTOR FENDER EXTENSION IS AN AFTERMARKET PART DESIGNED WITH THE FARMER IN MIND. ITS SIMPLE INSTALLATION AND CONTOUR FITTING DESIGN ALLOWS FOR AN EASY ADDITION TO YOUR TRACTOR. AIDING IN KEEPING DEBRIS OFF OF YOUR WINDOWS AND MIRRORS WHEN CONDITIONS ARE NOT FAVORABLE. EACH SET OR QTY CONTAINS ONE LEFT AND ONE RIGHT FENDER EXTENSION PLUS MOUNTING INSTRUCTIONS AND HARDWARE.

- 
1. Always be sure to be safe when working around equipment. **“Do Not Ever use The AgSolutions Fender Extension as a Step”**


2. To Install the AgSolutions Fender Extension simply place the fender brackets over your existing fender working front to back.




2. Make sure the front of the fender extension and the front of your tractor's fender is in line as shown.



3. Again starting in front use a 3/16 Drill bit, Drill a hole through the predrilled starting holes in bracket through the fender and bracket. “make sure bracket is pushed up as far as possible”.





4.

One at a time drill your hole and using a 5/32 Allen wrench insert bolt and nut provided, tighten bolt and nut working your way to the back of the fender.



5.

The Last bracket in the rear of the fender does not get drilled or hardware installed due to no clearance behind the bracket. This is OK it will still act as a support even with no hardware.

6. Final product is shown.



Have a question about AgSolutions products or a suggestion? Send us a message, or call us toll free at (866) 734-1988

Ag Solutions  
1330 South Vermillion  
Paxton, IL 60957