


QUICK DRAIN INTAKE - LOW PROFILE

The Quick Drain Low Profile Intake is our original quick drain design, allowing you to rapidly drain ponded water from your field saving you time and money. Quick drain Intakes are made of highly durable and UV-stabilized polypropylene. The patented NO-CLOG Design allows for maximum tile flow at minimum depths our design allows for a more uniform and free flow of water into the tile minimizing the possibility of crop residue plugging the intake keeping dirt and debris out of tile lines.

COMPATIBLE WITH

- 6" Tile
- 8" Tile

INSTRUCTIONS

<p>1. Install drain with lid removed to properly "seat" the base into your underground system.</p>	
<p>2. Use the (4) screws included to assist in securing the base of the Quick Drain to your underground system.</p>	
<p>3. Place lid into main body of Quick Drain with the domed side up</p>	

4. Use the (8) self-tapping screws included to attach lid to the base section. Insert screws through the preformed holes in the top perimeter of the drain and fasten lid securely.



SPECIFICATIONS

- Will fit most existing risers
- Highly Visible Yellow
- Approximately 18" in height
- 6" or 8" Inlet size
- 18" Outside diameter of top
- Simply insert in existing tee or riser
- Patent Number 7,108,783

WARRANTY

This Limited Warranty applies to physical goods, and only for physical goods, purchased from Ag Solutions.

What does this limited warranty cover?

The limited Warranty covers any defects in material or workmanship under normal use during the Warranty Period.

During the Warranty Period, Ag Solutions will replace, at no charge, products or parts of a product that proves defective because of improper material or workmanship, under normal use and maintenance.

How long does the coverage last?

The Warranty Period for Physical Goods purchased from Ag Solutions is 365 days from the date of purchase.

What does this limited warranty not cover?

This Limited Warranty does not cover any problem that is caused by:

- *Conditions, malfunctions or damage not resulting from defects in material or workmanship*

What do you have to do?

To obtain warranty service, you must first contact us to determine the problem and the most appropriate solution for you..

MECHANICAL DRAWINGS

none