

QUICK FINGER

Quick Repair! Save time and money with this reel tine replacement finger for your pipe reels easily snapping over the top of the original short or broken tine in seconds.

COMPATIBLE WITH

- John Deere 900, 900F, 900R, 600F, 600FD, 600R.
- Case-IH 1010, 1020, 2010, 2020, 3020.
- AGCO - Gleaner 300, 400, 500, 700, 800, 8000, 8200, 9250.
- Massey Ferguson 8000, 8200, 9250, 9700, 9750, 9800, 9850.
- New Holland 971, 973, 71C, 72C, 73C, 74C, 92C, 94C, 740C.

INSTRUCTIONS

1. The Quick Finger is intended to repair broken poly tines on pipe reel platforms only. The broken tines need to be at least 2 inches in length



2. Slide the Quick Finger over the broken tine until it snaps in place over the rounded edge at the base of the original tine.



3. If the Quick Finger tine will be coming in contact with your cutter bar or being used in severe crop conditions a more permanent installation using silicone is recommended. Apply a ¼- inch bead of silicone around the top inside hollow of the Quick Finger tine and then slide it over the broken tine.



SPECIFICATIONS

- No tools required for installation
- Strong, heavy duty construction
- Sleek finish
- Sold in bags of 10qty or 250qty

WARRANTY

This Limited Warranty applies to physical goods, and only for physical goods, purchased from Ag Solutions.

What does this limited warranty cover?

The limited Warranty covers any defects in material or workmanship under normal use during the Warranty Period.

During the Warranty Period, Ag Solutions will replace, at no charge, products or parts of a product that proves defective because of improper material or workmanship, under normal use and maintenance.

How long does the coverage last?

The Warranty Period for Physical Goods purchased from Ag Solutions is 365 days from the date of purchase.

What does this limited warranty not cover?

This Limited Warranty does not cover any problem that is caused by:

- *Conditions, malfunctions or damage not resulting from defects in material or workmanship*

What do you have to do?

To obtain warranty service, you must first contact us to determine the problem and the most appropriate solution for you..

MECHANICAL DRAWINGS

none