



- RENTAL & ON-SITE SUPPLY
- 1. PIPING EQUIPMENT
- 2. WORKSHOP MACHINERY
- 3. CUTTING
- 4. TORQUING & SPECIALISED FORCE
- 5. WELDING
- 6. POWER TOOLS & ELECTRICAL
- 7. HAND TOOLS
- 8. ABRASIVES & POLISHING
- 9. SPECIALTY MATERIALS
- 10. PAINTS & MARKING
- 11. CATERING & JANITORIAL
- 12. HARDWARE
- 13. RIGGING & LIFTING

WELDCON
QUALITY WELDING PRODUCTS

WT 20
2% Thoriated Tungsten

Steel
Diameter:
Part No:
Flange:
Standards:
Typical E
SAFETY
MM CAMPS (A)

1	15-80	20-100
2	70-150	50-100
3	150-250	100-160
4	250-400	150-200
5	400-500	200-275

160-240
200-275

is a guide only for your convenience

OrbiMAX

Everything for fabricating pipe™



selco®

Genesis 1500

5

WELDING

MMA/Tig Welders	112
Multi-Process Welders	114
Diesel Welders	115
Plasma Cutting	115
Orbital Welders	116
Electrodes Ovens	120
Electrodes	121
Tungsten Sharpeners	123
Welding Wire	123
Tig Consumables	125
Welding Cable & Connectors	131
Welding Accessories	132
Gas Regulators	133
Gas Accessories	134
Heating & Gouging	137
Misc Welding Aids	138
Inspection Tools	139
Pickling Pastes	149
Inox 8000	150
Blankets & Screens	152
Welders PPE	156
Welding Helmets	158

- RENTAL & ON-SITE SUPPLY
- 1. PIPING EQUIPMENT
- 2. WORKSHOP MACHINERY
- 3. CUTTING
- 4. TORQUING & SPECIALISED FORCE
- 5. WELDING**
- 6. POWER TOOLS & ELECTRICAL
- 7. HAND TOOLS
- 8. ABRASIVES & POLISHING
- 9. LUBRICANTS & SEALANTS
- 10. TAPES & PACKAGING
- 11. SAFETY
- 12. PAINTS & MARKING
- 13. CATERING & JANITORIAL
- 14. HARDWARE, FITTINGS & BUILDING
- 15. RIGGING & LIFTING

TIG WELDERS



Tig Welder - HF 150 amp

- HF, Pulse, Up/Down slope, Arc Force, Anti-ticking
- 3 - 150amps
- Only 3.9kg
- High Duty Cycle

Code	Description
231 100 007	Selco Genesis 1500 TLH Welder



Tig Welder - HF 180 amp

- HF, Pulse, Up/Down slope, Arc Force, Anti-ticking
- Easy Tack / Bi-level Function
- 5-180 amps
- Single Phase

Code	Description
231 100 005	Selco Quasar 180 TLH Welder



Tig Welder - HF 270 amp

- HF, Pulse, Up/Down slope, Arc Force, Anti-ticking
- Easy Tack / Bi-level Function
- 5-270 amps
- 3 Phase

Code	Description
231 100 001	Selco Quasar 270 TLH Welder



Tig Torches - Selco

- Premium Torches with up/down amp control
- Air Cooled
- 8 Mtrs long

Code	Description
231 100 002	Selco ST2200 U/D 8mtr Tig Torch
231 100 006	Selco ST1700 U/D 8mtr Tig Torch
231 100 008	Selco ST17 8mtr Tig Torch

All product details are subject to change without notice. © January 2016 SFI Australia.

MMA TIG WELDERS - LINCOLN

Powercraft 130

- Input 240V VRD 10Amp Plug
- Output range 20 – 130 Amps
- Processes Stick, Lift TIG DC
- Weight 4.7kg
- HxWxD 190 x 110 x 330mm
- Includes Suitcase with welding leads, shield, hammer & brush

Code	Description
233 100 051	Powercraft 130
233 100 067	Powercraft PC17G air cooled, 8m 140A@35% Flex



Invertec 150S

- Input 240V VRD 15Amp Plug
- Output range 10 – 140 Amps
- Processes Stick, Lift TIG DC
- Weight 6.7kg
- HxWxD 244 x 148 x 365mm
- Includes Suitcase with welding leads, shield, hammer & brush

Code	Description
233 100 037	Invertec 150S
233 100 067	Powercraft PC17G air cooled, 8m 140A@35% Flex



Invertec V160TP

- Input 240V
- Output range 5 – 160 Amps
- HxWxD 320 x 200 x 430mm
- Weight 10.5kg
- Includes 2m Input cable, carrying strap & Gas connection kit
- Processes HF & Lift TIG DC, TIG pulse, Stick

Code	Description
233 100 012	Invertec V160TP
236 100 350	Welding Lead Kit 200A - 25mm - 3m Twistmate
233 100 025	Powercraft PC17G air cooled, 8m 140A@35% Flexneck, Switch, 1 pce cable



Invertec V270TP

- Input 415V VRD
- Output range 5 – 270 Amps
- HxWxD 385 x 215 x 480mm
- Weight 13.5kg
- Includes 2m Input cable, carrying strap & Gas connection kit
- Processes HF & Lift TIG DC, TIG pulse, Stick

Code	Description
233 100 035	Invertec V270.TP
233 100 056	Welding Lead Kit 250A – 35mm – 5m Twistmate
233 100 030	Powercraft PC26G air cooled, 8m 180A@35% Flexneck, switch, 1 pce cable



Flextec 450

- Input 415V VRD
- Weight 56.8kg
- HxWxD 477 x 356 x 673mm
- Output range 5 - 500 Amps
- Processes Stick, Lift TIG DC, MIG, FCAW, Gouge

Code	Description
233 100 046	Flextec 450
233 100 044	LN-25 Pro With bonus Magnum 400 gun Includes 2 Roll, Tweco connection, drive roll kit, 1-1.2mm solid & 1.6mm cored
233 100 068	Work Return Lead 400A – 70mm – 9m Mechconnector
233 100 069	Pigtail Cable – Terminal / Mechconnector F/male
233 100 070	Extension Cable - Mechconnector - 70mm - 10m
233 100 071	Extension Cable – Mechconnector – 70mm – 20m



All product details are subject to change without notice. © January 2016 SFI Australia.

- RENTAL & ONSITE SUPPLY
- 1. PIPING EQUIPMENT
- 2. WORKSHOP MACHINERY
- 3. CUTTING
- 4. TORQUING & SPECIALISED FORCE
- 5. WELDING
- 6. POWER TOOLS & ELECTRICAL
- 7. HAND TOOLS
- 8. ABRASIVES & POLISHING
- 9. LUBRICANTS & SEALANTS
- 10. TAPES & PACKAGING
- 11. SAFETY
- 12. PAINTS & MARKING
- 13. CATERING & JANITORIAL
- 14. HARDWARE, FITTINGS & BUILDING
- 15. RIGGING & LIFTING

PIPE/MULTI-PROCESS WELDERS



Power Wave S350/S500

- Input 415V
- Output range 5 – 350Amps
- Processes Pulse MIG, Pulse on Pulse, MIG, Flux-cored, Stick, Lift TIG DC (STT)
- Weight 38.6kg
- Dimensions HxWxD 518 x 356 x 630mm

Code	Description
233 100 072	Power Wave S350/S500
233 100 075	STT module, suits Power Wave S350
233 100 073	LF-45 Air/Water cooled Unit Includes 4 roll, Drive roll kit, 1-1.2mm, Water connection kit, Euro connection
233 100 074	Power Feed 10m Dual Includes 4 roll, Tweco connection
233 100 076	Work Return Leads 300A – 50mm - 10m Twistmate
233 100 077	Interconnection cables, 10m Air cooled – Suits LF-45, PF10m, PF25m – Twistmate
233 100 033	LINC Gun 360 G 4m – 320A 60% Euro connection



Pipeworx Welding System

- Input 415V
- Output range 10 – 350Amp TIG, 400Amp MIG / FCAW
- Processes Stick, DC TIG, MIG, Pulsed MIG, Flux Cored
- Weight 102kg
- Dimensions HxWxD 711 x 495 x 806mm
- Designed to perform all your pipe welding needs.

Code	Description
233 200 023	Pipeworx Welding System
233 200 017	Pipeworx Dual Wire Feeder
233 200 015	Pipeworx Running Gear
233 200 014	Interconnecting Lead Kit 1.5 metre
233 200 010	300-15 Gun & Cable
233 200 009	250-15 Gun & Cable
233 200 007	1.2mm Knurled Roll Kit
233 200 006	0.9mm V Groove Roll Kit
233 200 001	10 Metre Work Lead

All product details are subject to change without notice. © January 2016 SFI Australia.

DIESEL WELDERS/PLASMA CUTTING

- RENTAL & ON-SITE SUPPLY
- 1. PIPING EQUIPMENT
- 2. WORKSHOP MACHINERY
- 3. CUTTING
- 4. TORQUING & SPECIALISED FORCE
- 5. WELDING**
- 6. POWER TOOLS & ELECTRICAL
- 7. HAND TOOLS
- 8. ABRASIVES & POLISHING
- 9. LUBRICANTS & SEALANTS
- 10. TAPES & PACKAGING
- 11. SAFETY
- 12. PAINTS & MARKING
- 13. CATERING & JANITORIAL
- 14. HARDWARE, FITTINGS & BUILDING
- 15. RIGGING & LIFTING

Invertec Plasma Cutter-210



Code	Description
233 100 028	Invertec PC-210

Tomahawk 1538



Code	Description
233 100 080	Tomahawk 1538

Miller Air Pack Diesel Welder

- Multi-arc welding
- Thermal overload protection
- Low OCV Stick
- Independant Generators
- Stick, TIG, MIG, Flux Cored, Gouging
- Additional Generator
- 3-phase: 27 kW Peak / 20 kW Continuous
- 1-phase: 19 kW Peak / 12 kW Continuous



Code	Description
233 200 033	Miller Big Blue Dual Air Pack Diesel Welder

LN-25 Pro Wire Feeder

- Wire Feed Speed 1.2 – 17.7 m/min
- Processes MIG, Flux-cored
- Weight 16kg
- Dimensions HxWxD 356 x 191 x 533mm
- Includes Bonus Magnum 400 gun, 2 roll, Tweco connection, drive roll kit, 1-1.2mm solid & 1.6mm cored



Code	Description
233 100 044	LN-25 Pro Wire Feeder

All product details are subject to change without notice. © January 2016 SFI Australia.

ORBITAL WELDERS - POWER SOURCE

Made in Germany



Orbimatic Power Source

Fast & easy to use Auto Programming which only requires input of:

- Tube Diameter
- Wall Thickness
- Material
- Welding Gas

“Save 50% of your labour costs”

Features

- Back Up Purge Control Module
- Swivel mount 10.5" colour monitor
- Graphical operator guidance
- Clear procedure organisation with folder structure
- Built in mini printer
- Storage capacity for more than 5,000 welding procedures
- Extensive data logging with multi language system
- Data transfer via integral MultiCard-Reader
- Integral water cooler (only with 165CA)
- Total weight only 26kg
- Maintenance friendly with Pro Service System

Code	Description
165CA 371 200 006	Advanced Controller with Built in Water Cooler 240V, 26kg
300CA 371 200 023	Advanced Controller High Duty Cycle 415V, 45kg
371 200 007	Advanced Controller with AVC/OSC Module 415V, 45kg



“Consistent - same weld at 6mm as at 6mm”



All product details are subject to change without notice. © January 2016 SFI Australia.

ORBITAL WELDERS - CLOSED WELD HEAD

Orbiweld 38S, 76S, 115S, 170S

Totally enclosed, extra thin tube welding heads with extremely high duty cycle & unrivalled features:

- In handle integrated remote control
- Quick change system for collets
- Ultra thin design

Features

- The perfect solution for applications with tight access restrictions!
- Extremely thin weld head design for short welding lengths

Code	Description
38S 371 200 025	Tube Diameter: 3-38.1mm - 1/8" - 1.5" Weight: 9kg
76S 371 200 026	Tube Diameter: 6-77mm - 1/4"-3" Weight: 9.4kg
115S 371 200 002	Tube Diameter: 20-115mm - 3/4"-4.5" Weight: 13kg
170S 371 200 001	Tube Diameter: 50-170mm - 2"-6" Weight: 20.7kg



"We did a hundred 4" Welds in one day!"

"Quoted an 80 hour job, got the orbital onto it and did it in 40 hours"



Extremely thin weld head design; ideal for short welding lengths

Orbital Welding Packages

Code	Description
165CA + 38S + ESG + Collets	165 Compact Advanced Controller, 38S weldhead All collets to suit & Tungsten Sharpener 3-38.1mm (1/8" - 1.5")
165CA + 76S + ESG + Collets	165 Compact Advanced Controller, 76S weldhead, All collets to suit & Tungsten Sharpener 6-77mm (1/4"-3")
165CA + 115S + ESG + Collets	165 Compact Advanced Controller, 38S weldhead, All collets to suit & Tungsten Sharpener 19-115mm (3/4" - 4.5")



All product details are subject to change without notice. © January 2016 SFI Australia.

ORBITAL WELDERS / TUBE TO TUBE SHEET



Orbital Welder Micro Weldheads

- For tubes from 3-12.7mm
- Removable cartridge system
- Thin cartridge especially for micro fittings



Code	Description
OW12 371 200 032	Tube Diameter: 3mm - 12.7mm Weight: 5.7kg

Orbital Welder Large Range Micro Weldheads

- Model Orbiweld 19
- 3-19.05mm
- Ultra small yet rugged design provides very heavy duty cycle production rates through an integral water-cooled body design
- Easy to use triple clamping mechanism



Code	Description
OW19 371 200 033	Tube Diameter: 3 - 19.05mm Weight: 7.5kg



Tube to Tube Sheet Weldhead P16

Tube to tube sheet orbital weld heads are designed to enable welding of boiler tubes fitted to tube sheets in head exchangers with highest precision & reproducible quality.

Code	Description
371 200 015	Tube Diameter: 10mm - 80mm Weight: 17.5kg




Tube to Tube Sheet Weldhead P20

Tube to tube sheet orbital weld heads are designed to enable welding of boiler tubes fitted to tube sheets in head exchangers with highest precision & reproducible quality.

Code	Description
371 200 014	Tube Diameter: 10mm - 70mm Weight: 12.75kg

Flush Recessed Jutting



All product details are subject to change without notice. © January 2016 SFI Australia.

ORBITAL WELDERS - OPEN WELD HEAD

Open Weldheads

- Model Orbiweld TP
- With cold wire feeding
- Smallest space requirements thanks to compact design
- Available with arc voltage control (AVC) & oscillation (OSC)
- Slim Design
- Wire Feed

Code	Description
TP 250 371 200 027	Tube Diameter: 20*-77mm / 1/2-3"
TP 400 371 200 020	Tube Diameter: 30-115mm / 1.5-4.5"
TP 600 371 200 019	Tube Diameter: 70-170mm / 3-6"
TP 1000 371 200 016	Tube Diameter: 120-275mm / 5-10"



BUP Control Box

Back up Purge Control Module

Code	Description
371 200 139	BUP Control Box



Orbitwin

Orbitwin Parallel Switching Box

Code	Description
371 200 005	165CA Orbitwin Parallel Switching Box
371 200 017	300CA Orbitwin Parallel Switching Box



Orbicar Trolley

Orbicar Trolley with integrated water cooling system

Code	Description
371 200 011	Orbicar Trolley



All product details are subject to change without notice. © January 2016 SFI Australia.

- RENTAL & ON-SITE SUPPLY
- 1. PIPING EQUIPMENT
- 2. WORKSHOP MACHINERY
- 3. CUTTING
- 4. TORQUING & SPECIALISED FORCE
- 5. WELDING**
- 6. POWER TOOLS & ELECTRICAL
- 7. HAND TOOLS
- 8. ABRASIVES & POLISHING
- 9. LUBRICANTS & SEALANTS
- 10. TAPES & PACKAGING
- 11. SAFETY
- 12. PAINTS & MARKING
- 13. CATERING & JANITORIAL
- 14. HARDWARE, FITTINGS & BUILDING
- 15. RIGGING & LIFTING

ELECTRODE OVENS



Electrode Oven 5kg

- Arcforce 5kg Electrode Oven
- Thermostatic control 50 to 200°C
- Insulated Handle
- Clip lock lid
- Internal rod platform and shaft
- Heating capacity 210 W
- 5kg

Code	Description
234 200 160	Arcforce 5kg Electrode Oven



Electrode Oven 22kg

- Arcforce 22kg Electrode Oven
- Temperature 5 to 150°C
- 800W
- Clip lock lid
- Internal rod platform
- Multi-position
- 16kg

Code	Description
234 200 235	Arcforce 5kg Electrode Oven



Electrode Oven 204kg

- Arcforce 204kg Electrode Oven
- Temperature 50 to 300°C
- 220V
- 1600W

Code	Description
234 200 236	Arcforce 5kg Electrode Oven

All product details are subject to change without notice. © January 2016 SFI Australia.

ELECTRODES

- RENTAL & ONSITE SUPPLY
- 1. PIPING EQUIPMENT
- 2. WORKSHOP MACHINERY
- 3. CUTTING
- 4. TORQUING & SPECIALISED FORCE
- 5. WELDING**
- 6. POWER TOOLS & ELECTRICAL
- 7. HAND TOOLS
- 8. ABRASIVES & POLISHING
- 9. LUBRICANTS & SEALANTS
- 10. TAPES & PACKAGING
- 11. SAFETY
- 12. PAINTS & MARKING
- 13. CATERING & JANITORIAL
- 14. HARDWARE, FITTINGS & BUILDING
- 15. RIGGING & LIFTING

Austarc 18TC Vacuum Packed

- Vacuum packs extend on-site storage life
- Hydrogen controlled reduce cold cracking
- Improved low temperature impact reduces in-service cracking
- Low hydrogen H4 status
- Moisture resistance coating
- Designed for the oil & gas industry
- Weld defect reduction
- Impact toughness exceeds 47J
- Yield Stress 530MPa
- Tensile Strength 602MPa
- Elongation 24%
- CVN Impact Values 87J @ -50 degrees celsius

Code	Description
237 100 233	Electrodes Mild Steel WIA 18TC 2.5mm (2kg Vac Pac)
237 100 234	Electrodes Mild Steel WIA 18TC 3.2mm (2kg Vac Pac)
237 100 235	Electrodes Mild Steel WIA 18TC 4.0mm (2kg Vac Pac)



Designed for the Oil & Gas Industry

The Only Twin Coated 18 Type Low Hydrogen Electrode

MORE ABOUT 18TC'S

Austarc 18TC Vacuum Packed Electrodes

Designed for the Oil & Gas Industry

Austarc 18TC is a unique product, designed for applications where C-Mn and low alloy steel are applied within the Oil & Gas Industry.

Typical applications:

- oil and gas
- pipe welding
- steel construction
- off-shore
- mining equipment
- heavy girders
- earth moving plant

Superior Operator Appeal

- Twin coating offers easy strike and re-strike, reducing the chances of weld start and stop defects
- Low hydrogen status and moisture resistance flux coating

**Call
1800 734 000
to enquire**

SECTION 5
WELDING

ELECTRODES



Electrodes - General Purpose

- Austarc WIA
- 12P Series

Code	Description
237 100 043	Electrodes 12P 2.5mm (Per 2.5kg pack)
237 100 044	Electrodes 12P 3.2mm (Per 5kg pack)



Electrodes - Low Hydrogen

- Austarc WIA
- 16TC Series

Code	Description
237 100 052	Electrodes 16TC 2.5mm (Per 2.5kg pack)
237 100 053	Electrodes 16TC 3.2mm (Per 5kg pack)



Stainless Electrodes

Code	Description	Size	Per
237 100 024	S/S 316L	2.5	kg
237 100 025	S/S 316L	3.2	kg
237 100 026	S/S 316L	4	kg
237 100 018	S/S 309L	2.5	kg
237 100 020	S/S 309L	3.2	kg



Tungsten Electrodes

- 2.4mm
- Premium Precision Ground
- 2% Thoriated
- Pack Qty: 10

Code	Description
236 100 233	Electrodes 2% Thoriated 2.4mm

All product details are subject to change without notice. © January 2016 SFI Australia.


TUNGSTEN SHARPENERS & MIG WIRE

- RENTAL & ON-SITE SUPPLY
- 1. PIPING EQUIPMENT
- 2. WORKSHOP MACHINERY
- 3. CUTTING
- 4. TORQUING & SPECIALISED FORCE
- 5. WELDING**
- 6. POWER TOOLS & ELECTRICAL
- 7. HAND TOOLS
- 8. ABRASIVES & POLISHING
- 9. LUBRICANTS & SEALANTS
- 10. TAPES & PACKAGING
- 11. SAFETY
- 12. PAINTS & MARKING
- 13. CATERING & JANITORIAL
- 14. HARDWARE, FITTINGS & BUILDING
- 15. RIGGING & LIFTING

Tungsten Sharpener - Handheld

- Orbitalum - GF ESG Plus
- Made in Germany
- High accuracy of sharpening tungstens

Code	Description
232 100 009	ESG Plus Tungsten Grinder Kit 1



Tungsten Sharpener - Bench mounted

- Orbimax Tip Trimmer
- Multistation fully enclosed system
- Longlife Diamond Wheel
- Safe coolant dust collection System

Code	Description
232 100 019	Orbimax Multistation Tungsten Grinder




MIG Wire - Mild Steel

Code	Description	Size	Per
237 100 083	Lincoln EasyMig S6 Mild Steel MIG Wire 0.9mm	0.9	15kg Spool
237 100 085	Lincoln UltraMag S6 Mild Steel MIG Wire 0.9mm	0.9	15kg Spool
237 100 090	Lincoln EasyMig S6 Mild Steel MIG Wire 1.2mm	1.2	15kg Spool
237 100 092	Lincoln UltraMag S6 Mild Steel MIG Wire 1.2mm	1.2	15kg Spool
234 200 112	Lincoln Outer shield MIG 71-MX 1.2mm	1.2	kg



MIG Wire - Stainless Steel

Code	Description	Size	Per
237 100 122	MIG Wire 0.8mm 316 Stainless Steel (15kg)	0.8	kg
237 100 123	MIG Wire 0.9mm 316 Stainless Steel (15kg)	0.9	kg
237 100 125	MIG Wire 1.2mm 316 Stainless Steel (15kg)	1.2	kg
237 100 120	MIG Wire 0.9mm 309 Stainless Steel (15kg)	0.9	kg
207 200 321	MIG Wire 1.2mm 309 Stainless Steel (15kg)	1.2	kg



All product details are subject to change without notice. © January 2016 SFI Australia.

FILLER WIRES



Filler Wire - 309 Stainless

Code	Description	Size	Per
237 100 080	S/S 309L 1.6mm (3kg/pk) E	1.6	ea
237 100 185	S/S 309L 2.4mm (5kg/pk) E	2.4	ea



Filler Wire - Mild Steel

Code	Description	Size	Per
237 100 175	Mild Steel ER70S2 1.6mm	1.6	kg
237 100 179	Mild Steel ER70S2 2.4mm	2.4	kg
237 100 174	Mild Steel ER70S4 1.6mm	1.6	kg
237 100 178	Mild Steel ER70S4 2.4mm	2.4	kg
237 100 177	Mild Steel ER70S6 1.6mm	1.6	kg
237 100 182	Mild Steel ER70S6 2.4mm	2.4	kg



Filler Wire - 316 Stainless

Code	Description	Size	Per
237 100 188	S/S 316L 1.0mm (5kg/pk) E	1	ea
237 100 189	S/S 316L 1.2mm (5kg/pk) E	1.2	ea
237 100 191	S/S 316L 1.6mm (5kg/pk) E - 365263	1.6	ea
237 100 162	S/S 316L 2.0mm (3kg/pk) E	2	ea
237 100 163	S/S 316L 2.4mm (5kg/pk) E	2.4	ea



Filler Wire - Duplex

Code	Description	Size	Per
237 100 159	S/S Super Duplex 2507 1.6mm (4.5kg/pk) Kg	1.6	kg
237 100 155	S/S Super Duplex 2507 2.4mm (5kg/pk) Kg	2.4	kg
237 100 171	S/S ER2209 Duplex 1.6mm (5kg/pk) Kg	1.6	kg
237 100 209	S/S ER2209 Duplex 2.4mm (5kg/pk) Kg	2.4	kg
207 200 321	S/S Lean Duplex 2101 1.6mm (5kg/pk) Kg	1.6	kg
237 100 194	S/S Lean Duplex 2101 2.4mm (5kg/pk) Kg	2.4	kg

All product details are subject to change without notice. © January 2016 SFI Australia.


- RENTAL & ON-SITE SUPPLY
- 1. PIPING EQUIPMENT
- 2. WORKSHOP MACHINERY
- 3. CUTTING
- 4. TORQUING & SPECIALISED FORCE
- 5. WELDING**
- 6. POWER TOOLS & ELECTRICAL
- 7. HAND TOOLS
- 8. ABRASIVES & POLISHING
- 9. LUBRICANTS & SEALANTS
- 10. TAPES & PACKAGING
- 11. SAFETY
- 12. PAINTS & MARKING
- 13. CATERING & JANITORIAL
- 14. HARDWARE, FITTINGS & BUILDING
- 15. RIGGING & LIFTING

TIG TORCHES

Tig Torch Bodies

- Tigmaster Heavy Duty Series


Code	Description
236 100 015	HD9F flexi - Tigmaster (a)
236 100 016	HD9FV flexi/valve - Tigmaster (b)
236 100 013	HD17F flexi - Tigmaster (c)
236 100 014	HD17FV flexi/valve - Tigmaster (d)
236 100 273	TM26F flexi - Tigmaster (e)
236 100 274	TM26FV flexi/valve - Tigmaster (f)



Heads - 3pce Tig Torch System

- Heads to suit 3pce tig torch system
- Tigmaster Heavy Duty
- Available in 70 or 90 degree angle


Code	Description
236 100 206	9 Series Head TM9-70 (a)
236 100 207	9 Series Head TM9-90 (b)
236 100 249	17 Series Head TM1726-70 (c)
236 100 250	17 Series Head TM1726-90 (d)



Flexi Coils - 3pce Tig Torch System

- Coils to suit 3pce tig torch system
- Tigmaster Heavy Duty Flexible


Code	Description
236 100 245	150 amp Coil Short TM150CES (a)
236 100 244	150amp Coil TM150CE (b)
236 100 263	200amp Coil TM200CE (c)



Tail Bodies - 3pce Tig Torch System

- Tail Bodies to suit 3pce tig torch system
- Tigmaster Heavy Duty
- Available with or without valve




Code	Description
236 100 246	150amp Tail Body - No Valve TM150TB (a)
236 100 247	150amp Tail Body - with valve TM150vTB (b)



All product details are subject to change without notice. © January 2016 SFI Australia.

SECTION 5
 WELDING

TIG PARTS - TM9 STANDARD CONFIGURATIONS



All product details are subject to change without notice. © January 2016 SFI Australia.

TIG PARTS - TM9

RENTAL & ON-SITE SUPPLY
1. PIPING EQUIPMENT
2. WORKSHOP MACHINERY
3. CUTTING
4. TORQUING & SPECIALISED FORCE
5. WELDING
6. POWER TOOLS & ELECTRICAL
7. HAND TOOLS
8. ABRASIVES & POLISHING
9. LUBRICANTS & SEALANTS
10. TAPES & PACKAGING
11. SAFETY
12. PAINTS & MARKING
13. CATERING & JANITORIAL
14. HARDWARE, FITTINGS & BUILDING
15. RIGGING & LIFTING

Collets & Collet Bodies

Ref	Description	1/16 1.6mm		3/32 2.4mm		1/8 3.2mm	
A	Collet	13N22	236 100 050	13N23	236 100 052	13N24	236 100 054
B	Collet Body	13N27	236 100 056	13N28	236 100 057	13N29	236 100 058
C	Gas Lens	45V43	236 100 098	45V44	236 100 099	45V45	236 100 100
D	Medium Gas Lens	45V35SW	236 100 094	45V36SW	236 100 095	45V37SW	236 100 096
E	Large Dia Lens Collet	13N22L	236 100 051	13N23L	236 100 053	13N24L	236 100 161
F	Large Dia Gas Lens	45V116S	236 100 087	45V64S	236 100 103	995795S	236 100 055

Shrouds

Ref	Description	4	5	6	7	8	10	11	12
		6MM	8MM	10MM	11MM	12.5MM	16MM	17MM	19MM
G	Alumina Std	13N08	13N09	13N10	13N11	13N12	13N13	-	-
H	Alumina Gas Lens	53N58	53N59	53N60	53N61	53N61S	-	-	-
I	Med Alumina Gas Lens	-	-	54N16SW	54N15SW	54N12SW	54N12SW	54N19	-
J	Lrg Alumina Gas Lens	-	-	57N75	-	57N74	53N88	-	54N87

Tig Parts - TM9



236 100 145 - 598320 - Gas Lens Gasket




236 100 137 - 54N63-20 - Gas Lens Insulator - Lrg

Tig Parts - Back Caps



236 100 083 - 41V33 - Short Back Cap



236 100 084 - 41V35 - Medium Back Cap



236 100 079 - 41V24 - Long Back Cap

Torch Bodies



236 100 208 - TM9F - Torch Body




236 100 209 - TM9FV - Torch Body


All product details are subject to change without notice. © January 2016 SFI Australia.

SECTION 5
 WELDING

TIG PARTS - TM17 / 26 STANDARD SET UPS




Standard Collet Body Setup



Standard Gas Lens Setup



Stubby Gas Lens Setup



Large Gas Lens Setup

All product details are subject to change without notice. © January 2016 SFI Australia.

TIG PARTS - TM17 / 26

RENTAL & ON-SITE SUPPLY
1. PIPING EQUIPMENT
2. WORKSHOP MACHINERY
3. CUTTING
4. TORQUING & SPECIALISED FORCE
5. WELDING
6. POWER TOOLS & ELECTRICAL
7. HAND TOOLS
8. ABRASIVES & POLISHING
9. LUBRICANTS & SEALANTS
10. TAPES & PACKAGING
11. SAFETY
12. PAINTS & MARKING
13. CATERING & JANITORIAL
14. HARDWARE, FITTINGS & BUILDING
15. RIGGING & LIFTING

Collets & Collet Bodies

Ref	Description	1/16 1.6mm		3/32 2.4mm		1/8 3.2mm	
A	Collet	10N23	236 100 023	10N24	236 100 025	10N25	236 100 027
B	Collet Body	10N31	236 100 030	10N32	236 100 031	10N28	236 100 029
C	Gas Lens	45V25	236 100 088	45V26	236 100 090	45V27	236 100 092
D	Medium Gas Lens	45V25S	236 100 089	45V26S	236 100 091	45V27S	236 100 093
E	Large Dia Gas Lens	45V116	236 100 086	45V64	236 100 102	995795	236 100 160
F	Stubby Collet	10N23S	236 100 024	10N24S	236 100 026	10N25S	236 100 028

Shrouds

Ref	Description	4 6MM	5 8MM	6 10MM	7 11MM	8 12.5MM	10 16MM	12 19MM	Short
H	Alumina Std	10N50	10N49	10N48	10N47	10N46	10N45	10N44	-
	Alumina Long	-	10N49L	10N48L	10N47L	-	-	-	-
I	Alumina Gas Lens	54N18	54N17	54N16	54N15	54N14	-	-	54N19
J	Med Alumina Gas Lens	-	-	54N16SW	54N15SW	54N14SW	54N12SW	-	-
K	Long Alumina Gas Lens	-	-	54N16L	54N15L	54N14L	-	-	-
L	Alumina Lrg Dia Gas Lens	-	-	-	57N75	57N74	53N88	53N87	53N89
M	Alumina Nozzle	13N08	13N09	13N10	13N11	13N12	13N13	-	-

Tig Parts - TM17 / 26

		
236 100 136 - 54N63 - Gas Lens Insulator Lrg	236 100 063 - 18CG01 - Gasket	236 100 062 - 18CG - Gasket

Tig Parts - Back Caps

		
236 100 141 - 57Y04 - Short Back Cap	236 100 142 - 57Y05 - Medium Back Cap	236 100 140 - 57Y02 - Long Back Cap

Torch Bodies

		
236 100 256 - TM17F - Torch Body	236 100 258 - TM17FV - Torch Body	236 100 013 - HD17F - Torch Body
		
236 100 273 - TM26F - Torch Body	236 100 274 - TM26FV - Torch Body	

All product details are subject to change without notice. © January 2016 SFI Australia.

SECTION 5
 WELDING

TIG LEADS



Tig Lead One Piece

Code	Description
236 100 242	Tig Lead One Piece 150amp - 8m



Tig Lead 8m

Code	Description
236 100 276	Tig Lead 8m 150amp (3/8 - 3/8)



Female Joiner

Code	Description
236 100 277	Female Joiner (3/8 - 3/8)



Large Dinse Panel Adaptor

Code	Description
236 100 275	Large Dinse Panel Adaptor With 6' Hose



Small Dinse Panel Adaptor

Code	Description
236 100 270	Small Dinse Panel Adaptor With 6' Hose

All product details are subject to change without notice. © January 2016 SFI Australia.

WELDING CABLE & CONNECTORS

- RENTAL & ON-SITE SUPPLY
- 1. PIPING EQUIPMENT
- 2. WORKSHOP MACHINERY
- 3. CUTTING
- 4. TORQUING & SPECIALISED FORCE
- 5. WELDING**
- 6. POWER TOOLS & ELECTRICAL
- 7. HAND TOOLS
- 8. ABRASIVES & POLISHING
- 9. LUBRICANTS & SEALANTS
- 10. TAPES & PACKAGING
- 11. SAFETY
- 12. PAINTS & MARKING
- 13. CATERING & JANITORIAL
- 14. HARDWARE, FITTINGS & BUILDING
- 15. RIGGING & LIFTING

Welding Cable

- Premium Quality
- Double Insulated

Code	Description
234 200 082	Welding Cable 50mm ²
234 200 222	Welding Cable 70mm ²
234 200 093	Welding Cable 95mm ²



Lugs - Welding Cable

- To suit welding cable

Code	Description
234 200 228	Lug L5010 50mm ² 10mm Hole
234 200 229	Lug L5012 50mm ² 12mm Hole
234 200 230	Lug L7010 70mm ² 10mm Hole
234 200 231	Lug L7012 70mm ² 12mm Hole
234 200 232	Lug L9510 95mm ² 10mm Hole
234 200 233	Lug L9512 95mm ² 12mm Hole



Mech Connectors

- Twist style Texas plugs
- Male & Female set
- 500amp

Code	Description
234 200 053	Twist type Mech Connector - pair



Dinse Connectors

- Small Dinse 25 series (9mm pin)
- Large Dinse 35 series (13mm pin)

Code	Description
234 200 101	Female Connector Small Dinse
234 200 096	Male Connector - Small Dinse
234 200 102	Female Connector - Large Dinse
234 200 097	Male Connector - Large Dinse



All product details are subject to change without notice. © January 2016 SFI Australia.

SECTION 5
WELDING

WELDING ACCESSORIES



Lead Kits

Code	Description
234 200 152	5m - 16mm ² Cable with small Dinse
234 200 153	5m - 25mm ² Cable with large Dinse




MIG Pliers

Code	Description
200 003 827	MIG Pliers



Earth Clamps

Code	Description
234 200 165	200 amp
234 200 166	300 amp
234 200 167	500amp



Electrode Holders

Code	Description
234 200 168	Twist Lock - 400 amp
234 200 162	Twist Lock - 600 amp
234 200 135	Tong Style - 400 amp
234 200 136	Tong Style - 600 amp

All product details are subject to change without notice. © January 2016 SFI Australia.

REGULATORS

Regulator - Acetylene

- To suit Acetylene Gas
- Bottom Entry
- Twin Gauge

Code	Description
235 100 006	Acetylene Regulator



Regulator - Oxygen

- To suit Oxygen welding/cutting Gas
- Bottom Entry
- Twin Gauge

Code	Description
235 100 020	Oxygen Regulator



Regulator - Propane

- To suit LPG Gas

Code	Description
235 100 005	LPG Propane Regulator



Regulator - Argon

- For use with Mig welding
- Bottom Entry
- Twin Gauge

Code	Description
234 200 188	Argon Regulator - Twin Gauge



Regulator/Flowmeter - Argon

- Use use with Tig welding
- Comes with 15lpm Bobbin Flowmeter
- Bottom Entry

Code	Description
234 200 189	Argon Regulator / Flowmeter Bobbin



All product details are subject to change without notice. © January 2016 SFI Australia.

- RENTAL & ON-SITE SUPPLY
- 1. PIPING EQUIPMENT
- 2. WORKSHOP MACHINERY
- 3. CUTTING
- 4. TORQUING & SPECIALISED FORCE
- 5. WELDING
- 6. POWER TOOLS & ELECTRICAL
- 7. HAND TOOLS
- 8. ABRASIVES & POLISHING
- 9. LUBRICANTS & SEALANTS
- 10. TAPES & PACKAGING
- 11. SAFETY
- 12. PAINTS & MARKING
- 13. CATERING & JANITORIAL
- 14. HARDWARE, FITTINGS & BUILDING
- 15. RIGGING & LIFTING

SECTION 5
 WELDING

GAS HOSE



Bobbin Flowmeters

- For tig welding and purging

Code	Description
234 200 043	Welding Flowmeter 0-15 lpm
234 200 086	Welding Flowmeter 0-25 lpm



Gas Hose - Argon/Purge

- For use with purge welding
- 5mm heavy duty

Code	Description
234 200 186	5mm Single Hose Oxy/Inert Gas



Hose - Oxy/LPG Twin

Code	Description
235 100 043	Hose Twin Oxy/LPG 5mtr
235 100 044	Hose Twin Oxy/LPG 15mtr Set



Hose - Oxy/Acet Twin

- Twin Hose for Oxy/Acet
- 15mtrs with fittings

Code	Description
235 100 001	10mtr Twin Oxy/Acet Hose
235 100 002	15mtr Twin Oxy/Acet Hose



Hose - LPG

- Single LPG Hose for heating torches
- With fittings

Code	Description
235 100 012	LPG Hose Assy (5mm ID) 5 mtr.
235 100 011	LPG Hose Assy (5mm ID) 10 mtr.

All product details are subject to change without notice. © January 2016 SFI Australia.

HOSE FITTINGS

- RENTAL & ON-SITE SUPPLY
- 1. PIPING EQUIPMENT
- 2. WORKSHOP MACHINERY
- 3. CUTTING
- 4. TORQUING & SPECIALISED FORCE
- 5. WELDING**
- 6. POWER TOOLS & ELECTRICAL
- 7. HAND TOOLS
- 8. ABRASIVES & POLISHING
- 9. LUBRICANTS & SEALANTS
- 10. TAPES & PACKAGING
- 11. SAFETY
- 12. PAINTS & MARKING
- 13. CATERING & JANITORIAL
- 14. HARDWARE, FITTINGS & BUILDING
- 15. RIGGING & LIFTING

Hose Joiners - Self Clamping

- Self clamping gas hose joiner fitting

Code	Description
234 200 157	Hose Joiner - R/H IW-265



Hose Fittings - Self Clamping

- Self clamping gas hose end fittings

Code	Description
234 200 139	Hose End 5/8-18UNF R/H - 5mm Hose
234 200 142	Hose End 5/8-18UNF L/H - 5mm Hose



Hose/Fitting Joiners - Male

- Hose/Fitting joiners - Male to Male

Code	Description
234 200 145	Hose Joiner - R/H IW-34
234 200 146	Hose Joiner - L/H



Y piece

- For use with purging
- To suit all bobbin flowmeters

Code	Description
234 200 181	R121 Y Piece Right Handed



Hose Fitting Kits

- To suit all 5mm gas hose
- To suit all standard flowmeter & regulator fittings
- Kit includes Nut, tail and hose clamp

Code	Description
234 200 185	Nut, Tail & Clamp Kit 5mm RH
234 200 234	Nut, Tail & Clamp Kit 5mm LH Acet/LPG



All product details are subject to change without notice. © January 2016 SFI Australia.

SECTION 5
WELDING

OXY ACCESSORIES



Flint Lighters

- Round Single Flint

Code	Description
235 100 016	Flint Lighter



Flints

- 3001X Replacement Flints

Code	Description
235 200 043	Replacemant flint tip



Flash Back Arrestors

- Oxy & Acetylene Flashback Safety arrestors

Code	Description
235 100 022	Oxy - Regulator End
235 100 021	Acetylene - Regulator End
235 100 024	Oxy - Torch End
235 100 023	Acetylene - Torch End

Professional Gas Kits
Oxygen / Acetylene

Code	Description
235 100 039	Professional Kit Oxygen / Acetylene

Professional Gas Kits
Oxygen / LPG

Code	Description
235 100 042	Professional Kit Oxygen / LPG

All product details are subject to change without notice. © January 2016 SFI Australia.

HEATING & GOUGING

Gouging Carbons

- 50 Carbons per pack

Code	Description
237 100 204	Gouging Carbons 5.0mm (50/pk)
237 100 105	Gouging Carbons 6.5mm (50/pk)
237 100 106	Gouging Carbons 8.0 (50/pk)
212 200 215	Gouging Carbons 10mm (50/pk)
237 100 205	Gouging Carbons 13.0mm (50/pk)



Gouging Torch

- 2mtr Swivel Cable assembly included

Code	Description
234 200 237	Gouging Torch 2mtr



Heating Torch - LPG

- For pre-heating pipes
- 800mm Handle with Trigger booster
- 60mm Head

Code	Description
235 100 015	LPG Heating Torch kit



All product details are subject to change without notice. © January 2016 SFI Australia.

MISC WELDING AIDS



Single Cylinder Trolley

- 160kg
- Pneumatic Tyres

Code	Description
200 003 438	Single Cylinder Trolley



Twin Cylinder Trolley

- To Suit Oxy & Acetylene bottles
- Pneumatic Tyres
- Heavy Duty

Code	Description
200 003 439	Oxy-Acetylene Trolley



Chipping Hammer

- Welders chipping hammer
- Spring type handle

Code	Description
201 100 025	Chipping Hammer
201 100 026	Chipping Hammer - Rubber Handle



Tempil Thermomelt Stick

Code	Description
234 200 171	50°C
234 200 172	80°C
234 200 173	100°C
234 200 174	260°C
234 200 175	1200°C

All product details are subject to change without notice. © January 2016 SFI Australia.

THERMOMETERS

Fluke 62 Infrared Thermometer

- Temperature Range: -30 C to 650 C
- Optical Res: 12:1
- Warranty: 3 Years

Code	Description
200 004 308	Fluke 62 Infrared Thermometer



561 Infrared & Contact Thermometer

Includes:

- 561 IR thermometer
- K-Type thermocouple fabric hook-and-loop fastener pipe probe
- Hard carrying case
- Users manual

Code	Description
200 004 360	Fluke 561 Infrared and Contact Thermometer



566 Infrared & Contact Thermometer

Includes:

- Thermocouple K bead probe
- Durable hard case
- 2 AA batteries
- Getting Started guide in 6 languages
- 2-year warranty

Code	Description
200 004 307	Fluke 566 Infrared and Contact Thermometer



Surface Temperature Probe

- Type-K thermocouple for surfaces in rugged environment
- Durable ribbon sensor
- Measurement range:-127 to 600°C
- One year warranty
- Suits temperature probe: 51, 52, 53, 54II, 561, 566, 568, 714, 724, 725, 741B, 743B and 744

Code	Description
200 003 968	Fluke 80PK-27 SureGrip Industrial Surface Temperature Probe



All product details are subject to change without notice. © January 2016 SFI Australia.

- RENTAL & ON-SITE SUPPLY
- 1. PIPING EQUIPMENT
- 2. WORKSHOP MACHINERY
- 3. CUTTING
- 4. TORQUING & SPECIALISED FORCE
- 5. WELDING
- 6. POWER TOOLS & ELECTRICAL
- 7. HAND TOOLS
- 8. ABRASIVES & POLISHING
- 9. LUBRICANTS & SEALANTS
- 10. TAPES & PACKAGING
- 11. SAFETY
- 12. PAINTS & MARKING
- 13. CATERING & JANITORIAL
- 14. HARDWARE, FITTINGS & BUILDING
- 15. RIGGING & LIFTING

CLAMP METERS



Fluke 376 True Clamp Meter with iFlex

Included accessories:

- 18-inch iFlex™ flexible current probe
- Coated instruction card
- Safety information sheet
- Soft carrying case
- TL75 test leads
- Two AA Alkaline batteries
- Integrated low pass filter and state of the art signal processing allows for use in noisy electrical environments while providing stable readings
- Proprietary inrush measurement technology to filter out noise and capture motor starting current exactly as the circuit protection sees it
- Ergonomic design fits in your hand and can be used while wearing protective equipment
- Large, easy to read backlight display automatically sets the correct measurement range so you do not need to change the switch positions while taking a measurement
- Three-year warranty

Code	Description
200 004 305	Fluke 376 True RMS Clamp Meter with iFlex



Fluke 381 Remote Display True RMS AC/DC Clamp Meter with iFlex

Included accessories:

- 18-inch iFlex™ flexible current probe
- Coated instruction card
- Safety information sheet
- Soft carrying case
- TL75 test leads
- Five AA Alkaline batteries
- The removable magnetic display can be conveniently mounted where it is easily seen
- iFlex flexible current probe expands the measurement range to 2500 A ac
- CAT IV 600 V, CAT III 1000 V
- Integrated low pass filter and state of the art signal processing allows for use in noisy electrical environments while providing stable readings

Code	Description
200 004 771	Fluke 381 Remote Display True RMS AC/DC Clamp Meter with iFlex

All product details are subject to change without notice. © January 2016 SFI Australia.

MULTIMETERS

- RENTAL & ON-SITE SUPPLY
- 1. PIPING EQUIPMENT
- 2. WORKSHOP MACHINERY
- 3. CUTTING
- 4. TORQUING & SPECIALISED FORCE
- 5. WELDING**
- 6. POWER TOOLS & ELECTRICAL
- 7. HAND TOOLS
- 8. ABRASIVES & POLISHING
- 9. LUBRICANTS & SEALANTS
- 10. TAPES & PACKAGING
- 11. SAFETY
- 12. PAINTS & MARKING
- 13. CATERING & JANITORIAL
- 14. HARDWARE, FITTINGS & BUILDING
- 15. RIGGING & LIFTING

Fluke 179 True-RMS Digital Multimeter with temperature

- True-rms ac voltage and current for accurate measurements on non linear loads
- Large digit display with analog bargraph
- Display backlight for work in dark areas
- Temperature and capacitance
- Records minimum and maximum values to aid in troubleshooting
- Free your hands with the magnetic hanger included in this combo kit
- Durability backed up with a limited lifetime warranty
- Includes thermocouple probe, integral holster and test leads

Code	Description
200 004 312	Digital Multimeter with Temperature



Fluke 1587 Insulation Multimeter

Includes:

- Remote probe
- Test leads
- Alligator clips
- K-type thermocouple
- Hard case
- Four AA alkaline batteries
- Quick Reference Guide
- CD Rom with Manual

Code	Description
202 200 853	Fluke 1587 Insulation Multimeter



All product details are subject to change without notice. © January 2016 SFI Australia.

INSPECTION KITS



Welders Inspection Kit

Quality Inspection Equipment

Includes:

- Fillet Gauges
- Torch
- Hi-Lo
- Taper
- V-Wac
- Microscope
- Mirror
- 150mm steel rule
- Naka
- Cambridge

Code	Description
331 500 085	Welders Inspection Kit



Taper Gauge

Code	Description
202 200 737	Taper Gauge



Standard Hilo Gauge-Cat 2

Code	Description
331 500 074	Standard Hi Lo Gauge

All product details are subject to change without notice. © January 2016 SFI Australia.

INSPECTION TOOLS

- RENTAL & ON-SITE SUPPLY
- 1. PIPING EQUIPMENT
- 2. WORKSHOP MACHINERY
- 3. CUTTING
- 4. TORQUING & SPECIALISED FORCE
- 5. WELDING**
- 6. POWER TOOLS & ELECTRICAL
- 7. HAND TOOLS
- 8. ABRASIVES & POLISHING
- 9. LUBRICANTS & SEALANTS
- 10. TAPES & PACKAGING
- 11. SAFETY
- 12. PAINTS & MARKING
- 13. CATERING & JANITORIAL
- 14. HARDWARE, FITTINGS & BUILDING
- 15. RIGGING & LIFTING

Hilo Stainless Steel Gauge-Cat 1

Code	Description
331 500 092	HI LO S/S Gauge



VWAC Weld/Accept Gauge/Cat 5

Code	Description
202 200 934	VWAC Weld/Accept Gauge



AWS Type Gauge/Cat 6

Code	Description
202 200 935	AWS Type Gauge



Bridge Cam Gauge/Cat 4

Code	Description
202 200 933	Bridge Cam Gauge




All product details are subject to change without notice. © January 2016 SFI Australia.

SECTION 5
 WELDING

WELDING GAUGES

Gal Adjust Fillet Gauge-Cat 3



Code	Description
202 200 936	Gal Adjust Fillet Gauge



Fillet Gauge Metric

Code	Description
202 200 843	Fillet Gauge
202 200 844	Fillet Gauge Metric

NEED PERSONAL PROTECTION EQUIPMENT?

See Pages 264-282

All product details are subject to change without notice. © January 2016 SFI Australia.

INSPECTION MIRRORS & MAGNETS

Magnifying Telescopic Inspection Mirror

- Magnifies image for detailed inspection
- Ball joint head swivels to any position
- Mirror diameter: 1-1/4" (32mm)
- Telescopic from 6-1/2" (165mm) to 18-7/8" (479mm)

Code	Description
200 005 076	Telescopic Inspection Mirror



Power Top 5LB Telescopic Magnet

- Powerful magnet can lift up to 5lb (2.2kg)
- Telescopic from 5-3/8" (135mm) to 25-1/2" (647mm)
- Handy pocket clip

Code	Description
200 003 110	Telescopic Magnet



Telescopic Inspection Mirror

- Ball joint head swivels to any position
- Large mirror size: 2-1/8" (54mm) x 3-1/2" (89mm)
- Telescopic from 11-1/4" (286mm) to 15-1/4" (387mm)

Code	Description
200 004 124	Telescopic Inspection Mirror



Small Telescopic Inspection Mirror

- Pocket clip
- Ball joint head swivels to any position
- Mirror diameter: 1-1/4" (32mm)
- Telescopic from 6-1/2" (165mm) to 18-7/8" (479mm)

Code	Description
200 003 790	Small Telescopic Inspection Mirror



All product details are subject to change without notice. © January 2016 SFI Australia.

- RENTAL & ON-SITE SUPPLY
- 1. PIPING EQUIPMENT
- 2. WORKSHOP MACHINERY
- 3. CUTTING
- 4. TORQUING & SPECIALISED FORCE
- 5. WELDING**
- 6. POWER TOOLS & ELECTRICAL
- 7. HAND TOOLS
- 8. ABRASIVES & POLISHING
- 9. LUBRICANTS & SEALANTS
- 10. TAPES & PACKAGING
- 11. SAFETY
- 12. PAINTS & MARKING
- 13. CATERING & JANITORIAL
- 14. HARDWARE, FITTINGS & BUILDING
- 15. RIGGING & LIFTING

LED TORCHES



Headlight - Led Lenser H5

Lumens: 26lm
 Max Distance: 75m
 Max Run Time: 11h
 Battery: 3 x AAA

Code	Description
200 001 151	Headlight



Head Lamp - Led Lenser H7

Dimmable
 Lumens: 170lm
 Max Distance: 180m
 Max Run Time: 54h
 Battery: 3 x AAA

Code	Description
200 001 152	Led Lenser H7 Head Lamp



Torch - Led Lenser P7

Dynamic Tail Switch
 Lumens: 200lm
 Max Distance: 210m
 Max Run Time: 64h
 Battery: 4 x AAA
 Length: 140mm
 Includes: Nylon Sheath

Code	Description
200 001 154	Torch



Torch - Led Lenser P17

Dynamic Tail Switch
 Lumens: 220lm
 Max Distance: 330m
 Max Run Time: 480h
 Battery: 3 x D
 Length: 325mm

Code	Description
200 001 157	Torch

All product details are subject to change without notice. © January 2016 SFI Australia.

- RENTAL & ON-SITE SUPPLY
- 1. PIPING EQUIPMENT
- 2. WORKSHOP MACHINERY
- 3. CUTTING
- 4. TORQUING & SPECIALISED FORCE
- 5. WELDING
- 6. POWER TOOLS & ELECTRICAL
- 7. HAND TOOLS
- 8. ABRASIVES & POLISHING
- 9. LUBRICANTS & SEALANTS
- 10. TAPES & PACKAGING
- 11. SAFETY
- 12. PAINTS & MARKING
- 13. CATERING & JANITORIAL
- 14. HARDWARE, FITTINGS & BUILDING
- 15. RIGGING & LIFTING

LED TORCHES

M7 - Multifunctional Torch

Advanced SLT Tail Switch
Lumens: 210lm
Max Distance: 255m
Max Run Time: 11h
Battery: 4 x AA
Length: 146mm

Code	Description
200 004 801	LED Lenser M7 Multifunction Torch



Torch - Led Lenser P14

Dynamic Tail Switch
Lumens: 210lm
Max Distance: 280m
Max Run Time: 84h
Battery: 4 x AA
Length: 218mm
Includes: Nylon Sheath

Code	Description
200 001 155	Torch



Keyring Torch - Led Lenser K2L

On/Off: Twist
Lumens: 18lm
Max Distance: 20m
Battery: 4 x AG13
Length: 60mm

Code	Description
200 004 799	Keyring Torch



Rechargeable Led Lenser M7R

Advanced SLT Tail Switch
Lumens: 220lm
Max Distance: 255m
Max Run Time: 20.5h
Charge Time: 8h
Length: 165mm
Includes: Intelligent Clip and wall bracket

Code	Description
200 004 802	Multifunction Rechargeable Torch



All product details are subject to change without notice. © January 2016 SFI Australia.

- RENTAL & ONSITE SUPPLY
- 1. PIPING EQUIPMENT
- 2. WORKSHOP MACHINERY
- 3. CUTTING
- 4. TORQUING & SPECIALISED FORCE
- 5. WELDING
- 6. POWER TOOLS & ELECTRICAL
- 7. HAND TOOLS
- 8. ABRASIVES & POLISHING
- 9. LUBRICANTS & SEALANTS
- 10. TAPES & PACKAGING
- 11. SAFETY
- 12. PAINTS & MARKING
- 13. CATERING & JANITORIAL
- 14. HARDWARE, FITTINGS & BUILDING
- 15. RIGGING & LIFTING

SURFACE INSPECTION



Positector Inspection Kit

PosiTector Inspector Kit (KITFNS1) contains a Standard (1) PosiTector body, PosiTector 6000 separate ferrous/non-ferrous coating thickness probe, PosiTector SPG surface profile probe, and a PosiTector DPM environmental probe.

Each PosiTector body accepts the 6000, DPM and SPG probes included in the kit easily converting from a coating thickness gage to a dew point meter or surface profile gage.

Code	Description
331 500 073	DeFelsko Inspection Kit
200 004 774	DeFelsko PosiTector UTG M3 Advanced (Ultrasonic Wall Thickness) Multiple Echo Probe
200 004 773	DeFelsko Certified Step Blocks - Calibration Blocks Metric




Posipen

PosiPen has a very small, unique magnet which can be placed with pin-point accuracy on extremely small parts, and on peaks and valleys.

- Spot checks - conveniently fits in shirt pocket
- Lightweight - easy to carry, just like a ball point pen
- No batteries / electronics
- No user adjustment required
- Certificate of Calibration traceable

Code	Description
200 004 775	PosiPen



Moly Drop

Avesta Moly-Drop test 960 is an easy to use chemical test that helps differentiate 304 grade stainless steel from 316 grade. With this simple chemical test you can check if your stock piece or scrap of stainless steel is 304 or 316. The test will identify the grade within 5-10 minutes through a colour change.

Can be used on stainless steel 300 series material to test presence of Molybdenum to differentiate 304 (no moly) from 316 (with moly).

Code	Description
362 100 005	Avesta Moly Drop Tester 30ml

All product details are subject to change without notice. © January 2016 SFI Australia.

PICKLING PASTES

Pickling Paste - Standard

Avesta Classic Pickling Paste 101 is used to treat stainless steel surfaces that have been damaged by working operations such as welding, forming, cutting and blasting. It removes welding oxides, the underlying chromium-depleted layer, micro-slag particles and other contaminants that may cause local corrosion. Is specifically intended for standard brush pickling of weld seams and smaller surfaces.

- Perfect consistency to give good adhesion to difficult surfaces & reduce risk of splashing
- Brush pickling in all positions TIG/MIG welds
- Thick paste consistency - no risk of sagging

Code	Description
362 100 016	Pickling Paste - Std 2.4kg

Pickling Paste - Red One

Specifically intended for powerful pickling of weld seams & smaller surfaces. Prevents corrosion by restoring damaged areas. Gives cleaner surfaces & less discolouration than classical pickling products. Superior results & reduced consumption, easy to apply & highly visible.

- Rough, hot-rolled surfaces.
- Thick layers of welding oxides.
- Short pickling times.
- Pickling at low temperatures - less than +5°C.
- High-alloy steel grades such as 904L, duplex and SMO.

Code	Description
362 100 014	Pickling Paste - Red One 2.4kg

Pickling Paste - Blue One

Prevents corrosion by restoring damaged areas. Gives shinier surfaces and less discolouration than classical products. Superior results and reduced consumption.

- Common steel grades such as EN 1.4301/ASTM 304 and EN 1.4436/ASTM 316.
- Cold-rolled plate.
- Pickling in the 10-30°C temperature range.
- Avesta Cleaner 401 can advantageously be used before pickling.
- Avesta RedOne Pickling Paste 140 is recommended for more demanding applications.

Code	Description
362 100 010	Pickling Paste - Blue One 2.4kg

Pickling Brushes

Code	Description
362 100 011	Pickling Paste Brushes - Large
362 100 012	Pickling Paste Brushes - Small



All product details are subject to change without notice. © January 2016 SFI Australia.

- RENTAL & ON-SITE SUPPLY
- 1. PIPING EQUIPMENT
- 2. WORKSHOP MACHINERY
- 3. CUTTING
- 4. TORQUING & SPECIALISED FORCE
- 5. WELDING
- 6. POWER TOOLS & ELECTRICAL
- 7. HAND TOOLS
- 8. ABRASIVES & POLISHING
- 9. LUBRICANTS & SEALANTS
- 10. TAPES & PACKAGING
- 11. SAFETY
- 12. PAINTS & MARKING
- 13. CATERING & JANITORIAL
- 14. HARDWARE, FITTINGS & BUILDING
- 15. RIGGING & LIFTING

INOX 8000



NEW

Inox 8000

Stainless Weld Cleaner

- Flexi Head Torch Handle
- Etching / Plate Function / Polish
- Sealed Connectors
- Auto Overload Protection
- Auto Restart
- Acid more powerful
- 3.6m Earth & Brush Leads
- Sliding Shroud

SpeedBRUSH

- Premium Heavy Duty Carbon Fibres
- Longer Life
- 2 Sizes Available - Medium & Large
- Unique Sliding Shroud for total control
- Shroud can be used for undoing a hot brush
- Easy to clean/maintain
- Unique flexible head design with 70° & straight head adapters for pipework and hard to reach areas



Before - After



Sliding Shroud

Code	Description
361 100 006	Stainless Weld Cleaner - INOX 8000

NEED POLISHING TOOLS?

See
Page
222



POLISHING & ABRASIVES SECTION 8

All product details are subject to change without notice. © January 2016 SFI Australia.

INOX 8000

Starter Kit

- 1 Orbimax INOX 8000
- 1 Monitor INOX Phosphoric Acid 5Ltr
- 1 Monitor INOX Neutraliser 5 Ltr
- 1 HD Trigger Sprayer Hills 1 Ltr
- 10 INOX 8000 Heavy Duty Brush Std
- 1 Shroud Std Size

Code	Description
T\INOX8000S	Kit 1 Starter



Starter Plus Kit

- 1 Orbimax INOX 8000
- 1 Monitor INOX Phosphoric Acid 5Ltr
- 1 Monitor INOX Neutraliser 5 Ltr
- 1 HD Trigger Sprayer Hills 1 Ltr
- 10 INOX 8000 Heavy Duty Brush Std
- 1 Shroud Std Size
- 10 INOX 8000 Heavy Duty Brush Lge
- 1 Heavy Duty Shroud

Code	Description
T\INOX8000SP	Kit 2 Starter Plus



Workshop Kit

- 1 Orbimax INOX 8000 Machine
- 2 Monitor INOX Phosphoric Acid 5Ltr
- 4 Monitor INOX Neutraliser 5 Ltr
- 1 HD Trigger Sprayer Hills 1 Ltr
- 100 INOX 8000 Heavy Duty Brush Std
- 1 Shroud Std Size

Code	Description
T\INOX8000W	Kit 3 - Workshop



Workshop Plus Kit

- Orbimax INOX 8000 Machine
- 4 Monitor INOX Phosphoric Acid 5Ltr
- 8 Monitor INOX Neutraliser 5 Ltr
- 1 HD Trigger Sprayer Hills 1 Ltr
- 100 INOX 8000 Heavy Duty Brush Std
- 1 Shroud Std Size
- 100 INOX 8000 Heavy Duty Brush Lge
- 1 Heavy Duty Shroud

Code	Description
T\INOX8000WP	Kit 4 - Workshop Plus



All product details are subject to change without notice. © January 2016 SFI Australia.

- RENTAL & ON-SITE SUPPLY
- 1. PIPING EQUIPMENT
- 2. WORKSHOP MACHINERY
- 3. CUTTING
- 4. TORQUING & SPECIALISED FORCE
- 5. WELDING**
- 6. POWER TOOLS & ELECTRICAL
- 7. HAND TOOLS
- 8. ABRASIVES & POLISHING
- 9. LUBRICANTS & SEALANTS
- 10. TAPES & PACKAGING
- 11. SAFETY
- 12. PAINTS & MARKING
- 13. CATERING & JANITORIAL
- 14. HARDWARE, FITTINGS & BUILDING
- 15. RIGGING & LIFTING

WELDING GEAR



Welding Umbrella

Aluminium 2 piece pole & frame with locking tilt mechanism

- Diameter: 198cm
- Height: 213cm
- Material: Coated Polyester Canvas Flame Resistant
- Construction: Aluminium
- Individually Boxed

Code	Description
212 100 028	Welding Umbrella



Leather Blankets

- 1.8mtr x 1.8mtr
- With or Without Eyelets

Code	Description
212 100 030	Welding Blankets 1.8 x 1.8 Leather



Leather Welding Blanket Roll

- 1.8m x 45.7m
- Hi Temp Fibreglass
- 550° Rated

Code	Description
212 100 026	Leather Welding Blanket Roll

TARPS

See Page 340

NEED THESE?

Wire Wheels Cutting Wheels Grinders

p 228 p 225 p 175

All product details are subject to change without notice. © January 2016 SFI Australia.

WELDING SCREENS & CURTAINS

- RENTAL & ONSITE SUPPLY
- 1. PIPING EQUIPMENT
- 2. WORKSHOP MACHINERY
- 3. CUTTING
- 4. TORQUING & SPECIALISED FORCE
- 5. WELDING**
- 6. POWER TOOLS & ELECTRICAL
- 7. HAND TOOLS
- 8. ABRASIVES & POLISHING
- 9. LUBRICANTS & SEALANTS
- 10. TAPES & PACKAGING
- 11. SAFETY
- 12. PAINTS & MARKING
- 13. CATERING & JANITORIAL
- 14. HARDWARE, FITTINGS & BUILDING
- 15. RIGGING & LIFTING


Flame Retardant Sheeting

- Monarflex Scaffband Firesmart Flame Retardant Sheeting
- 2m x 45m



Code	Description
212 100 025	Flame Retardant Sheeting

Cepro Gazelle Welding Screen & Frame



Code	Description
212 100 031	2x2m - Orange
212 100 032	2x2m - Green

Welding Curtain

- 1.8 x 1.8m



Code	Description
212 200 072	Red 1.8 x 1.8m
212 100 022	Green 1.8 x 1.8m

Cepro Welding Tent

- H200/220 x W190 x D200cm



Code	Description
212 100 023	Cepro Welding Tent

All product details are subject to change without notice. © January 2016 SFI Australia.

WELDING JACKETS



Welding Jacket with Leather Sleeves & Harness Flap

Code	Description
212 100 043	Hi-Vis w/ Leather Sleeves & Harness Flap Med
212 100 044	Hi-Vis w/ Leather Sleeves & Harness Flap L
212 100 047	Hi-Vis w/ Leather Sleeves & Harness Flap XL
212 100 045	Hi-Vis w/ Leather Sleeves & Harness Flap 2XL
212 100 046	Hi-Vis w/ Leather Sleeves & Harness Flap 4XL



Welding Jacket

Code	Description
212 100 033	Welding Jacket Medium
212 100 034	Welding Jacket Large
212 100 035	Welding Jacket XL
212 100 036	Welding Jacket 2XL
212 100 037	Welding Jacket 3XL



Welding Jacket with Leather Sleeve

Code	Description
212 100 038	Welding Jacket with Leather Sleeves Medium
212 100 039	Welding Jacket with Leather Sleeves Large
212 100 040	Welding Jacket with Leather Sleeves Extra Large
212 100 041	Welding Jacket with Leather Sleeves 2XL
212 100 042	Welding Jacket with Leather Sleeves 3XL



Probane Welding Hood

Code	Description
212 200 131	Welding Probane Hood

All product details are subject to change without notice. © January 2016 SFI Australia.

WELDING PROTECTION

Welding Spats

Code	Description
212 100 027	Leather Welding Spats (Pair)



Kromer Cap

- Assorted Prints

Code	Description
212 200 139	54 Size 6-3/4
212 200 140	55 Size 6-7/8
212 200 141	56 Size 7
212 200 142	60 Size 7-1/2
212 200 143	58 Size 7-1/4
212 200 144	57 Size 7-1/8
212 200 145	62 Size 7-3/4
212 200 146	59 Size 7-3/8
212 200 147	61 Size 7-5/8



VIEW FULL RANGE OF PPE

See
Pages
264 - 282



p.274



p.265



p.277



p.278



p.268

All product details are subject to change without notice. © January 2016 SFI Australia.

WELDING GLOVES



Black & Gold Welding Gloves

Code	Description
213 100 021	Black & Gold (12/pk) E



Red Welding Gloves

Code	Description
213 100 002	Red (12/pk) E



Blue Welding Gloves

Code	Description
213 200 049	Blue (12/pk) E



Welding Lefties

Code	Description
213 200 070	Lefties (10/pk) E

All product details are subject to change without notice. © January 2016 SFI Australia.

WELDING GLOVES / RESPIRATOR

- RENTAL & ON-SITE SUPPLY
- 1. PIPING EQUIPMENT
- 2. WORKSHOP MACHINERY
- 3. CUTTING
- 4. TORQUING & SPECIALISED FORCE
- 5. WELDING**
- 6. POWER TOOLS & ELECTRICAL
- 7. HAND TOOLS
- 8. ABRASIVES & POLISHING
- 9. LUBRICANTS & SEALANTS
- 10. TAPES & PACKAGING
- 11. SAFETY
- 12. PAINTS & MARKING
- 13. CATERING & JANITORIAL
- 14. HARDWARE, FITTINGS & BUILDING
- 15. RIGGING & LIFTING

Tig Fireforce

- Extended Cuff Premium Tig Glove
- Premium quality leather
- Made to EN420 standard
- Pack Qty: 12 Carton Qty: 120



Code	Description
213 100 027	Gloves Tig Fireforce - Large
213 200 001	Gloves Tig Fireforce - Extra Large

Tig Gloves

- Specially Selected Leather and Carefully Crafted for Maximum Comfort and Sensitivity
- Excellent Dexterity / Feel
- Good Heat-Resistance
- Sewn with Heat-Resistant Kevlar Thread = Resistant to Seam Failure



Code	Description
202 200 982	Platinum Tig Glove 360mm

TPE Half Mask Respirator Welders Kit - Maxisafe

- RS01 Medium Half Face Respirator
- 2 x P3R Particle Filters
- 3 x Hygiene Alcohol Wipes for cleaning mask
- Sealable and Food-Grade container for storage



Code	Description
217 100 015	Maxisafe TPE Half Mask Respirator Welders Kit

All product details are subject to change without notice. © January 2016 SFI Australia.

WELDING HELMETS



Auto Darkening Helmet

- Flip-up mechanism reveals a clear high impact grinding visor (AS/NZS1337.1)
- Made in Sweden with an industry leading 3 year warranty on lens
- Largest viewing area on the market (73x107mm lens + SideWindows)
- Highest possible optical classification (1/1/1)
- Advanced TST (TIG Sensor Technology) reacts down to an industry leading 1 amp
- Centre photo-sensor for TIG
- Exclusive exhaust vents to assist in removing exhaled air
- Peripheral SideWindows for enhanced vision
- Weld, Cut, Outdoor, Grind, Hidden Arc and Tack (AS/NZS1338.1)
- Shades 5, 8, 9-13 with a light shade of 3
- Compliant with all relevant Australian & New Zealand standards

Code	Description
211 100 058	Speedglas 9100XX FX Auto Welding Mask



Auto Darkening Helmet

- Made in Sweden with an industry leading 3 year warranty on lens
- Largest viewing area on the market (73x107mm lens + SideWindows)
- Highest possible optical classification (1/1/1)
- High impact protection (AS/NZS1337.1)
- Advanced TST (TIG Sensor Technology) reacts down to an industry leading 1 amp
- Centre photo-sensor for TIG
- Aerodynamic exhaust vents to assist in removing exhaled air
- Peripheral SideWindows for enhanced vision
- Weld, Cut, Outdoor, Grind, Hidden Arc and Tack (AS/NZS1338.1)
- Shades 5, 8, 9-13 with a light shade of 3
- Compliant with all relevant Australian & New Zealand standards

Code	Description
211 100 067	Speedglas 9100XX SW Variable Shade 3/9-13



Standard Flip Up Helmet

- Adjustable headgear for improved comfort and usability
- Suited to: All electric arc welding processes up to shade level DIN10 or according to the mounted welding filter shade / Electrode Welding (Stick Welding, SMAW) / MIG / MAG (GMAW) / Oxy-Gas Welding / Plasma Arc Welding / Micro Plasma Arc / Welding.
- Also suitable for Grinding. Prohibited for laser welding!

Code	Description
212 100 004	Welding Helmets - Flip up Style



Optrel Galaxy

Code	Description
212 200 112	Optrel Galaxy Flip-Up Welding Helmet 1000-571

All product details are subject to change without notice. © January 2016 SFI Australia.

WELDING LENSES

- RENTAL & ON-SITE SUPPLY
- 1. PIPING EQUIPMENT
- 2. WORKSHOP MACHINERY
- 3. CUTTING
- 4. TORQUING & SPECIALISED FORCE
- 5. WELDING**
- 6. POWER TOOLS & ELECTRICAL
- 7. HAND TOOLS
- 8. ABRASIVES & POLISHING
- 9. LUBRICANTS & SEALANTS
- 10. TAPES & PACKAGING
- 11. SAFETY
- 12. PAINTS & MARKING
- 13. CATERING & JANITORIAL
- 14. HARDWARE, FITTINGS & BUILDING
- 15. RIGGING & LIFTING

Welding Lenses - Clear

- CR39 Welding lenses
- Box Qty: 100



Code	Description
212 100 003	Welding Lenses Clear

Welding Lenses - Shaded

Code	Description
212 100 001	Welding Lenses Shade No8
212 100 002	Welding Lenses Shade No9
212 100 005	Welding Lenses Shade No10
212 100 006	Welding Lenses Shade No11
212 100 007	Welding Lenses Shade No12
212 100 008	Welding Lenses Shade No13



Welding Lenses - Magnified

- Magnification Lenses - clear
- Available in 1.5x & 2.0x

Code	Description
212 200 197	Welding Lenses Magnification 1.5mag
212 200 199	Welding Lenses Magnification 2.0mag



Welding Lenses - Chipping

Code	Description
212 200 201	Chipping Lense 108 x 51mm



All product details are subject to change without notice. © January 2016 SFI Australia.

WELDING HELMETS & ADFLO SPARES



Speedglas/Adflo Welding Helmet

- 9100XX Series with fx Flip up view
- Adflo with Li-Ion Battery
- Complete kit in sports bag

Code	Description
211 100 059	Speedglas 9100XX Adflo/Welding Mask



Adflo Spares - Batteries

Code	Description
211 100 041	Adflo battery - Standard
211 100 042	Adflo battery - Heavy Duty
211 100 127	Speedglas-Adflo Battery Li-Ion Standard
211 100 128	Speedglas-Adflo Battery Li-Ion Heavy Duty



Adflo Spares - Battery Charger

Code	Description
211 100 129	Speedglas-Adflo Battery Charger Li-ion

All product details are subject to change without notice. © January 2016 SFI Australia.

WELDING HELMETS & ADFLO SPARES

Adflo Spares - Particle Filter

Code	Description
211 100 035	Particle Filter - Pre-filter - pk 5
211 100 125	Particle Filter - Pre-filter - pk 80
211 100 036	Particle Filter P SL
211 100 126	Particle Filter P SL - pk 80



Adflo Spares - Complete Odour Filter

Code	Description
211 100 037	Complete Odour Filter



Adflo Spares - Gas Filter

Code	Description
211 100 039	Gas Filter A1 B1 E1



All product details are subject to change without notice. © January 2016 SFI Australia.

SECTION 5
WELDING

SPEEDGLAS SPARES



Carry Bag

Code	Description
211 100 006	Carry bag



Head Protection

Code	Description
211 100 099	Head Protection 9100FX



Visor

Code	Description
211 100 068	9100 FX Clear Visor Plate (per Pack of 5)



Throat Protection

Code	Description
211 100 122	169010 - Throat Protection Tecaweld 9100

All product details are subject to change without notice. © January 2016 SFI Australia.

SPEEDGLAS SPARES

- RENTAL & ONSITE SUPPLY
- 1. PIPING EQUIPMENT
- 2. WORKSHOP MACHINERY
- 3. CUTTING
- 4. TORQUING & SPECIALISED FORCE
- 5. WELDING**
- 6. POWER TOOLS & ELECTRICAL
- 7. HAND TOOLS
- 8. ABRASIVES & POLISHING
- 9. LUBRICANTS & SEALANTS
- 10. TAPES & PACKAGING
- 11. SAFETY
- 12. PAINTS & MARKING
- 13. CATERING & JANITORIAL
- 14. HARDWARE, FITTINGS & BUILDING
- 15. RIGGING & LIFTING

Sweatband

Code	Description
211 100 123	9100 Sweatband



Lens

Code	Description
211 100 069	9100 Outer Cover Lens (Per Pack of 10)
211 100 070	Outside Lens - Coated (per pack of 10)
211 100 071	Outside Lens - Coated Heavy Duty 205 Degrees (per 10pk)
211 100 074	Inside Lens for 9100XX (per pack of 5) 9100XX
211 100 073	Cover Lens (per Pack of 5) 9100X



Magnifying Lens

Code	Description
211 100 103	Magnifying Lens 1.0
211 100 104	Magnifying Lens 1.5
211 100 105	Magnifying Lens 2.0
211 100 106	Magnifying Lens 2.5



Battery

Code	Description
211 100 076	Battery



All product details are subject to change without notice. © January 2016 SFI Australia.