

Certified Laboratories Certificate of Analysis (COA)

Report Number: 25-361224 **Report Date** 07/07/2025

1169 Warner Ave, Tustin, CA, 92780 Phone:714-259-0384

Customer*: Cymbiotika LLC

Contact*:

Samples Received: 06/27/2025 5825 Oberlin Dr. **Start of Testing:** 06/27/2025 Suite #5 **PO Number:** Unknown

San Diego, CA, 92121

Phone*: 855-983-8888

Sample Name: Shilajit

Item #: Lot #: 11RUA159.17

Lab #: 001

Test Code	Analysis - Method	Result	Spec
NC	Enterobacteriaceae MPN (Modified USP 2021)	< 3 MPN/G	<10 cfu/g
NC	Mold Count (USP 2021)	< 10 CFU/G	<1,000 cfu/g
NC	Total Aerobic Microbial Count (Modified USP 2021)	90 CFU/G	<10,000 cfu/g
NC	Yeast Count (USP 2021)	< 10 CFU/G	<1,000 cfu/g
USPC36	7 Method Bundle Modified USP 2021/2022 (APC, EB, Pseudo, YM, Ecoli, Staph, Sal)	Completed	55.50
NC	P. aeruginosa (USP 62)	Absent	Absent
NC	E. coli (Modified USP 2022)	Absent	Absent
NC	Salmonella species (Modified USP 2022)	Absent	Absent
NC	Staphylococcus aureus (Modified USP 2022)	Absent	Absent
HMS35	Heavy Metal Screen 4 - ICPMS: As, Cd, Hg, Pb	Complete	
NC	Arsenic (As) ICP-MS	0.390 mcg/0.5g	=<10 mcg/0.5g
NC	Cadmium (Cd) ICP-MS	0.085 mcg/0.5g	=<4.1 mcg/0.5g
NC	Lead (Pb) ICP-MS	0.590 mcg/0.5g	=<0.5 mcg/0.5g
NC	Mercury (Hg) ICP-MS	0.007 mcg/0.5g	=<0.3 $mcg/0.5g$

Customer: Cymbiotika LLC Report Number: 25-361224 Report Date : 07/07/2025

Billing **Analysis - Method** Result Spec Code

Sample Temperature Upon Receipt: 25.0 deg C

Remarks:

Certified Group - Tustin is accredited to the ISO/IEC 17025:2017 standard and specializes in the Customer Experience Team testing of botanical ingredients, dietary supplements, and foods. Certified Group - Tustin is not an FDA drug registered facility, therefore any data or results provided by Certified Group - Tustin are not intended to fulfill any requirements under the drug cGMPs dictated in 21 CFR Parts 210 and 211.

All results contained in the above report relate only to the items tested. All samples received in satisfactory condition unless noted otherwise. *The indicated information has been provided by the client to Certified Group - Tustin.

For Questions or Comments Contact: 714-259-0384 or customerexperience_tustin@certifiedgroup.com

Approved By: Katerina Baldwin, Laboratory Directory

Signature: KALTHAM